

Portable Light String



Century Portable Light Strings bring light to indoor and outdoor temporary construction areas. All light sockets are placed at ten foot intervals and can be hung from their heavy duty eyelets or from messenger wire. Manufactured with heavy duty 12/3 water resistant cable which stays flexible in cold weather temperatures well below freezing. These cords come complete with heavy duty grounded yellow PVC epoxy coated metal cages.

Part #	Description
D12012050	50' 12/3 STW Light String Yel

Pro Glo Tri Tap Extension Cord



Our special Pro Glo SJTW (300V) jackets offer high visibility for safety underfoot and extra flexibility in cold weather. The triple tap connector provides three standard 15A-125V outlets for additional power where it's needed. Each male plug has a built in amber neon light which indicates that there is power in the cords and outlet. In addition, these extension cords provide Continuous Current and Ground Monitoring (CGM), an OSHA safety requirement. A green neon light in the triple tap female connector let you know at-a-glance that there is ground continuity.



Part #	Description
D17222025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Orn
D17223025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Yel
D17224025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Grn
D17225025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Pink
D17226025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Blu
D17227025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Red
D17228025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Blk
D17229025	25' 12/3 SJTW Pro Glo Tri Tap Ext Cord Pur

Pro Glo Extension Cord



Our special Pro Glo SJTW (300V) jackets offer high visibility for safety underfoot and extra flexibility in cold weather. Each male plug has a built in amber neon light which indicates that there is power in the cords and outlet. In addition, these extension cords provide Continuous Current and Ground Monitoring (CGM), an OSHA requirement. A green neon light in the female connector lets you know at-a-glance that there is ground continuity.



Part #	Description
D17442025	25' 12/3 SJTW Pro Glo Ext Cord Orn
D17443025	25' 12/3 SJTW Pro Glo Ext Cord Yel
D17444025	25' 12/3 SJTW Pro Glo Ext Cord Grn
D17445025	25' 12/3 SJTW Pro Glo Ext Cord Pink
D17446025	25' 12/3 SJTW Pro Glo Ext Cord Blu
D17447025	25' 12/3 SJTW Pro Glo Ext Cord Red
D17448025	25' 12/3 SJTW Pro Glo Ext Cord Blk
D17449025	25' 12/3 SJTW Pro Glo Ext Cord Purp

15A 3-Wire Plug W/Clamp



- Hi-visibility yellow
- Built-in cable clamp
- Rating: 15A/125V

Catalog ID	Description
EGL4867	MALE
EGL4887	FEMALE

15A 3-Wire Plug W/Clamp



- Rubber construction
- Built-in cable clamp
- Rating: 15A/125V
- Black

Catalog ID	Description
EGL1709	MALE
EGL222	FEMALE

100W Rough Service Light Bulbs, 2Pk



- Resistant to shocks & vibration
- Reinforced filament for greater durability and longer life
- Ideal for work lights, workshop/garage, construction sites and factories
- Rated Life: 2500 hrs.
- Also available in 50W format (#73210)

Catalog ID	Description
DOC608-060-4	60 WATT
DOC608-100	100 WATT

T3 Halogen Light Bulb



- 118mm
- Replacement lamp used in halogen worklights and floodlights

Catalog ID	Description
TRATSL-1501	150 WATT
TRATSL-3001	300 WATT
TRATSL-5001	500 WATT

Shoplight & Heater



- Perfect for indoor work areas and garage use
- 4 x 23W spiral fluorescent light bulbs (included) provide the equivalent of 400W of light
- 650W infra-red heating element with glass protective lens & wire guard
- Separate pull chain switches to control light and heat
- Heavy duty anodized aluminum construction
- 1.8m (6') grounded cord
- Hanging hardware included

Catalog ID	Size
7737	

Portable Gfci Power Centre



- 15A GFCI protection for tools, outdoor equipment, appliances and more
- Ideal for outdoors, construction sites, workshop or where there is risk of exposure to water or rain while working with electrical power
- Impact-resistant thermoplastic housing
- Self-closing covers to protect unused outlets
- Built-in manual test & reset buttons
- 1.2M 12/3 SJTW power cord

Catalog ID	Size
CAT7737	

6-Outlet Power Bar W/Surge Suppression



- 140 joules
- 0.9m (3') cord
- White

Catalog ID	Size
4507	0.9m (3')

48" - 12 Outlet Power Bar



- Anodized aluminum construction
- Corrosion resistant
- 12 outlet design is perfect workshop/garage use
- Built-in 15A circuit breaker
- 1.8m (6') 14/3 SJTOW cord
- For indoor use

Catalog ID	Size
4513	1.8m (6')

30M Construction String Lighting



- For temporary outdoor lighting
- Weather resistant
- 10 coated preassembled steel cages
- Light sockets spaced every 10'
- Extra heavy duty 12/3 STW-Rated 600V
- Also available in 15m format (#4496)

Catalog ID	Size
4498	30m

25M Heavy Duty Power Cord Reel



- Delivers power where & when necessary
- Steel reinforced reel & stand
- 4 x built-in grounded outlets with circuit breaker protection & reset switch
- Steel carrying handle with sponge comfort grip
- 25m 12/3 SJTOW cord - flexible to -55°C
- Built tough with the contractor in mind

Catalog ID	Size
4531	25m

500W Halogen Work Light



- All metal construction
- "S" grip handle with padded grip
- Tempered glass protective lens
- Safety wire guard
- Grounded cord & plug
- Halogen bulb included

Catalog ID	Size
TRATSL-18	

"2 In 1" 500W Halogen Work Light W/Stand



- All metal construction
- Telescopic tripod extends up to 6 ft.
- Detachable & portable sled base
- Tempered glass lens
- Safety wire guard
- Grounded cord & plug
- Halogen bulb included

Catalog ID	Size
TRATSL-10	

Twin 500W Halogen Work Light W/Stand



- All metal construction
- Telescopic tripod extends up to 6 ft.
- Tempered glass lens
- Safety wire guard
- Weatherproof on/off light switches
- Grounded cord & plug
- Halogen bulbs included

Catalog ID	Size
TRATSL-14	



ELECTRICAL PRODUCTS

2in1 LED Flashlight/Lantern w/Holster



- 1-Watt High Performance LED
- 2 light modes: flashlight and lantern
- 60 lumens
- Adjustable spot to flood focus beam
- Battery run time: 7 hours
- Anodized aluminum body
- Impact and water resistant
- Lifetime warranty
- (3) AAA Rayovac alkaline batteries included

Part #	Weight (lbs.)	Battery
RVCRM3AAA	.738	AAA

6 Watt Area Lantern



- 6-Watt Cree XRE High Performance LED
- 2 modes: high and low
- 300 lumens
- Battery run time: 80 hours (high); 150 hours (low)
- Innovative style with decorative aluminum brim
- Convenient carry handle plus a flip-out metal hang hook
- Water resistant
- Lifetime warranty
- Runs on (4) D Rayovac alkaline batteries (not included)

Part #	Weight (lbs.)	Battery
RVCRM4DLN	2.275	D

3 Watt LED Flashlight w/Holster



- 3-Watt High Performance LED
- 3 modes: high, low and strobe
- 150 lumens
- Battery run time: 3 hours (high); 12 hours (low)
- Soft touch mode change
- Anodized aluminum body
- Compact and lightweight
- Tactical clip and holster included
- DC/DC regulated circuit
- Impact and water resistant
- Lifetime warranty
- (2) CR123A Rayovac lithium batteries included

Part #	Weight (lbs.)	Battery
RVCRM123A	.48	123A

Alkaline AA Size Batteries



- From flashlights to smoke alarms, Rayovac Alkaline batteries power the devices you use each and every day
- Rayovac Lasts as Long as Energizer Max, but costs less!
- Rayovac offers More Power For Your Money
- Proudly made in the United States!
- Guaranteed fresh for 7 years
- Best used before date on battery
- Mercury Free formula

Part #	Weight (lbs.)	Battery
RVCALAA	-	AA
RVCALAAA	-	AAA
RVCALC	-	C
RVCALD	-	D
RVCAL9V	-	9V

2 Watt LED Flashlight w/Holster



- 2-Watt Cree XRE High Performance LED
- 2 modes: constant and momentary
- 120 lumens
- Adjustable spot to flood focus beam
- Battery run time: 3 hours
- Anodized aluminum body
- Tactical clip and holster included
- DC/DC regulated
- Impact and water resistant
- Lifetime warranty
- (2) AA Rayovac alkaline batteries included

Part #	Weight (lbs.)	Battery
RVCRM2AA	.5	AA

10 Lumen 2D Yellow Flashlight with Ring Hanger



- Standard bulb
- 10 lumens
- Battery run time: 20 hours
- Protected side switch
- Extra tough hanging ring
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVCIN2C	0.366	D

17 Lumen 2D Krypton Yellow Flashlight with Ring Hanger



- Krypton bulb
- 17 lumens
- Battery run time: 12 hours
- Tough polypropylene body with barrier wall and bulb support system
- Protected slide switch
- Shock-absorbing spare bulb holder
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVCIN2-KC	0.366	D

40 Lumen 3D Krypton Yellow Flashlight with Ring Hanger



- Krypton bulb
- 40 lumens
- Beam distance of 76 meters
- Battery run time: 12 hours
- Tough polypropylene body with barrier wall and bulb support system
- Protected slide switch
- Spare bulb holder
- Impact resistant to 5 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 3 D batteries

Part #	Weight (lbs.)	Battery
RVCIN3C	0.432	D

17 Lumen 2D Krypton Yellow Flashlight with Ring Hanger and Magnet



- Krypton bulb
- 17 lumens
- Battery run time: 12 hours
- Tough polypropylene body with barrier wall and bulb support system
- Protected slide switch
- Shock-absorbing spare bulb holder
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVCIN2-KMLC	0.366	D

10 Lumen 2AA Krypton Yellow Flashlight with Ring Hanger and Batteries



- Standard bulb
- 10 lumens
- Beam distance of 43 meters
- Battery run time: 20 hours
- Tough polypropylene body with barrier wall and bulb support system
- Protected slide switch
- Extra tough hanging ring
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVC12AA-B	0.366	D

8 Lumen 2D Intrinsically Safe MSHA Certified and UL Listed Orange Flashlight



Part #	Weight (lbs.)	Battery
RVCIN2-MSC		

Krypton Bulb Lantern V6



- Krypton bulb
- Long range beam
- 45° swivel
- Comfort grip handle
- Push button switch
- Spare bulb holder
- Water resistant - lantern floats
- Lifetime warranty
- 6-Volt Rayovac Heavy Duty battery included

Part #	Weight (lbs.)	Battery
RVC16V-B2	2.5	V6/D

LED Economy Flashlight - AA



- LED
- Beam distance of 29 meters
- Magnifying lens for distance
- Battery run time: 25 hours
- Easy twist on/off switch
- Impact resistant to 3 feet
- Runs on 2 AA Rayovac alkaline batteries

Part #	Weight (lbs.)	Battery
RVCILED2AA	.1	AA

2D 3 LED Flashlight



- 3 LEDs
- Battery run time: 150 hours on Rayovac alkaline batteries, 55 hours on Rayovac Heavy Duty batteries
- Tough polypropylene body
- Impact resistant to 7 feet
- Water, grease and corrosion resistant
- Consumer preferred comfort grip
- Protected slide switch
- Extra tough hanging ring
- Lifetime warranty
- 2 (D) zinc chloride batteries included

Part #	Weight (lbs.)	Battery
RVCI2DLED-B	.85	D

Swivel Flashlight - AA



- Krypton bulb
- Smooth beam with prismatic reflector for close-in use
- 2-way 90° and 360° swivel
- Pocket, visor, and belt clip for hands free use
- Easy battery replacement door
- Lifetime warranty
- (2) AA zinc chloride batteries included

Part #	Weight (lbs.)	Battery
RVCILJ2AA	.2	AA

LED Economy Flashlight - D



- LED
- Beam distance of 35 meters
- Magnifying lens for distance
- Battery run time: 150 hours
- Easy twist on/off switch
- Impact resistant to 3 feet
- Runs on 2 D Rayovac alkaline batteries

Part #	Weight (lbs.)	Battery
RVCILED2D	.2	D

Flashlight with Ring Hanger



- Standard bulb
- Smooth beam with prismatic reflector for close-in use
- Tough polypropylene body with barrier wall and bulb support system
- Robust tool-yellow color/texture
- Protected slide switch
- Consumer preferred comfort grip
- Extra tough hanging ring
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVCIN2	.36	D

Krypton Yellow Flashlight with Ring Hanger



- Krypton bulb
- Smooth beam with prismatic reflector for close-in use
- Tough polypropylene body with barrier wall and bulb support system
- Robust tool-yellow color/texture
- Protected slide switch
- Consumer preferred comfort grip
- Shock-absorbing spare bulb holder
- Extra tough hanging ring
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVCIN2-K	.36	D

17 Lumen 2D Yellow Flashlight with Ring Hanger and Batteries



- Krypton bulb
- 17 lumens
- Beam distance of 58 meters
- Battery run time: 12 hours
- Tough polypropylene body with barrier wall and bulb support system
- Protected slide switch
- Shock-absorbing spare bulb holder
- Extra tough hanging ring
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVC12D-BC	0.366	D

20 Lumen 2D 3 LED Yellow Flashlight with Ring Hanger and Batteries



Part #	Weight (lbs.)	Battery
RVC12DLED-BC	0.366	D

17 Lumen 2D Yellow Flashlight with Ring Hanger and Batteries



- Krypton bulb
- 17 lumens
- Beam distance of 58 meters
- Battery run time: 12 hours
- Tough polypropylene body with barrier wall and bulb support system
- Protected slide switch
- Shock-absorbing spare bulb holder
- Extra tough hanging ring
- Impact resistant to 7 feet
- Water, chemical, oil and gas resistant
- Lifetime warranty
- Runs on 2 D batteries

Part #	Weight (lbs.)	Battery
RVC12D BULKC	0.366	D

15 Lumen 2D Yellow Imprinted Flashlight with Ring Hanger



Part #	Weight (lbs.)	Battery
RVCIMIN2C*		

23 Lumen 2D Yellow Utility Flashlight



- Standard PR2 bulb
- 23 lumens
- Beam distance of 123 meters
- Battery run time: 20 hours
- Fresnel lens delivers a bright, focused beam
- Grooved barrier for added grip
- Handy hanging lanyard
- Runs on (2) D batteries
- Comes packed in tuck carton

Part #	Weight (lbs.)	Battery
RVCIV2DC	0.319	D

5 Lumen 2AA LED Economy Flashlight



- LED lasts 100,000 hours, never needs replacing
- 5 lumens
- Beam distance of 29 meters
- Magnifying lens for distance
- Battery run time: 25 hours
- Easy twist on/off switch
- Impact resistant to 3 feet
- Runs on 2 AA Rayovac alkaline batteries

Part #	Weight (lbs.)	Battery
RVCILE2AA	0.111	AA

6 Lumen 2D LED Economy Flashlight



- LED lasts 100,000 hours, never needs replacing
- 6 lumens
- Beam distance of 35 meters
- Magnifying lens for distance
- Battery run time: 150 hours
- Easy twist on/off switch
- Impact resistant to 3 feet
- Runs on 2 D Rayovac alkaline batteries

Part #	Weight (lbs.)	Battery
RVCILE2D	0.223	D

8 Lumen 2AA Krypton Swivel Flashlight with Pocket Clip and Batteries



- Krypton bulb
- Smooth beam with prismatic reflector for close-in use
- 8 lumens
- Beam distance of 32 meters
- Battery run time: 7 hours
- 2-way 90° and 360° swivel
- Pocket, visor, and belt clip for hands free use
- Easy battery replacement door
- Lifetime warranty
- (2) AA zinc chloride batteries included

Part #	Weight (lbs.)	Battery
RVCILJ2AA-B	0.217	AA



ELECTRICAL PRODUCTS

20 Lumen 2D Krypton Swivel Flashlight with Ring Hanger and Batteries



- Krypton bulb
- 20 lumens
- Beam distance of 69 meters
- Battery run time: 12 hours
- 90° swivel
- Shock absorbing barrier wall
- Rubber protected end cap/lens ring
- Sure-grip rubber handle
- Spare bulb holder
- Hanging ring included
- Impact resistant to 5 feet
- Lifetime warranty
- (2) D zinc chloride batteries included

Part #	Weight (lbs.)	Battery
RVCISL2D-B	1.056	D

11 Lumen 2AA Flashlight with Ring Hanger and Batteries



Part #	Weight (lbs.)	Battery
RVCR2AA-BA		

28 Lumen 2D Flashlight with Ring Hanger



Part #	Weight (lbs.)	Battery
RVCR2DC		

80 Lumen 3D Flashlight with Ring Hanger



Part #	Weight (lbs.)	Battery
RVCR3DC		

75 Lumen 6-Volt Krypton Floating Lantern with Swivel Stand and Battery



- Long-range Krypton beam
- 75 lumens
- Beam distance of 191 meters
- Battery run time: 11 hours
- Hands free stand: 45° swivel
- Floats on water
- Spare bulb holder
- Toolbox tough lantern
- Comfort-grip handle
- Water resistant
- Lifetime warranty
- Runs on 6V battery or 4 D batteries

Part #	Weight (lbs.)	Battery
RVCI6V-B2A	0.820	D

75 Lumen 6-Volt or 4D Krypton Floating Lantern with Swivel Stand



- Long-range Krypton beam
- 75 lumens
- Beam distance of 191 meters
- Battery run time: 11 hours
- Hands free stand: 45° swivel
- Floats on water
- Spare bulb holder
- Toolbox tough lantern
- Comfort-grip handle
- Water resistant
- Lifetime warranty
- Runs on 6V battery or 4 D batteries

Part #	Weight (lbs.)	Battery
RVCKFLA	0.820	D

60 Lumen 6-Volt Krypton Steel Beam Lantern with Swivel Head and Battery



- Krypton bulb
- 60 lumens
- Battery run time: 22 hours
- Durable metal construction
- Swivel head
- Corrosion resistant
- Weatherproof push-button switch
- Lifetime warranty
- 918 Rayovac General Purpose lantern battery included

Part #	Weight (lbs.)	Battery
RV301K	4.540	918 Rayovac General Purpose battery



ELECTRICAL PRODUCTS

Wobblelight®



- Wobblelight® 27" 85w Fluorescent Work Light 5000 Lumens, 20ft range, 5ft Integrated Power Cord. Model #WL85F
- Wobblelight® 36" 500w Halogen Work Light 8000 Lumens, 16-24ft range, Accessory Receptacle. Model #WL500H
- Wobblelight® 36" 175w Metal Halide Work Light 15,000 Lumens, 30-42ft range, Accessory Receptacle. Model #WL175MH
- Wobblelight® 36" 400w Metal Halide Work Light 40,000 Lumens, 78-110ft range, Accessory Receptacle. Model #WL400MH

Part #	Description	Watts	Lumens
111203	27" Wobblelight®	85w	5000
111302	36" Wobblelight®	500w	8000
111102	36" Wobblelight®	175w	15,000
111104	36" Wobblelight®	400w	40,000

Defender® LED Hand Lamp



- Defender® Rechargeable LED Hand Lamp Wet Location Rated, Hi/Low Setting 26/14 LEDs Color Counter POS Tray included in the 6 pack Master Pack UPC - 7 86625 62810 1

Part #	Description
E712810	Defender® Rechargeable LED Hand Lamp

Hang-A-Light®



- Hang-A-Light®, 400w Pulse Start Metal Halide 40,000 Lumens, 78-110ft range, 6ft Integrated Power Cord. Model #HL400PS

Part #	Description
111400PS	Hang-A-Light®, 400w Pulse Start Metal Halide

SmithLight®



CLOSED

- SmithLight IN120LB Work Light
- 2-Sided, 17Ah battery
- IP 65 - Dust and Waterproof



OPEN

Part #	Description
IN120LB	SmithLight IN120LB Work Light

Hang-A-Light®



- Hang-A-Light®, 105w Fluorescent 6,900 Lumens, 20-30ft range, Accessory Receptacle 5ft Integrated Power Cord

Part #	Description
111105F	Hang-A-Light®, 105w Fluorescent



ELECTRICAL PRODUCTS




Standard (Nylon 6/6)



Coloured & Fluorescent



Arctic



Kspec(economy)



Metal Tooth



Stainless Steel




Metal Detectable



Mounting Hole



Insulated - Vinyl/Nylon



Non-insulated - Butted/Brazed Seam



High Temperature - Nickel-plated



Heat Shrinkable




Disconnects - Insulated/non-insulated



Ferrules - Insulated/non-insulated



Arctic Cable Ties



Need info here.



Part #	Description

Crimp Terminals



Need info here.



Part #	Description

Heat Shrink



Need info here.



Part #	Description

FlashLites



Part #	Description
XPP-5420B	

FlashLites




Part #	Description
XPP-5420G	

FlashLites



Part #	Description
XPP-5422B	

FlashLites



Part #	Description
XPP-5422G	