

Adjustable Fuel Knob



- Produces 1/2" Pencil Flame
- Durable, Solid Brass Construction
- Fully Adjustable Fuel Knob

Part #	Description
BZTG19220	Adjustable Fuel Knob

Trigger Start - TS4000T - Fuel Knob



- High Temperature Torch
- Instant On/Off
- Trigger Start
- Durable Cast Aluminum Body
- High Intensity Flame

Part #	Description
BZTG19040	Adjustable Fuel Knob

Push Button Ignition - TS1500T Fuel Knob



- Self Igniting Torch
 - Adjustable Flame Control
 - Push Button Ignition
 - Soldering Copper Pipes up to 3/4 in.
 - Good for Lighting Pilot Lights & Grills
- Applications Include:** Loosening Rusted Nuts and Bolts, Thawing Frozen Pipes & Locks, Removing Paint, Caulk & Putty


Part #	Description
BZTG19009	Push Button Fuel Knob

Fuel



Part #	Description
BZTGMaxPP	MaxPP Fuel
BZTGBZ	Propane Fuel
BZTG	Butane Fuel


Micro Torch



- Micro Torches
- Continuous Flame Button
- Safety Switch
- Air Adjustment Slide and Gas Adjustment Dial
- Refillable Valve
- Includes Micro-Torch, Solder Tip and Hot Blower
- Variety of uses

Part #	Description
BZTG19133	Micro Torch


Fat-Boy TS3000 Torch



- Packaged Product

Part #	Description
BZTGTS3000	Packaged Torch

Self Igniting TS3000T Torch



- Quickfire Self-Igniting Torch
- Stainless steel burn tube and brass tip for durability
- Ergonomically designed comfort grip
- Regulated to burn upside down

Part #	Description
BZTG19028	Self Igniting Torch

Fat-Boy Torch Kit



- Economy Torch Kit

Part #	Description
BZTG	Economy Torch

Heavy Duty Casters - 13 & 23 Series



- Capacity 325 lbs. to 1000 lbs.
- 1/4" steel top plate and yoke assembly
- Double ball raceways
- Durable corrosion resistant zinc plated finish
- Fork leg spacing 2-1/2"
- Seal-guard swivel head seals pre-installed

Optional Features:

- Thread guards, add suffix -TG
- Wheel brake, add suffix BR
- 4 position swivel lock, add 4SL
- Precision Bearing, add PB

Mounting Specs:


- Topplate 4 X 4 1/2 inches
- Bolt Hole Pattern 2 5/8 X 3 5/8 inches
- Bolt Hole Diameter 3/8 inch



Part # Rigid	Part # Swivel	Wheel Size	Load (lbs.)
J423EZB	J413EZB	4x2	350
J423RTB	J413RTB	4x2	500
J423MOB	J413MOB	4x2	350
J423RHB	J413RHB	4x2	400 *
J423PPB	J413PPB	4x2	600
J423KPB	J413KPB	4x2	700 *
J423ACB	J413ACB	4x2	800
J423CSB	J413CSB	4x2	900
J423CIB	J413CIB	4x2	700
J523EZB	J513EZB	5x2	400
J523RTB	J513RTB	5x2	700
J523MOB	J513MOB	5x2	400
J523RHB	J513RHB	5x2	500 *
J523PPB	J513PPB	5x2	750
J523KPB	J513KPB	5x2	900 *
J523ACB	J513ACB	5x2	900
J523CSB	J513CSB	5x2	900
J523CIB	J513CIB	5x2	900
J623EZB	J613EZB	6x2	600
J623RTB	J613RTB	6x2	850
J623MOB	J613MOB	6x2	450
J623RHB	J613RHB	6x2	500 *
J623PPB	J613PPB	6x2	900
J623KPB	J613KPB	6x2	900 *
J623ACB	J613ACB	6x2	900
J623CSB	J613CSB	6x2	900
J623CIB	J613CIB	6x2	900
J823EZB	J813EZB	8x2	700
J823RTB	J813RTB	8x2	1,000
J823MOB	J813MOB	8x2	525
J823PPB	J813PPB	8x2	1,000
J823KPB	J813KPB	8x2	1,000 *
J823ACB	J813ACB	8x2	1,000
J823CSB	J813CSB	8x2	1,000
J823CIB	J813CIB	8x2	1,000

* Denotes a Caged Roller

Medium-Heavy Duty Casters - 22 & 29 Series Euro-Range



- Double ball bearing swivels
- Sealed swivel head
- Bolt hole to suit 1/2" bolt
- Adjustable total lock brake
- Available in Swivel, Rigid & Total lock casters

Mounting Specs for Casters 3, 4 & 5 inch:

- Topplate 4 1/8 X 3 3/8 inches
- Bolt Hole Pattern 3 1/8 X 2 3/8 inches
- Bolt Hole Diameter 3/8 inch



Mounting Specs for Casters 6 & 8 inch:

- Topplate 5 1/2 X 4 5/16 inches
- Bolt Hole Pattern 4 1/8 X 3 1/8 inches
- Bolt Hole Diameter 7/16 inch

Part # Rigid	Part # Swivel	Wheel Size	Load (lbs.)
329PPB	322PPB	3 x 1-1/4	180
329KP	322KP	3 x 1-1/4	300
329NTD	322NTD	3 x 1-5/8	240
329AC	322AC	3 x 1-1/2	300
429BEB	422BEB	4 x 1-3/8	300
429ECD	422ECD	4 x 1-1/4	250
429PPB	422PPB	4 x 1-1/4	250
429KP	422KP	4 x 1-1/4	300
429RTB	422RTB	4 x 1-1/2	300
429NTB	422NTB	4 x 1-1/2	300
429ACB	422ACB	4 x 1-1/2	300
529BEB	522BEB	5 x 1-3/8	330
529EZB	522EZB	5 x 1-1/2	350
529RTB	522RTB	5 x 1-1/2	350
529PPB	522PPB	5 x 1-1/2	350
529NTB	522NTB	5 x 1-1/2	350
529ACB	522ACB	5 x 1-1/2	350
629BEB	622BEB	6 x 1-1/2	500
629EZPB	622EZPB	6 x 2	600
629PPB	622PPB	6 x 2	750
629KPB	622KPB	6 x 2	750
629ACB	622ACB	6 x 2	750
829BEB	822BEB	8 x 2	750
829RTB	822RTB	8 x 2	850
829PPB	822PPB	8 x 2	850
829KPB	822KPB	8 x 2	850
829ACB	822ACB	8 x 2	850
829BCB	822BCB	8 x 2-1/4	450

Medium Duty Casters



- Capacity to 350 lbs.
- Double ball raceway
- Verti-Loc brakes - add BR suffix
- Bolt Hole model - 1/2" bolt hole

Mounting Specs for 2 inch:

- Topplate 2 3/4 X 3 5/8 inches
- Bolt Hole Pattern 1 3/4 X 3 inches
- Bolt Hole Diameter 3/8 inch

Mounting Specs for 3 inch:

- Topplate 3 1/8 X 4 1/8 inches
- Bolt Hole Pattern 2 3/8 X 3 7/16 inches
- Bolt Hole Diameter 3/8 inch

Mounting Specs for 4 inch:

- Topplate 4 X 5 inches
- Bolt Hole Pattern 3 X 4 inches
- Bolt Hole Diameter 3/8 inch

Part # Rigid	Part # Swivel	Wheel Size	Load (lbs.)
3-31H-105	3-30H-105	3 x 1-1/4	160
3-31H-106	3-30H-106	3 x 1-1/4	220
3-31H-KP	3-30H-KP	3 x 1-1/4	300
3-31H-AC	3-30H-AC	3 x 1-1/2	350
3-31H-NTD	3-30H-NTD	3 x 1-3/8	240
3-31H-CI	3-30H-CI	3 x 1-1/4	350
4-31H-105	4-30H-105	4 x 1-1/4	175
4-31H-ECB	4-30H-ECB	4 x 1-1/4	250
4-31H-106	4-30H-106	4 x 1-1/4	250
4-31H-KP	4-30H-KP	4 x 1-1/4	350
4-31H-CI	4-30H-CI	4 x 1-1/4	350
4-31H-314G	4-30H-314G	4 x 1-1/4	300
4-31H-ACB	4-30H-ACB	4 x 1-1/2	350
4-31H-NTD	4-30H-NTD	4 x 1-3/8	350
5-31H-105	5-30H-105	5 x 1-1/4	200
5-31H-ECB	5-30H-EZB	5 x 1-1/4	300
5-31H-106	5-30H-106	5 x 1-1/4	280
5-31H-KP	5-30H-KP	5 x 1-1/4	350
5-31H-CI	5-30H-CI	5 x 1-1/4	350
5-31H-ppb	5-30H-PPB	5 x 1-1/4	350
5-31H-ACB	5-30H-ACB	5 x 1-1/2	350
5-31H-NTD	5-30H-NTD	5 x 1-3/8	350

General Duty Swivel and Rigid Casters



- Capacity from 90 to 450 lbs.
- Swivel caster yoke and bearing raceway are formed from a single piece of heavy-duty gauge steel
- Recommended for general warehouse and factory appliances such as furniture dollies, laundry carts, bakery racks, and tool boxes. Casters feature a good combination of strength, durability, and economy.
- Side Brake- foot-operated friction brake positively locks wheel; add suffix SB

Mounting Specs for 2 inch:

- Topplate 1 7/8 X 2 9/16 inches
- Bolt Hole Pattern 15/16 X 2 1/8 inches

Mounting Specs for 2 1/2 inch:

- Topplate 2 3/4 X 3 13/16 inches
- Bolt Hole Pattern 1 3/4 X 3 inches

Mounting Specs for 3 inch:

- Topplate 3 1/8 X 4 1/8 inches
- Bolt Hole Pattern 2 3/8 X 3 3/8 inches

Mounting Specs for 4 inch:

- Topplate 4 X 5 1/8 inches
- Bolt Hole Pattern 3 X 4 inches

Part # Rigid	Part # Swivel	Wheel Size	Load (lbs.)
590-2R	190-2R	2x1	90
596-2R	196-2R	2x1	100
508-2R	108-2R	2x1	150
521-2R	121-2R	2x1	90
527-2R	127-2R	2x1	150
560-2R	160-2R	2x1	150
521-2-1/2R	121-2-1/2R	2-1/2x1-1/8	100
527-2-1/2R	127-2-1/2R	2-1/2x1-1/8	200
560-2-1/2R	160-2-1/2R	2-1/2x1-1/8	200
590-3R	190-3R	3x1-1/4	180
596-3R	196-3R	3x1-1/4	225
521-3R	121-3R	3x1-1/4	175
527-3R	127-3R	3x1-1/4	270
530-3 B&N	130-3 B&N	3x1-1/4	300
531-3 B&N	131-3 B&N	3x1-1/4	300
531-3TG B&N	131-3TG B&N	3x1-1/4	300
560-3R	160-3R	3x1-1/4	270
521-4R	121-4R	4x1-5/16	225
527-4R	127-4R	4x1-5/16	350
560-4R	160-4R	4x1-5/16	350
521-4BR	121-4BR	4x1-5/8	240
527-4BR	127-4BR	4x1-5/8	420
531-4 B&N	131-4 B&N	4x1-5/8	450

48" Lift - All Jack



- 7000 lb lifting capacity
- Can be used as a jack, hoist, crane and a clamp
- Can be used for such functions as lifting, pushing and pulling
- Known as a Farmer's Jack

Part #

DOC647-740

4 Ton Hand Power Puller



- Heavy duty stamped steel
- Twin drive pawl and twin stop pawl
- Rotate stock
- 3 drop forged steel hooks with spring safety catches
- Double safety switches
- 10ft cable
- Lifting capacity: 2000kgs/4000lbs
- Maximum lift: 4.5 ft
- Pulling capacity: 4000kgs/8000 lbs

Part #

DOC647-904

Auto Reloading Utility Knife



- Retractable auto reload blade
- All parts metal with TPR soft grip
- 5 blade included

Part #

DOC690-192

Rubber Tie Downs



- EPDM rubber tie down
- "S" hooks
- Rotate stock

Part #	Description	Qty.
DOC647-400	10" Rubber Tie Down	10
DOC647-405	15" Rubber Tie Down	10
DOC647-410	21" Rubber Tie Down	10
DOC647-415	24" Rubber Tie Down	10
DOC647-420	31" Rubber Tie Down	10

Sledge/Club Hammers



Part #	Description	Qty.
DOC648-370	4 lb. Club Hammer	1
DOC648-371	4 lb. Sledge Hammer Hickory Handle	1
DOC648-372	6 lb. Sledge Hammer Hickory Handle	1
DOC648-373	8 lb. Sledge Hammer Hickory Handle	1
DOC648-374	10 lb. Sledge Hammer Hickory Handle	1
DOC648-375	12 lb. Sledge Hammer Hickory Handle	1
DOC648-376	16 lb. Sledge Hammer Hickory Handle	1
DOC648-369	20 lb. Sledge Hammer	1

REPLACEMENT HANDLES

DOC648-371H	4 lb. Replacement Hickory Handle	1
DOC648-371H	6 lb. Replacement Hickory Handle	1
DOC648-371H	8 - 12 lb. Replacement Hickory Handle	1
DOC648-371H	16 lb. Replacement Hickory Handle	1
DOC648-369H	20 lb. Replacement Handle	1

Sledge Hammer with Fiberglass Handle



Part #	Description	Qty.
DOC648-424	4 lb. Sledge Hammer w/ Fiberglass Handle	1
DOC648-426	6 lb. Sledge Hammer w/ Fiberglass Handle	1
DOC648-428	8 lb. Sledge Hammer w/ Fiberglass Handle	1
DOC648-430	10 lb. Sledge Hammer w/ Fiberglass Handle	1
DOC648-431	12 lb. Sledge Hammer w/ Fiberglass Handle	1
DOC648-433	16 lb. Sledge Hammer w/ Fiberglass Handle	1
DOC648-435	20 lb. Sledge Hammer w/ Fiberglass Handle	1

REPLACEMENT HANDLES

DOC648-424H	4 lb. Replacement Fiberglass Handle	1
DOC648-426H	6 lb. Replacement Fiberglass Handle	1
DOC648-430H	10 - 12 lb. Replacement Fiberglass Handle	1
DOC648-433H	16 - 20 lb. Replacement Fiberglass Handle	1

SEE YOUR SALES REP FOR MORE SIZES



MISCELLANEOUS

Standard Grease Fittings Assortment



- Contains 100 of the fastest selling fittings in compartmentalized box

Part #	Qty.	Part #	Qty.
DOC506-100	Entire Kit	DOC506-101	Entire Kit Metric
DOC506-612	3	DOC506-871	50
DOC506-613	3	DOC506-745	25
DOC506-637	15	DOC506-790	25
DOC506-641	50		
DOC506-688	4		
DOC506-911	10		
DOC506-610	15		

Tire & Wheels Assemblies



Part #	Description	Qty.	Ld.Cap.
DOC642-509	9" Tire & Wheel assemblies - patterned	1	80 kg
DOC642-510	10" Tire & Wheel assemblies - patterned	1	80 kg
DOC642-511	11" Tire & Wheel assemblies - patterned	1	100 kg
DOC642-512	12" Tire & Wheel assemblies - patterned	1	100 kg
DOC642-514	14" Wheel Barrow wheels - straight lines	1	120 kg
DOC642-516	16" Wheel Barrow wheels - straight lines	1	120 kg

500/1000 Watt Halogen Work Light



SINGLE LAMP

- Provides over 9,000 sq ft of bright light for after dark activities. Excellent for construction, DIY projects, auto repairs and recreation
- Switch allows lights to be turned off without unplugging
- 90° adjustable aim gives more precise coverage
- Solid steel protective grill
- Easy to grip handle for convenient carrying

DUAL LAMP

- Heavy duty outdoor construction
- Easily adjustable telescopic tripod
- Twist-lock grip for height adjustment
- Individually rotating lamps
- Rust-resistant. Painted finish with a highly reflective interior structure
- Sturdy adjustable light fixtures
- Two adjustable light fixtures
- Glass lens covers
- Metal lens shield
- 10 ft. Grounded power cord (18 awg)
- Two 500 watt halogen bulbs (included)

Part #	Watts	Description
DOC606-550	500	Single Lamp
DOC606-552	1000	Dual Lamp

285 Piece Automotive Electrical Repair Kit



- Great for use on automotive, marine, industrial and agricultural applications
- 2-part plastic case folds open to 180° for easy access to both sides
- Folds shut for carrying case

Part # Description

DOC571-520	1 Wire Crimping Tool, 3 1/4" Wire clamps, 1 6-12v Tester, 10 Heat shrink tubes, 1 Slotted Screwdriver, 30 Small cable ties, 1 Phillips Screwdriver, 10 Medium cable ties, 1 Roll of electrical tape, 10 Large cable ties, 2 Test leads (32"), 6 Rubber grommets, 5 Glass style fuses, 26 Assorted wire nuts, 1 Fuse puller, 160 Assorted insulated terminals, 1 Roll of primary wire (60°), 1 Plastic organizer case 10 1/8" Wire clamps
------------	--

Load Binder



- Forged steel, quenched and tempered
- Hooks are quenched and tempered alloy steel
- Red in colour

Part #	Chain (in.)	Binder	Handle (in.)	Work Load (lbs.)
DOC442-490	3/8	Lever	16	5400
DOC442-491	5/16 - 3/8	Ratchet	8	5400
DOC442-492	3/8 - 1/2	Ratchet	8	9200
DOC442-493	1/2 - 5/8	Ratchet	8	13,000

SEE YOUR SALES REP FOR MORE SIZES

Tarpaulins - Blue



- Polyethylene.
- 10 x 10 weave.
- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Stitched hem.

Part #	Size (ft.)	Weight (lbs.)
HJU768	6 x 8	1.1
HJU7810	8 x 10	1.9
HJU1012	10 x 12	2.6
HJU71014	10 x 14	3.0
HJU71214	12 x 14	3.8
HJU71218	12 x 18	4.9
HJU71416	14 x 16	5.1
HJU71520	15 x 20	6.8
HJU71824	18 x 24	9.8
HJU72030	20 x 30	13.5
HJU72448	24 x 48	26.0
HJU73060	30 x 60	41.0

Tarpaulins - Green



- Polyethylene.
- 10 x 10 weave.
- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Stitched hem reinforced with poly rope.

Part #	Size (ft.)	Weight (lbs.)
HJU768-G	6 x 8	1.1
HJU7810-G	8 x 10	1.9
HJU71012-G	10 x 12	2.6
HJU71214-G	12 x 14	3.8
HJU71218-G	12 x 18	4.9
HJU71520 -G	15 x 20	6.8
HJU72030-G	20 x 30	13.5

Tarpaulins - Natural (White)



- Polyethylene.
- 8 x 7 weave.
- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Stitched hem.

Part #	Size (ft.)	Weight (lbs.)
HJU61520	15 x 20	4.9

HjökStorm

Pulley Yolk Assembly - Fixed Eye



- Complete with safety latch hook.
- Plated finish.

HjökStorm

Part #	Description	Dia. (in..)
HJUUP-2000	Pulley Yoke Non Swivel	2

Pulley Single Sheaves - Swivel Eye



- Malleable iron body, cast iron sheaves.

HjökStorm

Part #	Sheave Dia. (in.)	Rope Dia. (in.)	EyeDia. (in.)
HJU0173-075	3/4	1/4	5/16
HJU0173-125	1 1/4	5/16	9/16
HJU0173-200	2	7/16	5/8

Pulley Single Sheaves - Fixed Eye



- Malleable iron body, cast iron sheaves.

HjökStorm

Part #	Sheave Dia. (in.)	Rope Dia. (in.)	EyeDia. (in.)
HJU0174-075	3/4	5/32	3/16
HJU0174-125	1 1/4	1/4	3/8
HJU0174-200	2	7/16	7/16

Pulley Single Sheaves - Swivel Eye (Stainless Steel)



HjökStorm

Part #	Sheave Dia. (in.)	Groove (in.)	Load (lbs.)
HJUS314-125	1 1/4 (32mm)	3/8	1,600
HJUS314-200	2 (50mm)	5/8	3,500

Pulley Double Sheaves - Swivel Eye (Stainless Steel)



HjökStorm

Part #	Sheave Dia. (in.)	Groove (in.)	Load (lbs.)
HJUS315-125	1 1/4	3/8	1,600
HJUS315-200	2	5/8	3,500

Pulley Single Sheaves w/Hanger - Swivel Eye (SS)



- Stainless Steel (SS)

HjökStorm

Part #	Sheave Dia. (in.)	Groove (in.)	Load (lbs.)
HJUS314A-125	1 1/4	3/8	1,600
HJUS314A-200	2	5/8	3,500

Pulley Double Sheaves w/Hanger - Swivel Eye (SS)



- Stainless Steel (SS)

HjökStorm

Part #	Sheave Dia. (in.)	Groove (in.)	Load (lbs.)
HJUS315A-125	1 1/4	3/8	1,600
HJUS315A-200	2	5/8	3,500

Jiffy Marker - Permanent (JK-75)



Colourful permanent marker. Excellent indoors/outdoors for use on most surfaces - paper, cardboard, glass/porcelain, rubber, wood/crates, plastic, metal, etc. Long lasting blur free drawing is assured with fast drying, fade and water resistant ink. The safe alcohol based ink is Xylene free. Rugged plastic barrel, sturdy acrylic fibre tip.

Part #	Description
JK-75	1.5mm Bullet style, Acrylic fibre tip, Waterproof, Instant drying Ink Colours: 4 colours, Box of 12 pcs. Permanent, Xylene free

Jiffy Marker - Permanent (JK-95)



Colourful permanent marker. Excellent indoors/outdoors for use on most surfaces - paper, cardboard, glass/porcelain, rubber, wood/crates, plastic, metal, etc. Long lasting blur free drawing is assured with fast drying, fade and water resistant ink. The safe alcohol based ink is Xylene free. Rugged plastic barrel, sturdy acrylic fibre tip.

Part #	Description
JK-95	2-5mm Chisel style, Acrylic fibre tip, Waterproof, Instant drying Ink Colours: 4 colours, Box of 12 pcs. Permanent, Xylene free

Jiffy Eco Marker Permanent / Refillable (JK-70)



Colourful permanent marker. Excellent indoors/outdoors for use on most surfaces - paper, cardboard, glass/porcelain, rubber, wood/crates, plastic, metal, etc. Long lasting blur free drawing is assured with fast drying, fade and water resistant ink. The safe alcohol based ink is Xylene free. Durable aluminum barrel, sturdy acrylic fibre tip.

Part #	Description
JK-70	1.5mm (Writing width) Acrylic fibre tip, bullet tip, giant size. Ink colours: 8 colours, Box of 12 pcs. Permanent, Xylene free, Aluminum barrel, Refillable

Jiffy Marker Permanent / Refillable (JK-90)



Colourful permanent marker. Excellent indoors/outdoors for use on most surfaces - paper, cardboard, glass/porcelain, rubber, wood/crates, plastic, metal, etc. Long lasting blur free drawing is assured with fast drying, fade and water resistant ink. The safe alcohol based ink is Xylene free. Durable aluminum barrel, sturdy acrylic fibre tip.

Part #	Description
JK-90	2-5mm (Writing width) Acrylic fibre tip, chisel tip, medium size. Ink colours: 10 colours, Box of 12 pcs. Permanent, Xylene free, Aluminum barrel, Refillable

Jiffy Artline Paint Marker (EK-400)



Permanent paint marker. Completely opaque even on dark or transparent surfaces. Xylene-free, fast drying, water and fade resistant ink. Excellent indoors/outdoors for marking on metal, rubber, wood/crates, glass/porcelain, plastic, styrofoam, etc. Sturdy acrylic fibre tip. Durable aluminum barrel. Replacement nibs available.

Part #	Description
EK-400	2.3mm (Writing width) Acrylic fibre tip, bullet style. Ink colours: 12 colours, Box of 12 pcs. Permanent, Pigment Ink, Xylene free, Valve Action Refillable, Aluminum barrel, Replaceable nib

Jiffy Artline Paint Marker (EK-440)



Permanent paint marker. Completely opaque even on dark or transparent surfaces. Xylene-free, fast drying, water and fade resistant ink. Excellent indoors/outdoors for marking on metal, rubber, wood/crates, glass/porcelain, plastic, styrofoam, etc. Sturdy acrylic fibre tip. Durable aluminum barrel. Replacement nibs available.

Part #	Description
EK-440	1.2mm (Writing width) Fine Acrylic Fibre tip, bullet style. Ink colour: 6 colours, Box 12 pcs. Permanent, Xylene free, Aluminum barrel, Refillable Pigment Ink, Valve Action, Replaceable nib



MISCELLANEOUS

Pro-Line Fine Markers



Markal

Part #	Description	Tip
MAR096871	PRO-LINE WHT	fine
MAR096872	PRO-LINE YEL	fine
MAR096873	PRO-LINE BLK	fine
MAR096874	PRO-LINE RED	fine

Pro-Line HP Markers



Markal

Part #	Description	Tip
MAR096960	PRO-LINE HP WHT	reg.
MAR096961	PRO-LINE HP YEL	reg.
MAR096962	PRO-LINE HP RED	reg.
MAR096963	PRO-LINE HP BLK	reg.
MAR096964	PRO-LINE HP ORG	reg.
MAR096965	PRO-LINE HP BLU	reg.
MAR096966	PRO-LINE HP GRN	reg.
MAR096967	PRO-LINE HP SLVR	reg.
MAR096970	PRO-LINE HP LIGHT GRN	reg.
MAR096971	PRO-LINE HP LIGHT BLUE	reg.
MAR096972	PRO-LINE HP GOLD	reg.
MAR096973	PRO-LINE HP PINK	reg.
MAR096974	PRO-LINE HP PURPLE	reg.
MAR096975	PRO-LINE HP BROWN	reg.

Ball Paint



Markal

Part #	Description	Tip
MAR084620	BPM WHT	
MAR084621	BPM YEL	
MAR084622	BPM RED	
MAR084623	BPM BLK	

Solid Paint Sticks



Markal

B - Paintstik

Part #	Color
MAR080220	B WHT
MAR080221	B YEL
MAR080222	B RED
MAR080223	B BLK
MAR080224	B ORG
MAR080225	B BLU
MAR080226	B GRN
MAR080227	B PNK
MAR080228	B PRP
MAR080229	B BRN
MAR080230	B GRY
MAR080231	B GLD
MAR080232	B ALUM

Fluorescent (F) - Paintstik

Part #	Color
MAR082831	F FLUO YEL
MAR082832	F FLUO RED
MAR082834	F FLUO ORG
MAR082835	F FLUO BLU
MAR082836	F FLUO GRN
MAR082842	F FLUO PNK

Bleed-Thru - Paintstik

Part #	Color
MAR080725	BL BLU
MAR080735	BL W BLU

Permanent Ink Markers



Markal

B - Paintstik

Part #	Description	Tip
MAR096023	DURA INK 15 BLK	fine
MAR096223	DURA INK 25 BLK	chisel

Lumber Crayons



Markal

Pro-Ex (Clay Based)

Part #	Description
MAR080380	LC PRO-EX WHT
MAR080381	LC PRO-EX YEL
MAR080382	LC PRO-EX RED
MAR080383	LC PRO-EX BLK
MAR080385	LC PRO-EX BLU
MAR080386	LC PRO-EX GRN



MISCELLANEOUS

Welding Products



Silver Streak Metal Marker



Part #	Description
MAR096004	SLV STREAK W/HOLDER C
MAR096006	SLV STREAK RND W/HOLD

Red Riter Metal Marker



Part #	Description
MAR096005	RED RITER W/HOLDER CR

China Markers



Part #	Description
MAR096010	MKR CHINA WHT
MAR096011	MKR CHINA YEL
MAR096012	MKR CHINA RED
MAR096013	MKR CHINA BLK

Flat and Round Soapstone & Holders



Part #	Description
MAR080129	SOAPSTONE FLAT
MAR080130	SOAPSTONE ROUND 5X1/4
MAR080131	SOAPSTONE SQUARE
MAR080140	HOLDER SOAPSTONE FLAT
MAR080141	HOLDER SOAPSTONE ROUND

Thermo-Melt Temp Indicators



Part #	Description	Part #	Description
MAR086400	TOM STK 100 F	MAR086670	TOM STK 331 F
MAR086401	TOM STK 100 C	MAR086679	TOM STK 338 F
MAR086402	TOM STK 50 C	MAR086688	TOM STK 344 F
MAR086404	TOM STK 75 C	MAR086695	TOM STK 350 F CRD
MAR086405	TOM STK 225 C	MAR086697	TOM STK 350 F
MAR086407	TOM STK 275 C	MAR086698	TOM STK 350 C
MAR086408	TOM STK 125 C	MAR086706	TOM STK 363 F
MAR086409	TOM STK 109 F	MAR086715	TOM STK 375 F
MAR086410	TOM STK 175 C	MAR086724	TOM STK 388 F
MAR086418	TOM STK 113 F	MAR086733	TOM STK 400 F
MAR086427	TOM STK 119 F	MAR086734	TOM STK 400 C
MAR086436	TOM STK 125 F	MAR086737	TOM STK 400 F CRD
MAR086445	TOM STK 131 F	MAR086742	TOM STK 413 F
MAR086454	TOM STK 138 F	MAR086751	TOM STK 425 F
MAR086463	TOM STK 150 F	MAR086760	TOM STK 438 F
MAR086464	TOM STK 150 F CRD	MAR086769	TOM STK 450 F
MAR086472	TOM STK 163 F	MAR086770	TOM STK 450 C
MAR086481	TOM STK 175 F	MAR086778	TOM STK 463 F
MAR086490	TOM STK 182 F	MAR086787	TOM STK 475 F
MAR086499	TOM STK 188 F	MAR086796	TOM STK 488 F
MAR086508	TOM STK 194 F	MAR086805	TOM STK 500 F
MAR086516	TOM STK 200 C	MAR086807	TOM STK 500 C
MAR086517	TOM STK 200 F	MAR086814	TOM STK 525 F
MAR086522	TOM STK 206 F	MAR086823	TOM STK 550 F
MAR086524	TOM STK 200 F CRD	MAR086824	TOM STK 550 C
MAR086526	TOM STK 213 F	MAR086832	TOM STK 575 F
MAR086535	TOM STK 219 F	MAR086841	TOM STK 600 F
MAR086544	TOM STK 225 F	MAR086842	TOM STK 600 C
MAR086553	TOM STK 238 F	MAR086850	TOM STK 625 F
MAR086562	TOM STK 250 F	MAR086859	TOM STK 650 F
MAR086563	TOM STK 250 C	MAR086860	TOM STK 650 C
MAR086564	TOM STK 250 F CRD	MAR086868	TOM STK 700 F
MAR086569	TOM STK 256 F	MAR086870	TOM STK 700 C
MAR086571	TOM STK 263 F	MAR086877	TOM STK 750 F
MAR086580	TOM STK 269 F	MAR086878	TOM STK 750 C
MAR086589	TOM STK 275 F	MAR086886	TOM STK 800 F
MAR086598	TOM STK 282 F	MAR086887	TOM STK 800 C
MAR086607	TOM STK 288 F	MAR086895	TOM STK 850 F
MAR086616	TOM STK 294 F	MAR086896	TOM STK 850 C
MAR086623	TOM STK 300 F CRD	MAR086904	TOM STK 900 F
MAR086625	TOM STK 300 F	MAR086905	TOM STK 900 C
MAR086626	TOM STK 300 C	MAR086922	TOM STK 950 F
MAR086634	TOM STK 306 F	MAR086923	TOM STK 950 C
MAR086643	TOM STK 313 F	MAR086931	TOM STK 1000 F
MAR086652	TOM STK 319 F	MAR086932	TOM STK 1000 C
MAR086661	TOM STK 325 F		

See your sales person for higher temperature Indicators

Microfiber Refills



Part #	Description
PINMF9514	Microfiber Refill 240 mm x 6mm
PINMF9538	Microfiber Refill 240 mm x 10mm
PINMF9515	Microfiber Refill 240 mm x 15mm
PINMF33038	Microfiber 3 Pack 240mm x 10mm
PINMF33015	Microfiber 3 Pack 240mm x 15mm
PINMF1006	Microfiber 10 Pack 240mm x 6mm
PINMF1038	Microfiber 10 Pack 240mm x 10mm
PINMF1015	Microfiber 10 Pack 240mm x 15mm

Supreme Lint Free Refills



Part #	Description
PINDO9514	Lint Free Refill 240mm x 5mm
PINDO9538	Lint Free Refill 240mm x 10mm
PINDO9512	Lint Free Refill 240mm x 13mm
PINDO9515	Lint Free Refill 240mm x 15mm
PINDO9534	Lint Free Refill 240mm x 19mm
PINDO9510	Lint Free Refill 240mm x 25mm
PINDO33038	Lint Free 3 Pack 240mm x 10mm
PINDO33012	Lint Free 3 Pack 240mm x 13mm
PINDO33015	Lint Free 3 Pack 240mm x 15mm
PINDO1014	Lint Free Contractor 10 Pack 240mm x 5mm
PINDO1038	Lint Free Contractor 10 Pack 240mm x 10mm
PINDO1012	Lint Free Contractor 10 Pack 240mm x 13mm
PINDO1015	Lint Free Contractor 10 Pack 240mm x 15mm
PINDO1034	Lint Free Contractor 10 Pack 240mm x 19mm
PINDO1010	Lint Free Contractor 10 Pack 240mm x 25mm

Also available in 75mm & 100mm sizes.

Blue Dolphin 14 Day Green Painters Tape



Part #	Description
GT19	14 Day Green Painters Masking Tape 15mm
GT24	14 Day Green Painters Masking Tape 24mm
GT38	14 Day Green Painters Masking Tape 38mm
GT48	14 Day Green Painters Masking Tape 48mm
GT74	14 Day Green Painters Masking Tape 74mm
GT24X3	14 Day Green Painters Masking Tape 3 Pack 24mm
GT38X2	14 Day Green Painters Masking Tape 2 Pack 38mm

Metal Tray and Liner



Part #	Description
PIN952	Metal Tray 2 Ltr. 240 mm
PINTL9	Liner for #952 Tray



Part #	Description
PIN954	Jumbo Metal Tray 4 Ltr. 240 mm
PINTL12	Liner for #954 Tray



Part #	Description
PIN957	Heavy Duty Plastic Tray 2 Ltr.
PINTL10	Liner for #957 Tray



Part #	Description
PIN959	Jumbo Skirted Plastic Tray 4 Ltr.
PINTL15	Liner for #959 Tray

Drop Cloths - Canvas, Poly/Canvas & Butyl Coated



Part #	Description	Size (ft.)
PINCAN320	Heavy Duty 10 oz. Canvas	3' x 20'
PINCAN412	Heavy Duty 10 oz. Canvas	4' x 12'
PINCAN1012	Heavy Duty 10 oz. Canvas	8' x 12'
PINCAN1512	Heavy Duty 10 oz. Canvas	14' x 12'
PINPCAN412	Canvas/Poly 100% Leak Proof	4' x 12'
PINPCAN812	Canvas/Poly 100% Leak Proof	8' x 12'
PINPCAN1412	Canvas/Poly 100% Leak Proof	14' x 12'
PINBUT412	Butyl Coated 100% Leak Proof	4' x 12'
PINBUT812	Butyl Coated 100% Leak Proof	8' x 12'
PINBUT1412	Butyl Coated 100% Leak Proof	14' x 12'

Extension Poles



Part #	Description	Size (ft.)
PINSE12	Structron Fiberglass Sta-Lok	1' x 2'
PINSE24	Structron Fiberglass Dual-Lok	2' x 4'
PINSE48	Structron Fiberglass Dual-Lok	4' x 8'
PINSE612	Structron Fiberglass Dual-Lok	6' x 12'
PINSE816	Structron Fiberglass Dual-Lok	8' x 16'
PINSE824	Structron Fiberglass Dual-Lok	8' x 24'
PINRP2448	Fiberglass/Aluminum Push Button Lock	2' x 4'
PINRP3672	Fiberglass/Aluminum Push Button Lock	3' x 6'
PINRP4896	Fiberglass/Aluminum Push Button Lock	4' x 8'
PINRP72144	Fiberglass/Aluminum Push Button Lock	6' x 12'
PINRP96192	Fiberglass/Aluminum Push Button Lock	8' x 16'
PINRPE112	Light Weight/Comfort Grip Snap Lock Aluminum	1' x 2'
PINRPE124	Light Weight/Comfort Grip Snap Lock Aluminum	2' x 4'
PINRPE136	Light Weight/Comfort Grip Snap Lock Aluminum	3' x 6'
PINRPE148	Light Weight/Comfort Grip Snap Lock Aluminum	4' x 8'
PINRPE3412	Light Weight/Comfort Grip Snap Lock Aluminum	4' x 12'
PINRPE3618	Light Weight/Comfort Grip Snap Lock Aluminum	6' x 18'
PINRPE3824	Light Weight/Comfort Grip Snap Lock Aluminum	8' x 24'

Stain Brushes



Olympian Bristlex



Stai Brush

Part #	Description	Size (mm)
PIN1095-4	Olympian Bristlex w/ Threaded Hdle. For Ext. Pole	100mm
PIN1095-5	Olympian Bristlex w/ Threaded Hdle. For Ext. Pole	125mm
PIN1095-6	Olympian Bristlex w/ Threaded Hdle. For Ext. Pole	150mm
PIN7095-4	Olympian Bristlex w/ Threaded Hdle. For Ext. Pole	100mm
PIN7095-5	Olympian Bristlex w/ Threaded Hdle. For Ext. Pole	125mm
PIN7095-6	Olympian Bristlex w/ Threaded Hdle. For Ext. Pole	150mm
PIN0175	Stain Brush Bristle	75mm
PIN01100	Stain Brush Bristle	100mm

Brushes



Part #	Description	Size (mm)
PINM2525	Impact Series Polyester Blend Angular Brush	25mm
PINM2537	Impact Series Polyester Blend Angular Brush	37mm
PINM2550	Impact Series Polyester Blend Angular Brush	50mm
PINM2563	Impact Series Polyester Blend Angular Brush	63mm
PINM2575	Impact Series Polyester Blend Angular Brush	75mm
PINA115	Cub All Purpose Bristle Flat Brush	15mm
PINA130	Cub All Purpose Bristle Flat Brush	25mm
PINA150	Cub All Purpose Bristle Flat Brush	50mm
PINA175	Cub All Purpose Bristle Flat Brush	75mm
PINA1100	Cub All Purpose Bristle Flat Brush	1100mm
PINA215	Gem All Purpose Polyester Flat Brush	15mm
PINA230	Gem All Purpose Polyester Flat Brush	25mm
PINA250	Gem All Purpose Polyester Flat Brush	50mm
PINA275	Gem All Purpose Polyester Flat Brush	75mm
PINA2100	Gem All Purpose Polyester Flat Brush	100mm
PIN1500-05	Chip Brush Throw-Away resin etc.	15mm
PIN1500-1	Chip Brush Throw-Away resin etc.	25mm
PIN1500-2	Chip Brush Throw-Away resin etc.	50mm
PIN1500-3	Chip Brush Throw-Away resin etc.	75mm
PIN1500-4	Chip Brush Throw-Away resin etc.	100mm

Stain Brushes



Part #	Description	Size (mm)
PIN69504	Canadian Made H.D. 5 wire Cage Frame	240mm
PIN69508	Comfort Grip H.D. 5 wire Cage Frame	240mm
PINI69577	Consumer 5 wire Cage Frame	240mm
PINI67566	Consumer 4 wire Cage Frame	190mm
PINI64004	Trim Cage Frame	100mm
PINI63003	Trim Cage Frame	75mm
PINWE6011	Rod Style Frame for 100mm & 150mm refills	11"
PINWE6017	Rod Style Frame for 100mm & 150mm refills	17"

Chip (Resin) Brushes



- 100% white China bristle
- Round trim
- Tin-plated ferrules, unfinished wood handles
- Double thick



Part #	Size
DYNHB280001	15mm (1/2")
DYNHB280003	25mm (1")
DYNHB280004	38mm (1-1/2")
DYNHB280005	50mm (2")
DYNHB280006	64mm (2-1/2")
DYNHB280007	75mm (3")
DYNHB280010	100mm (4")

Economy Kits



- Contains: Multi Purpose Roller, Consumer Cage Frame, 1 Qt. Metal Tray



Part #	Size
DYNHB021704	240mm (9-1/2") Low-Pile 1/4"
DYNHB021706	240mm (9-1/2") Hi-Pile 3/8"

Lacquer Thinner



- Dilutes most lacquer based finishes
- Spray equipment cleaner
- Excellent brush cleaner



Part #	Size
DYNAA221100	500ml
DYNAA221200	1L
DYNAA221300	3.78L

Acetone



- Fiberglass cleaning solvent
- Will remove most old adhesives
- Deglazes leather
- Effective solvent for most lacquers



Part #	Size
DYNAA261100	500ml
DYNAA261200	1L
DYNAA261300	4L

Paint Thinner



- A general purpose cleaning solvent used as a paint thinner & brush cleaner
- Spot remover and degreaser
- Bug and tar remover



Part #	Size
DYNAA181200	1L
DYNAA181300	4L

Methyl Hydrate



- Guaranteed pure; use for thinning shellac
- Excellent fuel for alcohol stoves
- Use for windshield washer anti-freeze
- Smokeless when burned



Part #	Size
DYNAA201200	1L
DYNAA201300	4L

Putty Pencils

- Quickly hides nail holes and defects
- Simply rub over hole or defect until filled, then wipe away excess

- Use on finished wood only
- Does not shrink, crack or change colour; nontoxic, non-flammable and odorless



Wire Rope Galvanized - 7 x 7



- Flexible
- 7 X 7
- Display Reels



Part #	Dia. (in.)	Type	Strength	Ft./Reel
MCR5048	1/16	7x7	480 lbs.	500
MCR5049	3/32	7x7	920 lbs.	500

Wire Rope Galvanized - 7 x 19



- Flexible
- 7 X 19
- Display Reels



Part #	Dia. (in.)	Type	Strength	Ft./Reel
MCR5050	1/8	7x19	2000 lbs.	500
MCR5051	5/32	7x19	2800 lbs.	500
MCR5055	3/16	7x19	4200 lbs.	500
MCR5060	1/4	7x19	7000 lbs.	500
MCR5065	5/16	7x19	9800 lbs.	500
MCR5070	3/8	7x19	14400 lbs.	500

Regular Galvanized Thimble



Part #	Size (in.)
MCR6000	1/8
MCR6005	3/16
MCR6010	1/4
MCR6015	5/16
MCR6020	3/8
MCR6025	1/2
MCR6030	5/8
MCR6035	3/4

Quick Links - Zinc Plated



Part #	Size (in.)	Wt. (lbs.)	Pk. Qty.
MCR6320	1/8	220	50
MCR6325	3/16	660	50
MCR6330	1/4	880	50
MCR6335	5/16	1760	50
MCR6340	3/8	2100	50
MCR6345	7/16	2600	50
MCR6350	1/2	3300	50

Figure 8 Sleeves



Part #	Finish	Size (in.)	Pk. Qty.
MCR7020	Aluminum	1/16	100
MCR7021	Aluminum	3/32	100
MCR7022	Aluminum	1/8	100
MCR7023	Aluminum	5/32	100
MCR7024	Aluminum	3/16	100
MCR7025	Aluminum	1/4	100
MCR7026	Aluminum	5/16	100
MCR7027	Aluminum	3/8	100
MCR5002	Copper	1/16	100
MCR4999	Copper	3/32	100
MCR5001	Copper	1/8	100
MCR5010	Copper	5/32	100
MCR8800	Copper	3/16	100
MCR5015	Copper	1/4	100

Malleable Galvanized Wire Rope Clip



Part #	Size (in.)
MCR6090	1/8
MCR6095	3/16
MCR6100	1/4
MCR6105	5/16
MCR6110	3/8
MCR6115	7/16
MCR6120	1/2
MCR6130	5/8
MCR6135	3/4
MCR6140	7/8

Galvanized Screw Pin Anchor Shackle



- Complete Traceability
- Powder Coated Pin
- Forged, quenched & tempered alloy pin

Part #	Size (in.)	WLL (T)
MCR6750	3/16	1/3
MCR6751	1/4	1/2
MCR6752	5/16	3/4
MCR6753	3/8	1
MCR6754	1/2	2
MCR6755	5/8	3-1/4
MCR6756	3/4	4-3/4
MCR6757	1	8-1/2

Snap Hook - Zinc Plated



Part #	Size (in.)	Wt. (lbs.)	Pk. Qty.
MCR6360	3/16	200	50
MCR6365	1/4	220	50
MCR6370	5/16	500	50
MCR6380	3/8	770	50
MCR6375	7/16	990	50
MCR6385	1/2	1200	50

High Test Grade 40 Galvanized Clevis Grab Hook



Part #	Size (in.)	WLL (lbs.)
MCR6150	1/4	2600
MCR6155	5/16	3900
MCR6160	3/8	5400
MCR6165	7/16	7200
MCR6170	1/2	9200
MCR6175	5/8	11500

High Test Grade 40 Galvanized Clevis Slip Hook



Part #	Size (in.)	WLL (lbs.)
MCR6180	1/4	1950
MCR6185	5/16	2875
MCR6190	3/8	4000
MCR6200	1/2	6500

High Test Grade 40 Galvanized Eye Grab Hook



Part #	Size (in.)	WLL (lbs.)
MCR6210	1/4	2600
MCR6215	5/16	3900
MCR6220	3/8	5400
MCR6230	1/2	6500

High Test Grade 40 Galvanized Eye Slip Hook



Part #	Size (in.)	WLL (lbs.)
MCR6240	1/4	1950
MCR6245	5/16	2875
MCR6250	3/8	4000
MCR6260	1/2	6500



MISCELLANEOUS

Ben-Mor Grade 30 Proof Coil Chain - Zinc Plated



Reel	Diameter	Feet	Pail	Diameter	Feet
51000	3/16	100	52009	1/8	250
52010	3/16	150	52010	3/16	150
52011	1/4	100	52011	1/4	100
52012	5/16	75	52012	5/16	75
52013	3/8	45	52013	3/8	45
52014	1/2	25	52014	1/2	25

Drum	Diameter	Feet	Working Load Limit/ lbs.
53010	1/8	1250	1/8 - 325
53011	3/16	800	3/16 - 630
53012	1/4	450	1/4 - 1,100
53013	5/16	275	5/16 - 1,900
53014	3/8	200	3/8 - 2,650
53015	1/2	100	1/2 - 4,500
			5/8 - 6,900
			3/4 - 10,600

Ben-Mor Grade 70 Transport Chain Yellow Chromate Carbon Steel



Pail	Diameter	Feet	Drum	Diameter	Feet
52030	1/4	65	53040	1/4	400
52031	5/16	50	53041	5/16	275
52032	3/8	45	53042	3/8	200
52033	1/2	25	53043	1/2	100
			53047	1/2	200

Working Load Limit/ lbs.

1/4 - 3150
5/16 - 4700
3/8 - 6600
1/2 - 11300

Ben-Mor Twist Link



Catalog ID	Trade Size #	Dia.	Inside Length	Inside Width	Working Load Limit	Pack Feet
51020	#2 (Zinc)	.150	.58	.22	310	125 Reel
51021	#4 (Zinc)	.120	.52	.17	200	100 Reel
51022	2/0 (Zinc)	.190	.73	.28	520	75 Reel
53070	1/0 (Zinc)	.165	.732	.2	440	2000 Drum

Ben-Mor Double Loop Chain - Steel



An economical utility chain used for swings, dog tie-outs, cow ties, etc... (also called Tenso and Lion)

Catalog ID	Trade Size #	Dia.	Inside Length	Inside Width	Working Load Limit	Pack Feet
51145	#1 (Zinc)	.105	1.54	.281	155	125 Reel
51052	#1 (Zinc)	.105	1.54	.281	155	250 Reel
51064	#1 (Zinc)	.105	1.54	.281	155	450 Pail
51057	#2 (Zinc)	.091	1.33	.16	115	200 Reel
51053	#3 (Zinc)	.080	1.10	.187	90	200 Reel
51054	#4 (Zinc)	.072	1.02	.171	70	250 Reel
51051	#1/0 (Zinc)	.120	1.78	.312	200	200 Reel
51050	#2/0 (Zinc)	.135	1.82	.340	255	75 Reel
51062	#3/0 (Zinc)	.148	2.17	.415	305	150 Pail

Ben-Mor Single Jack Chain - Steel



Catalog ID	Trade Size #	Dia.	Inside Length	Inside Width	Pack Feet
51141	#10 (Brass)	.135	.93	43	100 Reel
51040	#10 (Zinc)	.135	.93	43	150 Reel
51041	#12 (Zinc)	.105	.77	29	100 Reel
51044	#12 (Brass)	.105	.77	29	100 Reel
51042	#14 (Zinc)	.080	.66	16	200 Reel
51045	#14 (Brass)	.080	.66	16	200 Reel
51043	#16 (Zinc)	.062	.52	11	250 Reel
51046	#16 (Brass)	.062	.52	11	250 Reel
51038	#18 (Zinc)	.047	.39	5	200 Reel

Ben-Mor Sash Chain - Steel



Catalog ID	Trade Size #	Thickness Inches	Working Load Limit	Pack Feet
51060	# 8	.029	75	200 Reel
51061	# 35	.035	106	100 Reel

Ben-Mor Safety Chain - Brass



Catalog ID	Trade Size #	Thickness Inches	Working Load Limit	Pack Feet
51065	1/0	.023	35	200 Reel

Sling Shot Tow Straps – Single Ply Straps

SLING SHOT RIGGING



Part#	Size	Capacity
TS180	2" X 20' C/W LOOPS	18,000
TS185	2" X 20' C/W LOOPS	18,500
TS270	3" X 20' C/W LOOPS	27,000
TS360	4" X 20' C/W LOOPS	36,000
TS540	6" X 20' C/W LOOPS	54,000

Sling Shot Nylon Lifting Slings

SLING SHOT RIGGING



Single Ply

Stock#	Web Width	Vertical (lbs)	Choker (lbs)	Basket (lbs)
EE1-901	1"	1,600	1,280	3,200
EE1-902	2"	3,200	2,560	6,400
EE1-903	3"	4,800	3,840	9,600
EE1-904	4"	6,400	5,120	12,800
EE1-905	5"	8,000	6,400	16,000
EE1-906	6"	9,600	7,680	19,200
EE1-908	8"	12,800	10,240	25,600
EE1-910	10"	16,000	12,800	32,000
EE1-912	12"	19,200	15,360	38,400

Double Ply

Stock#	Web Width	Vertical (lbs)	Choker (lbs)	Basket (lbs)
EE2-901	1"	3,200	2,560	6,400
EE2-902	2"	6,400	5,120	12,800
EE2-901	3"	8,800	7,104	17,760
EE2-902	4"	6,400	9,216	23,040
EE2-901	5"	14,000	11,200	28,000
EE2-902	6"	16,320	13,056	32,640
EE2-901	8"	20,480	16,384	40,960
EE2-902	10"	24,000	19,200	48,000
EE2-901	12"	26,880	21,504	53,760

Sling Shot Ratchet & Straps

SLING SHOT RIGGING



2" Long Handle - 10,000 lb Breaking Strength

Strap Length	End Hardware	Working Load Limit (lbs)
Any length required	Flat Hook	3,335
	Snap Hook	3,335
	Wire Hook	3,335

3" Long Handle - 15,000 lb Breaking Strength

Strap Length	End Hardware	Working Load Limit (lbs)
Any length required	Flat Hook	5,000

4" Long Handle - 20,000 lb Breaking Strength

Strap Length	End Hardware	Working Load Limit (lbs)
Any length required	"D" Ring	6,600



1" Ratchet - 1,500 lb Breaking Strength

Strap Length	End Hardware	Working Load Limit (lbs)
15 ft	Vinyl "S" Hook	500
15 ft	Wire Hook	500



Utility Strap with Cam Buckle - 1,500 lb Breaking Strength


Strap Length	End Hardware	Working Load Limit (lbs)
1" x 15 ft	Vinyl "S" Hook	500
2" x 15 ft	Vinyl "S" Hook	500



Industrial Interchange



Catalog ID	Description
QD-INDAC4-4F	1/4 BODY 1/4 FPT
QD-INDAC4-6F	1/4 BODY 3/8 FPT
QD-INDAC6-4F	3/8 BODY 1/4 FPT
QD-INDAC6-6F	3/8 BODY 3/8 FPT
QD-INDAC6-8F	3/8 BODY 1/2 FPT
QD-INDAC4-4M	1/4 BODY 1/4 MPT
QD-INDAC4-6M	1/4 BODY 3/8 MPT
QD-INDAC6-4M	3/8 BODY 1/4 MPT
QD-INDAC6-6M	3/8 BODY 3/8 MPT
QD-INDAC6-8M	3/8 BODY 1/2 MPT
QD-INDAC4-4H	1/4 BODY 1/4 HOSE BARB
QD-INDAC4-6H	1/4 BODY 3/8 HOSE BARB
QD-INDAC6-6H	3/8 BODY 3/8 HOSE BARB
QD-INDAC6-8H	3/8 BODY 1/2 HOSE BARB



Catalog ID	Description
QD-INDN4-4F	1/4 BODY 1/4 FPT
QD-INDN4-6F	1/4 BODY 3/8 FPT
QD-INDN6-4F	3/8 BODY 1/4 FPT
QD-INDN6-6F	3/8 BODY 3/8 FPT
QD-INDN6-8F	3/8 BODY 1/2 FPT
QD-INDN4-4M	1/4 BODY 1/4 MPT
QD-INDN4-6M	1/4 BODY 3/8 MPT
QD-INDN6-4M	3/8 BODY 1/4 MPT
QD-INDN6-6M	3/8 BODY 3/8 MPT
QD-INDN6-8M	3/8 BODY 1/2 MPT
QD-INDN4-4H	1/4 BODY 1/4 HOSE BARB
QD-INDN4-6H	1/4 BODY 3/8 HOSE BARB
QD-INDN6-4H	3/8 BODY 1/4 HOSE BARB
QD-INDN6-6H	3/8 BODY 3/8 HOSE BARB
QD-INDN6-8H	3/8 BODY 1/2 HOSE BARB

UNIVERSAL INTERCHANGE



• Accepts aro210, industrial and tru-flate nipples.

Catalog ID	Description
QD-UNIAC4-4F	1/4 BODY 1/4 FPT
QD-UNIAC4-6F	1/4 BODY 3/8 FPT
QD-UNIAC4-4M	1/4 BODY 1/4 MPT
QD-UNIAC4-6M	1/4 BODY 3/8 MPT
QD-UNIAC4-4H	1/4 1/4 HOSE BARB
QD-UNIAC4-6H	1/4 3/8 HOSE BARB

ARO210 / ARO310



Catalog ID	Description
QD-AROAC4-4F	1/4 BODY 1/4 FPT
QD-AROAC4-6F	1/4 BODY 3/8 FPT
QD-AROAC6-6F	3/8 BODY 3/8 FPT
QD-AROAC4-4M	1/4 BODY 1/4 MPT
QD-AROAC4-6M	1/4 BODY 3/8 MPT
QD-AROAC6-6M	3/8 BODY 3/8 MPT
QD-AROAC4-4H	1/4 BODY 1/4 HOSE BARB
QD-AROAC4-6H	1/4 BODY 3/8 HOSE BARB



Catalog ID	Description
QD-ARON4-4F	1/4 BODY 1/4 FPT
QD-ARON4-6F	1/4 BODY 3/8 FPT
QD-ARON6-6F	3/8 BODY 3/8 FPT
QD-ARON4-4M	1/4 BODY 1/4 MPT
QD-ARON4-6M	1/4 BODY 3/8 MPT
QD-ARON6-6M	3/8 BODY 3/8 MPT
QD-ARON4-4H	1/4 BODY 1/4 HOSE BARB
QD-ARON6-6H	3/8 BODY 3/8 HOSE BARB

Brass Fittings



Brass Fittings --call for info!



MISCELLANEOUS

Yellow High Quality Pvc Air Hose Assemblies



Catalog ID	Description
PA4YEL-100B	1/4 ID x 1/4 MPT, 100 FT Long
PA4YEL-25B	1/4 ID x 1/4 MPT, 25 FT Long
PA4YEL-50B	1/4 ID x 1/4 MPT, 50 FT Long
PA4YEL-75B	1/4 ID x 1/4 MPT, 75 FT Long
PA6YEL-100B	3/8 ID x 1/4 MPT, 100 FT Long
PA6YEL-100C	3/8 ID x 3/8 MPT, 100 FT Long
PA6YEL-25B	3/8 ID x 1/4 MPT, 25 FT Long
PA6YEL-25C	3/8 ID x 3/8 MPT, 25 FT Long
PA6YEL-50B	3/8 ID x 1/4 MPT, 50 FT Long
PA6YEL-50C	3/8 ID x 3/8 MPT, 50 FT Long
PA6YEL-75B	3/8 ID x 1/4 MPT, 75 FT Long
PA6YEL-75C	3/8 ID x 3/8 MPT, 75 FT Long
PA6YEL-75C	3/8 ID x 3/8 MPT, 75 FT Long
PA6YEL-75C	3/8 ID x 3/8 MPT, 75 FT Long

Red Nitrile Rubber Air Hose Assemblies



Catalog ID	Description
RG4RED-25B	1/4 ID x 1/4 MPT, 200 PSI, 25 FT Long
RG4RED-50B	1/4 ID x 1/4 MPT, 200 PSI, 50 FT Long
RG4RED-75B	1/4 ID x 1/4 MPT, 200 PSI, 75 FT Long
RG4RED-100B	1/4 ID x 1/4 MPT, 200 PSI, 100 FT Long
RG6RED-100B	3/8 ID x 1/4 MPT, 200 PSI, 100 FT Long
RG6RED-100C	3/8 ID x 3/8 MPT, 200 PSI, 100 FT Long
RG6RED-25B	3/8 ID x 1/4 MPT, 200 PSI, 25 FT Long
RG6RED-25C	3/8 ID x 3/8 MPT, 200 PSI, 25 FT Long
RG6RED-50B	3/8 ID x 1/4 MPT, 200 PSI, 50 FT Long
RG6RED-50C	3/8 ID x 3/8 MPT, 200 PSI, 50 FT Long
RG6RED-75B	3/8 ID x 1/4 MPT, 200 PSI, 75 FT Long
RG6RED-75C	3/8 ID x 3/8 MPT, 200 PSI, 75 FT Long
RGP-4-REEL	1/4 ID 200PSI BULK
RGP-6-REEL	3/8 ID 200PSI BULK

Blue Polyurethane Self-Storing Air Hose



Catalog ID	Description
1936-4-10	1/4 MP X 1/4 MP 10 FT 125 PSI
1936-4-12	1/4 MP X 1/4 MP 12 FT 125 PSI
1936-4-15	1/4 MP X 1/4 MP 15 FT 125 PSI
1936-4-20	1/4 MP X 1/4 MP 20 FT 125 PSI
1936-4-25	1/4 MP X 1/4 MP 25 FT 125 PSI
1936-4-30	1/4 MP X 1/4 MP 30 FT 125 PSI
1936-4-50	1/4 MP X 1/4 MP 50 FT 125 PSI
1936-6-12	3/8 MP X 3/8 MP 12 FT 125 PSI
1936-6-15	3/8 MP X 3/8 MP 15 FT 125 PSI
1936-6-20	3/8 MP X 3/8 MP 20 FT 125 PSI
1936-6-25	3/8 MP X 3/8 MP 25 FT 125 PSI
1936-6-50	3/8 MP X 3/8 MP 50 FT 125 PSI
1936-6-12B	3/8 MP X 1/4 MP 12 FT 125 PSI
1936-6-15B	3/8 MP X 1/4 MP 15 FT 125 PSI
1936-6-20B	3/8 MP X 1/4 MP 20 FT 125 PSI
1936-6-25B	3/8 MP X 1/4 MP 25 FT 125 PSI
1936-6-50B	3/8 MP X 1/4 MP 50 FT 125 PSI

Oetiker / Two Ear Clamps



Catalog ID	Description
HC9-2	.122 TO .161
HC9-3	.118 TO .197
HC9-4	.197 TO .276
HC9-5	.276 TO .354
HC9-6	.315 TO .433
HC9-8	.433 TO .512
HC9-9	.512 TO .591
HC9-10	.591 TO .708
HC9-12	.669 TO .787
HC9-13	.748 TO .866
HC9-14	.787 TO .905
HC9-15	.866 TO .984
HC9-16	.905 TO 1.063

Tube Straps



Catalog ID	Description
TS17R-4	1/4 Tube OD, 1/2 Band, 1/4 Hole
TS17R-5	5/16 Tube OD, 1/2 Band, 1/4 Hole
TS17R-6	3/8 Tube OD, 1/2 Band, 1/4 Hole
TS17R-8	1/2 Tube OD, 1/2 Band, 1/4 Hole
TS17R-10	5/8 Tube OD, 1/2 Band, 1/4 Hole
TS17R-12	3/4 Tube OD, 1/2 Band, 1/4 Hole
TS17R-14	7/8 Tube OD, 1/2 Band, 1/4 Hole
TS17R-16	1 Tube OD, 1/2 Band, 1/4 Hole
TS17R-18	1-1/8 Tube OD, 1/2 Band, 1/4 Hole
TS17R-20	1-1/4 Tube OD, 1/2 Band, 1/4 Hole
TS17R-24	1-1/2 Tube OD, 1/2 Band, 1/4 Hole

Air Guns



Catalog ID	Description
AG410R	Die Cast, Soft Rubber Tip, 145 PSI



Catalog ID	Description
AG411E	Die Cast, OSHA Tip, 145 PSI



Catalog ID	Description
AG411EW	Die Cast, 6" Wand, Secondary Tip, 145 PSI



Catalog ID	Description
AG166	Hostaform Body, 4-1/4" Wand, OSHA, 11 CFM

Pressure Regulators



Catalog ID	Description
R16-02-000	1/4 FNPT Ports, 13 SCFM, 5-125 PSIG Range, Relieving Type
R16-02-PMN	R16-02-000 With Panel Mount Nut
R-PMN	Panel Mount Nut for R16-02-000



Catalog ID	Description
R-03-PMN	Panel Mount Nut for R16-03-000
R16-03-000	3/8 FNPT Ports, 130 SCFM, 5-125 PSIG Range, Relieving Type
R16-03-PMN	R16-03-000 With Panel Mount Nut

3-Strand Twisted Polypropylene Rope



Catalog ID	Diameter (in./mm)	Roll (ft.)	Break Strength	Colour
CDC316	3/16" / 4mm	2,125'	520 lbs	YELLOW
CDC14	1/4" / 6mm	1,310'	900 lbs	YELLOW
CDC516	5/16" / 8mm	975'	1368 lbs	YELLOW
CDC38	3/8" / 10mm	630'	1944 lbs	YELLOW
CDC12	1/2" / 12mm	335'	3024 lbs	YELLOW
CDC58	5/8" / 16mm	200'	4464 lbs	YELLOW
CDC34	3/4" / 18mm	125'	5120 lbs	YELLOW

Plastic Tying Twine



Catalog ID	Length (ft./mm)	Average Break Strength	Weight (lbs./kg)	Pallet Qty.
CDCE300	3,000' / 914.4 m	400	10.00lbs / 4.54 kg	80