

TABLE OF CONTENTS

P. 454

PERSONAL PROTECTION

Hard Hats, Safety Glasses, Faceshields

P. 475

WORKPLACE SAFETY

Arc Flash PPE, Signs, Lockout/Tagout, Fire Extinguishers

P. 490

HEARING PROTECTION

P. 498

RESPIRATORY PROTECTION

P. 507

FALL PROTECTION & RESCUE

Harnesses, Lanyards, Anchors, SRL's, Tool Pouches, Guard Rails

P. 528

GAS DETECTION

P 531

FIRST AID

Kits, CPR Aids, Hand Sanitizers, Eyewash, Shower Systems

P. 542 SPILL CONTROL & CONTAINMENT

Pads, Kits, Storage Cabinets

P. 547

TRAFFIC SAFETY

P. 551

PROTECTIVE CLOTHING

Gloves, Boots, FR Wear, Coveralls, Rainwear, Parkas

P. 584

WELDING SAFETY

















The Peak





A versatile and dependable design, with grooved HDPE outer shell, rain trough and accessory slots. Choice of 4 or 6-point, nylon web or plastic suspension, with pin lock or ratchet size adjustment (see information below). All suspension choices feature 3-level height adjustment.

Part #	Suspension	Shell	Adustment	Туре	Weight
NTHA79	4-point	HDPE	Pin Lock	ANSI/CSA	14.4 oz.
NTHA79R	4-point	HDPE	Ratchet	ANSI/CSA	11.6 oz.

The Everest





by Honeywell

Wide brim HDPE hard hat for protection from the sun's harmful UV rays, rain and falling debris. Ideal for mining, forestry, utilities, the oil industry and other demanding environments. Accessory slots allow the full brim to be compatible with face and hearing protection accessories for the fullest available protection. Choice of high quality suspensions designed for comfort, with forehead comfort band and crown pad, 2-level height adjustment

and self centering.

• ANSI Type I Class E and CSA Type 1 Class E

Part #	Suspension	Shell	Adustment	Type	Weight
NTHA49	4-point nylon	HDPE	Pin Lock	ANSI/CSA	14.7 oz.
NTHA49R	4-point nylon	HDPE	Ratchet	ANSI/CSA	15.4 oz.

A119R with Foam Liner





by Honeywell

All the protective features of the A49R, plus a foam liner for lateral impact protection. Ideal for workers who are exposed to the risk of a blow to the side, front or rear of the head, along with the hazard of falling debris, rain, or the sun's UV rays. Available in a 6-point nylon web suspension, with ratchet size adjustment, forehead comfort band and crown pad, 2-level height adjustment and self

ANSI Type II Class E and CSA Type 2 Class E

Part #	Suspension	Shell	Adustment	Туре	Weight
NTHA49	6-point	HDPE	Ratchet	ANSI/CSA	17.4 oz.

The Matterhorn





by Honeywell

All-purpose lateral impact hard hat with foam liner, HDPE outer shell grooved for rigidity, rain trough and accessory slots. Choice of unique quick fit or ratchet suspension, both with forehead comfort band and crown pad, offering workers greater choice and comfort. Both suspensions feature a 4- point nylon web cradle with three- level height adjustment.

• ANSI Type II Class E and CSA Type 2 Class E

Part #	Suspension	Shell	Adustment	Type	Weight
NTHA89	4-point	HDPE	Quick Fit	ANSI/CSA	14.7 oz.
NTHA89R	4-point	HDPE	Ratchet	ANSI/CSA	15.6 oz.

Intruder – Cap Mounted Earmuffs for Full Brim Hat - NRR 24 dB



All-purpose lateral impact hard hat with foam liner, HDPE outer shell grooved for rigidity, rain trough and accessory slots. Choice of unique quick fit or ratchet suspension, both with forehead comfort band and crown pad, offering workers greater choice and comfort. Both suspensions feature a 4-point nylon web cradle with three-level height adjustment. ANSI Type II Class E and CSA Type 2 Class E

Part #	Color Weight	
NTHEM7209	Black/White	305g./11.2 oz.

















Roughneck[®] Series Fiberglass Hard Hats – P2A Series Hard Hats





· SUPEREIGHT® ROUGHNECK fiberglass protective caps set the standard for exceptional impact resistance, durability and crack resistance, all in the lightest weight fiberglass cap available.

CSA Type 1.





Part #	Colors
FBRP2ARW	Ratchet-Blue, Grey, Yellow, Red, Brown, White, Green,
	Black, High Viz Orange
FBRP2AQRW	Ratchet-Blue, Grey, Yellow, Red, Brown, White, Green,
	Black, High Viz Orange, (Quick-Lok)
FBRP2ASW	Swingstrap-Blue, Grey, Yellow, Red,
FBRP2AQSW	Swingstrap-Blue, Grey, Yellow, Red, White, Green,
	(Quick-Lok)

FMX Full Graphic Protection Caps – FMX Line Hard Hats





- Exclusive overlay designs; heat and scratch resistant
- Smooth thermoplastic crown deflects impacting objects
- Exclusive Eight-point suspension disperses impact energy
- · Adjustable non-slip/non-strip ratchet headgear for ultimate comfort and fit
- · Lifetime Limited Warranty: shell/headgear

Part #	Colors	
FBRE2RWX1	FMX Flame Ratchet	
FBRE2RWX2	FMX Demon Ratchet	
FBRE2RWX3	FMX Wire Burner Ratchet	
FBRE2RW00A389	FMX Canadian Flag Ratchet	
FBRE2SWX1	FMX Flame Swingstrap	
FBRE2SWX2	FMX Demon Swingstrap	
FBRE2SWX3	FMX Wire Burner Swingstrap	
1 BIXELECTION	This wife Burner emingenap	

Type 2 Hard Hats





Part #	Description
FBRSE2	Ratchet-white, yellow, orange, gray, red, blue, green. Wide
	brim HDPE hard hat for protection from the sun's harmful
	UV ravs, rain and falling debris.





V-Gard® Protective Caps and Hats



- Polyethylene shell and suspension system
- · Advanced styling in either cap or hat styles
- Exceeds the applicable requirements for a Type I helmet (top impact) as outlined in ANSI Z89.1-2003, Class E and also as outlined in CSA Z94.1-2005 (Class E) with 1 Touch and Fas-Trac suspensions.

Part #	Colors - SLOTTED CAP
MSA475358	White
MSA475359	Blue
MSA475360	Yellow
MSA475361	Orange
MSA475362	Green
MSA475363	Red
MSA475364	Gray
MSA488146	HiViz Orange
MSA10061512	HiViz Yellow-Grn

Part #	Colors - FULL BRIM
MSA475369	White
MSA475368	Blue
MSA475366	Yellow
MSA496075	Orange
MSA475370	Green
MSA475371	Red
MSA475367	Gray
MSA10021292	HiViz Orange
MSA10061515	HiViz Yellow-Grn

Logo Express - Custom Imprinting



A variety of MSA helmets are available with your logo, slogan or striping imprinted on the headwear. You can select the colors and the areas to be imprinted. MSA uses both single and multi-color imprinting techniques to provide a choice of up to four colors.

Image 2000SM

MSA offers the Image 2000 Service, which uses a photographic process to produce images on white MSA helmets only.

A minimum quantity of 20 custom-imprinted caps or hats (of the same size or model) is required for initial and repeat orders.

Advance® Cap - Vented & Canadian Super-V™



- · Vented version for improved air circulation
- Optional 4 or 6 point Fas-Trac suspension system
- Lateral contours above the ear for easy integration of hearing protection
- Glaregard™ underbrim to reduce reflective glare
- Super-V Helmets concsist of a shell, foam liner, and suspension system working together to provide limited impact and penetration protection in the event of a top or lateral blow to the head.

Sizes: Small (6 - 7 1/8) Standard (6 1/2 - 8) Large (7 - 8 1/2)

	Part #	Colors - ADVANCE CAP VENTED
	MSA10034018	White
	MSA10034019	Blue
	MSA10034020	Yellow
	MSA10034022	Red
	MSA10034023	Green
	MSA10034026	Hi-Viz Orange
	MSA10035212	Hi-Viz Y/Green
	Part #	Colors - CANADIAN SUPER-V SIDE IMPACT
	MSAC217091	White
	MSAC217093	Yellow
	MSAC217092	Blue
	MSAC217094	Orange
	MSAC217095	Red
	MSAC217096	Green
	MSAC217097	Navy Gray
	MSAC217098	Gold
	MSAC217140	Black
	MSAC217099	Silver
	MSAC217100	Hi-Viz Orange





















- Two distinct color options available to choose from:
- HDHHAT30 is a high gloss, orange and black hard hat with silver skull and blade graphics and Harley-Davidson[®] Bar and Shield logo
- Special Edition HDHHAT35 is a smooth matte, black hard hat with silver skull an dblade graphics. Features metal Bar and Shield logo emblem.
- · Smooth, 6-point ratchet adjustment is quick and easy to set, allowing for prope rsafety cap alignment
- · Cushioned sweatband provides increased comfort for the wearer
- Type 1 and Electric Class G and E

Part #	Description
UVEHDHHAT30	High Gloss, Orange and Black Hard Hat with Silver Skull
	and Blade Graphics
UVEHDHHAT35	Special Edition, Matte Black Hard Hat with Silver Skull
	and Blade Graphics and Metal Bar & Shield Logo Emblem
UVEHDHHAT05	4-Point Replacement Suspension for H-D [®] Hard Hats
UVE12910012	6-Point Replacement Suspension for H-D [®] Hard Hats

HD® Hard Hat - Flames Design



- High-gloss, fully decorated shell with realistic flame design and the legendary Harley-Davidson® Bar and Shield logo
- Smooth, 6-point ratchet adjustment is quick and easy to set, allowing for proper safety cap alignment
- Cushioned sweatband provides increased comfort for the wearer
 Type 1 and Electric Class G and E
- Complies with ANSI Z89.1–2003 Impact Standard.

Part #	Description
UVEHDHHAT10	High Gloss, Black Hard Hat with Realistic Flames Design
UVEHDHHAT05	4-Point Replacement Suspension for H-D [®] Hard Hats
UVE12910012	6-Point Replacement Suspension for H-D [®] Hard Hats

Honeywell HARLEY-DAVIDSON

HD® Hard Hat - Racing Design



${}^{\bullet}$ High-gloss, fully decorated metallic silver shell with checkered flag Harley-Davidson $^{\circledR}$

- racing design and black and orange detailing Smooth ratchet adjustment is quick and easy to set, allowing for proper safety cap alignment
- · Cushioned sweatband provides increased comfort for the wearer
- Type 1 and Electric Class G and E
- Complies with ANSI Z89.1-2003 Impact Standard.

Part #	Description
UVEHDHHAT20	High Gloss, Silver Hard Hat w/Checkered Flag Racing Design
UVEHDHHAT05	4-Point Replacement Suspension for H-D [®] Hard Hats
UVE12910012	6-Point Replacement Suspension for H-D [®] Hard Hats

WARNING: Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

Harley, Harley-Davidson and the Bar & Shield Logo are among the trademarks of H-D Michigan, LLC. ©2012. All Rights Reserved. Manufactured by Honeywell Safety Products under license from Harley-Davidson Motor Co.

The Fastener Group

















Omega II CSA Type 1 Class E















Made in America.

- Certified to the CSA Z94.1-05 standard as a Type 1 Class E (Crown Impact/Penetration only).

 • Also CSA Reverse Headband certified. Also meets ANSI Z89.1-2003 Type I Class C,
- Featuring a sleek, ribbed and well balanced, low profile design that provides incredible stability. Moulded from high density polyethylene for maximum protection and comfort.
- Accessory slots accommodate a wide variety of eye, face and hearing protection products. Chin strap attachments accommodate most chin strap styles. Cushioned brow pad absorbs moisture to help keep wearer cool and comfortable. Brow pad is removable, washable and replaceable. Comfortable, impact-absorbing, 6-point woven nylon
- Softer band material conforms to wearer's head for more comfortable fit and allows for easier size adjustment. Built in goggle retainer clips.
- · Available suspensions: "Quick Šlide" sizing adjustment and "Secure Fit Ratchet" suspensions fits head sizes 6 1/2 - 8.
- Weight standard adjustment 13.4 oz/379 g, ratchet adjustment 14.2 oz/403 g.

EASY SIDE	SUSPENSION
Part #	Colors

Part #	Colors	Part #	Colors	
DEN69131	White	DEN69139	Black	
DEN69132	Yellow	DEN69144	Beige	
DEN69133	Orange	DEN69301	Dk. Blue	
DEN69134	Red	DEN69129	Hi-Viz Pink	
DEN69136	Blue	DEN69130	Hi-Viz Lime	
DEN69137	Gray	DEN69135	Hi-Viz Orange	
DEN69138	Green			

RATCH	IET SUSPENSION			
Part #	Colors	Part #	Colors	
DEN69	951	DEN69	9958 Green	DEN69939
White	DEN69952	Black	DEN69944 Beige	
Yellow	DEN69953	DEN69	9901 Dk. Blue	
Orange	DEN69954 Red	DEN69	9989 Hi-Viz Pink	
DEN69956 Blue				
DEN69937 Gray				

Omega II CSA Type 2 Class E





Made in America

- Certified to the "NEW CSA Z94.1-05" standard as a Type 2 Class E (Crown & Lateral Impact/Penetration).
 • Also CSA Reverse Headband certified.
- Moulded from high density polyethylene for maximum protection and comfort. Featuring a sleek, ribbed and well balanced, low profile design that provides incredible stability. Accessory slots accommodate a wide variety of eye, face and hearing protection prod-
- ucts. Chin strap attachments accommodate most chin strap styles. Cushioned brow pad absorbs moisture to help keep wearer cool and comfortable. Brow pad is removable, washable and replaceable. Comfortable, impact-absorbing, 4 point woven nylon
- Softer band material conforms to wearer's head for a more comfortable fit and allows
- for easier size adjustment. Built in goggle retainer clips.

 Available suspensions: "Quick-Slide" sizing adjustment and "Secur Fit Ratchet" suspension fits head sizes 6 1/2 - 8.
- Weight standard adjustment 15.3 oz/435 g, ratchet adjustment 16.2 oz/459 g.

EASY SIDE SUSPENSION

Part #	Colors		Part #	Colors	
DEN49	131		Black	DEN49144 Beige	
White	DEN49132		DEN49	301 Dk. Blue	
Yellow	DEN49133		DEN49	129 Hi-Viz Pink	
Orange	DEN49134 Red		DEN49	130 Hi-Viz Lime	DEN49135
DEN49	136 Blue		Hi-Viz (Orange	
DEN49	137 Gray				
DEN49	138 Green	DEN49139			

RATCH	ET SUSPENSION				
Part #	Colors		Part #	Colors	
DEN499	931		Black	DEN49944 Beige	
White	DEN49932		DEN49	901 Dk. Blue	
Yellow	DEN49933		DEN49	929 Hi-Viz Pink	
Orange	DEN49934 Red		DEN49	930 Hi-Viz Lime	DEN49935
DEN499	936 Blue		Hi-Viz (Orange	
DEN499	937 Gray				
DEN499	938 Green	DEN49939			

Liberty CSA Type 1 Class E



Made in America.

- Certified to CSA Z94.1-05 standard as Type 1 Class E.
- · Also CSA Reverse headband certified.
- · Moulded from lightweight, high density polyethylene. Features a short peak and trim profile & functional rain trough.
- Accessory slots accommodate a wide variety of items.
- Soft Band material conforms to wearer's head for a comfortable fit and allows for easier size adjustment. Brow pad is removable, washable and replaceable. · Cushioned brow pad absorbs moisture.
- Comfortable, 4-point woven nylon suspension.
- · Hat Weight: Standard Suspension 12.38 oz./ 351 g, Ratchet 13.26 oz./ 376 g

DENTEC

	SAPETY SPECIALISTS, INC.
EASY SIDE SUSPENSION Part # Colors	Part # Colors
DEN79821	DEN79827
White DEN79822	Gray DEN79828
Yellow DEN79823	Green DEN79801 Dk. Blue
Orange DEN79824 Red	DEN79820 Hi-Viz Lime
DEN79826 Blue	DEN79835 Hi-Viz Orange
RATCHET SUSPENSION	
Part # Colors	Part # Colors
DEN79621	DEN79627
White DEN79622	Gray DEN79628
Yellow DEN79623	Green DEN79601 Dk. Blue
Orange DEN79624 Red	DEN79620 Hi-Viz Lime
DEN79626 Blue	DEN79635 Hi-Viz Orange





- Dual 9-base wrap-around lens provides uncompromised peripheral vision protection
- · Easy and economical lens replacement system
- Meets military Vo ballistic test for impact
 Meets ANSI Z87+ (High Impact) and CSA Z94.3 standards
 Lifetime frame guarantee

Part #	Frm Clr/Lens Tint	Lens Coating
UVES3200D	Black/Clear	Dura-streme
UVES3209	Black/SCT-Low IR	Ultra-dura
UVES3213X	Black/50% Gray	Uvextreme
UVES3240X	Vapor Blue / Clear	Uvextreme

Genesis® S (Slim)



- Unparalleled comfort, protection & style with a smaller frame & lens for workers with slimmer faces
 Available with Dura-streme™ technology (dual anti-fog and anti-scratch), Uvextreme[®] AF anti-fog or Ultra-dura® anti-scratch coatings
- Meets military Vo ballistic test for impact
- · Meets ANSI Z87+ (High Impact) and CSA Z94.3 standards
- · Lifetime frame guarantee

Part #	Frm Clr/Lens Tint	Lens Coating
UVES3700D	Pewter & Black/Clear	Dura-streme
UVES3720D	Ice Blue & Gray/Clear	Dura-streme

ACCESSORIES





Holds prescription lenses securely. Accomodates a variety of Rx needs including Bifocals, Trifocals & Progressive Lenses

Part

UVES3350

Genesis® - Reading Magnifier





- Lenses are interchangeable among models to reduce overall eyewear inventory and lowers costs. Genesis Reading Magnifier lenses can be used in the following frames: Genesis®, Genesis XC™ and Genesis X2™ models.
- Available with Ultra-dura® Anti-Scratch coating and five diopter strengths from +1.0 to +3.0 magnifications.
- High impact protection certified to ANSI Z87.1-2003 (High Impact) and CSA Z94.3.
- · Lifetime frame guarantee.

Part #	Frm Clr/Lens Tint	Lens Coating	Mag.
UVES3760	Black/Clear	Ultra-dura	+1.0
UVES3761	Black/Clear	Ultra-dura	+1.5
UVES3762	Black/Clear	Ultra-dura	+2.0
UVES3763	Black/Clear	Ultra-dura	+2.5

Genesis® XC™



- Extended wrap-around lens for extra cheek and extra side coverage (up to 20% more)
- Rx lens insert shields expensive prescription lenses from damage
- · Meets military Vo ballistic test for impact
- Meets ANSI Z87+ (High Impact) and CSA Z94.3 standards
- Lifetime frame guarantee

Part #	Frm Clr/Lens Tint	Lens Coating
UVES3300D	Black/Clear	Dura-streme
UVES3301X	Black/Gray	Uvextreme
UVES3310X	Black/50% Gray	Uvextreme





















- · Sleek, sporty, wrap-around, 9-base unilens provides close-to-the-face protection and superior
- Lightweight frameless design offers complete, 180° distortion-free and unobstructed vision
- · Soft, saddle pad nosepiece reduces slippage and provides a personalized, comfortable fit
- Meets ANSI Z87+ (High Impact) and CSA Z94.3 standards

Part #	Frm Clr/Lens Tint	Lens Coating
UVES4400X	Black and Silver/Clear	Uvextra AF
UVES4401X	Black and Silver/Gray	Uvextra AF
UVES4402	Black and Silver/SCT-Reflect 50	Hardcoat
UVES4412	Metallic Red & Silver/SCT-Reflect 50	Hardcoat



- Proprietary floating lens design offers increased flexibility and fit
 Ultra lightweight design weighs less than one ounce
 Secure wrap-around brow expands to fit a wide range of users
 Meets military Vo ballistic test for impact
 Meets ANSI Z87+(High Impact)

- · Lifetime frame guarantee

Part #	Frm Clr/Lens Tint	Lens Coating
UVES4200	Metallic Black/Clear	Hardcoat
UVES4200X	Metallic Black/Clear	Uvextra Anti-fog
UVES4201	Metallic Black/Gray	Hardcoat
UVES4202	Metallic Black/SCT-Reflect 50	Hardcoat

Seismic™





- Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage.
- Provides protection against impact, sun, wind, dust and airborne debris. Ideal for grinding, chipping, shaving and sanding.
- Meets ANSI Z87.1-2003 (High Impact) and CSA Z94.3 standards.

Part #	Frm Clr/Lens Tint	Lens Coating
UVES0600X	Black/Clear	Uvextra AF
UVES0600D	Black/Clear	Dura-streme
UVES0601X	Black/Espresso	Uvextra AF
UVES0604X	Black/SCT-Reflect 50	Uvextra AF

Ambient™ Over-The-Glass (OTG) Eyewear



- Exceptional peripheral vision and coverage in a lightweight, wraparound uni-lens design.
 Highest available impact protection certified to ANSI Z87.1-2003 (High Impact) and CSA Z94.3.
 Pass Military Vo Ballistic Test for Impact (7x greater than ANSI).
- Offered in two lens sizes (medium and large) to fit a variety of users and prescription eyewear styles. The medium version has a 13% smaller lens than the larger version.

 • Lifetime frame guarantee.

Part #	Frm Clr/Lens Tint	Lens Coating
UVES3150D	Blue/Large/Clear	Dura-streme**
UVES3152	Blue/Large/Gray	Ultra-dura
UVES3160	Blue/Medium/Clear	Ultra-dura
UVES3161	Blue/Medium/Amber	Ultra-dura



















- Economical and stylish eye protection
- Sport temples with soft temple tip pads for comfortable fit
- Available with scratch-resistant hardcoating or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) and CSA Z94.3 safety standards

Part #	Frm Clr/Lens Tint	Lens Coating
NTHA700	Clear/Clear	Hardcoat
NTHA701	Gray/TSR Gray	Hardcoat
NTHA702	Amber/Amber	Hardcoat
NTHA703	Gray/Blue Mirror	Hardcoat
NTHA704	Gray/I/O Silver Mirror	Hardcoat
NTHA705	Clear/Clear	Fog-Ban Anti-Fog



- · Affordable reader magnifiers
- Non-slip rubber nose bridge
- · Padded temples for comfortable fit
- CSA version meets CSA Z94.3 safety standard

Part #	Frm Clr/Lens Tint	Mag.	Lens Coating
NTHA950CSA	Black/Clear	+1.50	Hardcoat
NTHA951CSA	Black/Clear	+2.00	Hardcoat
NTHA952CSA	Black/Clear	+2.50	Hardcoat
NTHA960CSA	Black/TSR Gray	+1.50	Hardcoat
NTHA961CSA	Black/TSR Gray	+2.00	Hardcoat
NTHA962CSA	Black/TSR Grav	+2.50	Hardcoat

V-Maxx® Peel-Off Goggle Covers





- V-Maxx peel-off lens covers extend useful life of the lens
 Protects the lens during paint and spray applications
 10 covers per pack

Part #	Description
NTH11250860	10 pack of Goggle Covers

V-MaxxX® Goggle







- Sleek wrap-around styling for a 180 degree, clear field of vision
 Peel-off goggle covers available to extend useful life of the lens
 Can be worn over most prescription eyewear (OTG compatible)
 Meets ANSI Z87+ (High Impact) and CSA Z94.3 safety standards

Part # Frm Clr/Lens Tint Lens Coating NTH11250800 Direct Vent Clear Fog-Ban Anti-Fog



















Stealth OTG Goggle





- · Ideal for impact, dust/airborne particles, chemical splash, and optical radiation (UV and welding/ heat radiation).
- · High impact protection certified to ANSI Z87.1-2003 (High Impact) and CSA Z94.3.
- High quality elastomer body conforms and contours for a secure, customized, gap-free fit.
- · Fits comfortably over most prescription eyewear and with hard hats.

Part #	Body/Lens Tint	Lens Coating	Headband
UVES3970D	Navy/Clear	Dura-streme Anti-Fog & Scratch	Neoprene
UVES3971D	Navy/Gray	Dura-streme Anti-Fog & Scratch	Neoprene
UVES3972D	Navy/Amber	Dura-streme Anti-Fog & Scratch	Neoprene
UVES3970DF	Navy/Clear	Dura-streme Anti-Fog & Scratch	Fabric

Bionic[®]







- · Excellent optics and increased visibility
- · Breathable, removable, washable headband
- · Face shield offers secondary protection and must be worn with spectacles or goggles
- Perfect for workers exposed to falling or flying objects, impact, chemical splash, and airporne debris
 Hard hat accessory is compatible with multiple hard hats and was tested with Sperian as well as
- major competitor styles
- · Meets ANSI Z87+ (High Impact) and CSA Z94.3 standards

Part #	Body/Lens Tint	Headband
UVES8500	Clear Polycarbonate/Uncoated	Blk Matte Face Shield
UVES8510	Clear Polycarbonate/Anti-fog/Hardcoat	Blk Matte Face Shield
UVES8550	Clear Polycarbonate/Uncoated	Replacement Visor
UVES8555	Clear Polycarbonate/Anti-fog/Hardcoat	Replacement Visor

Lens Cleaning and Cleaning Stations















Uvex Clear[®] Lens Cleaning Products



- Specifically formulated for anti-fog and scratch resistant hardcoats · Alcohol and silicone free
- Available in a 16 oz. refillable spray, 1 gallon refill or non-abrasive tissues (500/box)
- 500 non-abrasive tissues (S462)

ooo non abrasiv	C 11334C3 (O+02)	
Part #	Description	
UVES462	Uvex Clear Tissues	
UVES463	Uvex Clear Solution	

Uvex Clear® Permanent Lens Cleaning Station

- Includes 1 16 oz. Uvex Clear cleaning solution, 4 boxes of 500 tissues, 3.5" x 4.5" mirror
- Screw mounts and adhesive foam for quick wall mounting
- Measures 22.5" x 12.5"

Part #	Description
UVES461	Uvex Clear Permanent Station

Uvex Clear® Portable Cleaning Station

• Portable and disposable station holds 16 oz. of Uvex Clear cleaning spray and 1500 tissues

Part #	Description
UVES467	Uvex Clear Disposable Lens Station

Uvex Clear® Towelettes

- · Handy pocket size pre-moistened lens cleaning towelettes
- 100 towelettes per box

Part #	Description	
UVES468	Uvex Clear Towelettes	

Uvex Fog Eliminator Cloths

· Formulated to effectively protect lenses from all types of fogging caused by cold, high humidity or sudden temperature changes

Part #	Description
UVES477	Uvex Fog Eliminator Cloths

The Fastener Group



















Tornado™ Series





- · Frames are available in 3 outstanding colors: Blue, Gray and Black
- T5700 series with adjustable curved temples
- T5800 series with stylish straight temples

Tornado T5700 Series Curved Temples

Torridad Torrot Corrot Carrota Torripios		
Frame Color	Lens Color	
Black	Clear	
Blue	Clear	
Gray	Clear	
Replacement Lens	Clear	
Black	Smoke	
Blue	Smoke	
Gray	Smoke	
Replacement	Smoke	
Black	Amber	
Blue	Amber	
Gray	Amber	
Replacement	Clear	
Black	Mirror	
Blue	Mirror	
Gray	Mirror	
Replacement	Mirror	
anti-fog		
	Black Blue Gray Replacement Lens Black Blue Gray Replacement Blue Gray Replacement Black Blue Gray Replacement Black Blue Gray Replacement Black Blue Gray Replacement Black Blue Gray	







Tornado T5800 Series Straight Temple

Part #	Frame Color	Lens Color
NTHT58005B	Black	Clear
NTHT58005BL	Blue	Clear
NTHT58005GRY	Gray	Clear
NTH451RL	Replacement Lens	Clear
NTHT58005BS	Black	Smoke
NTHT58005BLS	Blue	Smoke
NTHT58005GRYS	Gray	Smoke
NTH452RL	Replacement	Smoke
NTHT58005BA	Black	Amber
NTHT58005BLA	Blue	Amber
NTHT58005GRYA	Gray	Amber
NTH453RL	Replacement	Clear
NTHT58005BM	Black	Mirror
NTHT58005BLM	Blue	Mirror
NTHT58005GRYM	Gray	Mirror
NTH454RL	Replacement	Mirror
*Mirror lenses are not	anti-fog	

The Edge™ T5600 Series





- · State-of-the-art protective eyewear
- Single-piece polycarbonate lens with a
- 9-based curve for maximum peripheral vision
- Comes complete with 2 sets of temple ends: Stylish straight ends plus ear hugging curved ends

Part #	Frame Color	Lens Color
NTHT56005B	Black	Clear
NTHT56005GRY	Gray	Clear
NTH443RL	Replacement	Clear
NTHT56005BS	Black	Smoke
NTHT56005GRYS	Gray	Smoke
NTH444RL	Replacement	Smoke
NTHT56005BA	Black	Amber
NTH445RL	Replacement	Amber
NTHT56005BM	Black	Mirror

OG™ T1100 Series

*Mirror lenses are not anti-fog

NTH445RL



Replacement



Mirror



- · Over the glasses type spectacles, fits over most prescription eyewear
- · Also can be worn as regular safety glasses

Part #	Lens Color	Sideshields Color
NTHT11005	Clear	Clear
NTHT11005S	Smoke	Smoke
NTHT11005A	Amber	Amber

Visitor™ 90S Series







- These spectacles offer premium protection to plant visitors
- · Large lens that provides a wide viewing field
- · The exclusive interlocking sideshield system offers all-around protection

Part #	Lens Color	Sideshields Color
NTH90S	Clear	Clear

















Adaptec™ Series

Three sizes for a custom fit





- · Stay alert with less eye fatigue
- See clearly with less fogging
- Ratcheting temple hinges adjust lens angle or greater protection and reduced fogging
- Soft, flexible material covers frame components for comfortable, secure fit.
- · Absorbs more than 99.9% of harmful UV light

Part #	Frame Color	Lens Tint	Replacement Lens
REGULAR Size			
NTHT5900LBL	Dark blue	Clear lens	500LRL
NTHT5900LTK	Translucent-black	Clear lens	500LRL
NTHT5900LBLS	Dark blue	Smoke lens	501LRL
NTHT5900LTKS	Translucent-black	Smoke lens	501LRL
NTHT5900LTKA	Translucent-black	Amber lens	502LRL
NTHT5900LTKTCG	Translucent-black	I/O Mirror lens	503LRL
NTHT5900LTK3.0	Translucent-black	IR shade 3.0 lens	506LRL
NTHT5900LTK5.0	Translucent-black	IR shade 5.0 lens	507LRL
NARROW Size			
10 11 11 0120			
NTHT5900NBL	Dark blue	Clear lens	500NRL
NTHT5900NTK	Translucent-black	Clear lens	500NRL
NTHT5900NBLS	Dark blue	Smoke lens	501NRL
NTHT5900NTKS	Translucent-black	Smoke lens	501NRL
NTHT5900NTKA	Translucent-black	Amber lens	502NRL
NTHT5900NTKTCG	Translucent-black	I/O Mirror lens	503NRL
NTHT5900NTK3.0	Translucent-black	IR shade 3.0 lens	506NRL
NTHT5900NTK5.0	Translucent-black	IR shade 5.0 lens	507NRL
Wide Size			
NTHT5900WBL	Dark blue	Clear lens	500WRL
NTHT5900WTK	Translucent-black	Clear lens	500WRL
NTHT5900WBLS	Dark blue	Smoke lens	501WRL
NTHT5900WTKS	Translucent-black	Smoke lens	501WRL
NTHT5900WTKA	Translucent-black	Amber lens	502WRL
NTHT5900WTKTCG	Translucent-black	I/O Mirror lens	503WRL
NTHT5900WTK3.0	Translucent-black	IR shade 3.0 lens	506WRL
NTHT5900WTK5.0	Translucent-black	IR shade 5.0 lens	507WRL





· Easy lens replacement system

NTHT56555B

- Frame made of new Elasto LT chemical resistant material
- · Comfortable straight and curved temple ends are supplied
- Exceeds ANSI Z87+ and CSA Z94.3 requirements
- 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV, Anti-Static

Part #	Lens Color	
NTHT56505B	Clear	
NTHT56505BS	Smoke	
NTHT56505BA	Yellow	

Lightning T6500 & T6550 Series

Nose piece



North has a clear vision of superior protective eyewear. We accomplish this through innovative design and state of the art materials that offer the ultimate in optical quality, comfort and fit. Thus resulting in a high level of user acceptance that is far beyond current standards.

- · Soft-touch comfort pads
- RX Compatible
- · Self adjusting temples
- Fast and easy lens replacement with our unique "Rapid-Change" system
- 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV, Anti-Static

Part #	Lens Color	Frame Color
NTHT65005B	Clear/Black frame	
NTHT65505BR	Clear/Brown frame	
NTHT65505BLS	Smoke/Blue frame	
NTH65RX	Rx carrier and nose piece	





















HD1100 Series

Honeywell





- Double 9-base frameless design is lightweight at just 27 grams
- Silver temples feature trailing flame design and Harley-Davidson® Bar and Shield logo
 Unique Harley-Davidson® metal detailing on nosebridge
- · Striking mirrored lens options for outdoor work applications
- Meets ANSI Z87+ and CSA Z94.3 Standards



Part #	Frame Color	Lens Tint
UVEHD1100	Orange and Black	Clear
UVEHD1101	Orange and Black	Gray
UVEHD1102	Orange and Black	Silver Mirror

HD800 Series





- Double 9-base frameless design is lightweight at just 27 grams
- Silver temples feature trailing flame design and Harley-Davidson® Bar and Shield logo
- Unique Harley-Davidson® metal detailing on nosebridge
- Striking mirrored lens options for outdoor work applications
- Meets ANSI Z87+ and CSA Z94.3 Standards



Part #	Frame Color	Lens Tint
UVEHD800	Silver Temples	Orange Mirror Hardcoat
UVEHD801	Silver Temples	Blue Mirror Hardcoat
UVEHD802	Silver Temples	Silver Mirror Hardcoat
UVEHD803	Silver Temples	Clear Hardcoat



- Double 8-base frame features spring-hinged temples for superior comfort
- Premium gunmetal frame with Harley-Davidson® Signature logo on temples
- H-D® Bar and Shield logo on lens
- · Lens options for both indoor and outdoor work applications
- Meets ANSI Z87+ Standard



	Part #	Frame Color	Lens Tint
	UVEHD700	Gunmetal	Brown Mirror Hardcoat
1	UVEHD701	Gunmetal	Clear Hardcoat
	UVEHD702	Gunmetal	Gray Hardcoat
	UVEHD703	Gunmetal	Amber Hardcoat



WARNING: Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

Harley, Harley-Davidson and the Bar & Shield Logo are among the trademarks of H-D Michigan, LLC. ©2012. All Rights Reserved. Manufactured by Honeywell Safety Products under license from Harley-Davidson Motor Co.



Metaliks Sport Brushed Nickel Frame





- · Sleek sports style lens
- Brushed Nickel Frame
- · Soft, Universal-fit nosepiece & rubber temple tips
- · Anti-fog, hard coat lens
- Meets CSA Z94.3 and ANSI Z87.1-2003

Part #	Lens Color	Lens
3MO11343	Clear	Anti-Fog Lens
3MO11344	Gray	Anti-Fog Lens
3MO11345	I/O	Mirror Lens

Maxim Sport Silver Sport-Grip Temple





- Dual-aspheric lens provides prescription-quality
- · Soft brow guard & sportgrip temples for cushioned comfort
- DX™ Coating
- Meets CSA Z94.3 and ANSI Z87.1-2003 stan-
- · Soft adjustable nosebridge for custom fitting

Part #	Lens Color		
3MO13274	Blue Undermold	Clear	
3MO13280	Blue Undermold	Indoor/Outdoor Mirror	

Virtua Sport





- · Comfortable, Ultra light frame
- Sporty, sleek unisex styling
- 9 base curve lens
- High Impact polycarbonate filters 99.9% UV
- Meets CSA Z94.3 & ANSI Z87.1-2003 Standards

Part #	Lens Color	Frame Color	
3MO11384	Clear AF Lens	Clear Temple	
3MO11386	Gray AF Lens	Gray Temple	
3MO11388	I/O Hard Coat Lens	Clear Temple	

Light Vision 2 - Gray Frame wi/Black Temple





- · Hands free direct lighting; anti-fog lens; available w/reader lens
- Two ultra bright, adjustable LED lights
 Long-life, replaceable CR2032 3V battery; includes bag and lanyard

Part #	Lens Color	
3MO11476	Clear Anti-Fog Lens	
3MO11477	Clear Anti-Fog Lens	+1.5 Diopter
3MO11478	Clear Anti-Fog Lens	+2.0 Diopter
3MO11479	Clear Anti-Fog Lens	+2.5 Diopter

Fuel2





- Tough Durable Nylon Frames, with 2 Streamlined Designs
- · Soft nosebridge & temple tips for added comfort
- Hot Colors & Flared Accents
- · Lanyard & micro fiber bag included
- Meets CSA Z94.3 & ANSI Z87.1 Standards

Part #	Lens Color	Lens
3MO11650	Metallic Sand Frame	Red Mirror Lens
3MO11652	Silver Color Frame	Blue Mirror Lens
3MO11653	Silver Color Frame	Clear Anti-Fog Lens
3MO11654	Black Rubberized Frame	Gray Anti-Fog Lens

Dust GoggleGear





- · Vent channels at top and bottom for improved
- · Lighter weight than most goggles for improved comfort
- · Soft foam backing seals out particulates

Part #	Lens Color		
3MO16152	Black Frame/Clear Lens	With Strap	Med.
3MO16153	Black Frame/Clear Lens	With Strap	Lge.

BX Ocean Blue Frame





- Soft-tip temples feel good even after extended
- Adjustable temple lengths
- Three lens angles for custom fit
- Soft, universal-fit nosebridge Meets CSA Z94.3 and ANSI Z87.1-2003 stan-

Part #	Lens Tint	dards
3MO11471	Clear	Anti-Fog Lens
3MO11472	I/O	Mirror Lens
3MO11473	I/O	Mirror +1.5 Diopter
3MO11474	I/O	Mirror +2.0 Diopter
3MO11475	I/O	Mirror +2.5 Diopter

Privo Black Frame/Orange Temple Tips





- Sleek European inspired styling
- Soft DuoForm molded nosebridge and temple tips for all day comfort
- Universal fit design, available with anti-fog lenses
- Tough durable polycarbonate lens absorbs 99.9% UV
- Meets CSA Z94.3 and ANSI Z87.1-2003

Part #	Lens Tint	Stariuarus	
3MO12261	Clear	Anti-Fog Lens	
3MO12262	Gray	Anti-Fog Lens	
3MO12263	Amber	Anti-Fog Lens	
3MO12264	I/O	Mirror Lens	

The Fastener Group

















Brazeau



Part #	Frm Clr/Lens Tint
EDEXB411AR	Brazeau - Black / Anti-Reflective Lens
EDEXB415	Brazeau - Black / Copper "Driving" Lens
EDEXB416	Brazeau - Black / Smoke Lens
EDEXB417	Brazeau - Black / Silver Mirror Lens
EDEXB418	Brazeau - Black / Blue Mirror Lens
EDEXBAP419	Brazeau - Black / AP Red Mirror Lens
Part #	POLARIZED Frm Clr/Lens Tint
EDETXBG416	Brazeau Polarized - Black / Gradient Lens



Part # Frm Clr/Lens Tint EDEXB436 Tourque Brazeau - Black / Smoke Lens

Designer Brazeau White



Frm Clr/Lens Tint Part #

EDEXB446 White Brazeau - White / Smoke Lens



Robson



Part #	Frm Clr/Lens Tint
EDEXR411	Robson - Black / Clear Lens
EDEXR4111AR	Robson - Black / Anti-Reflective Lens
EDEXR412	Robson - Black / Yellow Lens
EDEXR414	Robson - Black / Amber Lens
EDEXR415	Robson - Black / Copper "Driving" Lens
EDEXR416	Robson - Black / Smoke Lens
EDEXR417	Robson - Black / Silver Mirror Lens
EDEXR418	Robson - Black / Blue Mirror Lens
EDEXRAP419	Robson - Black / AP Red Mirror Lens
EDEXR426	Robson - Silver / Smoke Lens
Part #	SILVER FRAME Frm Clr/Lens Tint
EDEXR426	Robson - Silver/ Smoke Lens
Part #	POLARIZED Frm Clr/Lens Tint
EDETXR415	Rosbon - Black / Polarized Copper "Driving" Lens
EDETXR416	Robson - Black / Polarized Smoke Lens
EDETXR41-G15-	-7 Robson - Black / Polarized G-15 Silver Mirror
EDETXRAP418	Robson - Black / Polarized Gradient Lens
EDETXRG416	Robson - Black / Polarized Gradient Lens



EDHM411AR Mayon - Black / Anti-Reflective Lens EDEHM416 Mayon - Black / Smoke Lens







Part #	rim Cir/Lens	lint
EDESW412CF	23-24	Dakura - Camouflage / Yellow Lens
EDESW415CF	23-24	Dakura - Camouflage / Copper "Driving" Lens
EDESW416CF	23-24	Dakura - Camouflage / Smoke Lens

Part # CAMO - POLARIZED Frm Clr/Lens Tint

EDETSM416CF Dakura - Camouflage/Polarized Smoke Lens



Part # Frm Clr/Lens Tint

EDESW411VS Dakura - Clear / Clear Lens

EDESW416VS Dakura - Black / Smoke Lens



Part #	Frm Clr/Lens Tint
EDESDK416	Khor - Black / Smoke Lens
EDESDK417	Khor - Black / Silver Mirror Lens
EDESDK418	Khor - Black / Blue Mirror Lens
EDESDKAP419	Khor - Black / AP Red Mirror Lens
EDE9403 Khor	Pack - 2-Lens Sets (Yellow & Anti-Reflective)
Part #	POLARIZED Frm Clr/Lens Tint

I dit#	I OLAMELD I IIII CII/Leiis I IIII
EDETSDK415	Khor- Black / Polarized Copper "Driving" Lens
EDETSDK416	Khor- Black / Polarized Smoke Lens
EDETSDK41-G15-7	Khor- Black / Polarized G-15 Silver Mirror Lens
EDETSDKAP418	Khor- Black / Polarized Aqua Precision Blue Mirror Len



Part #	Frm Clr/Lens Tint
EDEDZ411	Zorge - Black / Clear Lens
EDEDZ416	Zorge - Black / Smoke Lens
EDEDZ417	Zorge - Black / Silver Mirror Lens

Part # MAGNIFIER Frm Clr/Lens Tint

EDEDZ411-1.5 Zorge - Black / Clear Lens +1.5 power

EDEDZ411-2.0 Zorge - Black / Clear Lens +2.0 power



Part#	Frm Cir/Lens Tint		
EDEXF411-L	Ossa - Clear / Large Clear Lens		
FDFXF416-I	Ossa - Black / Large Smoke Lens		

Glasses Accessories



EDE9708	Sunglass	Leash Neoprene Strap
EDE9802	Lens	Cleaning Bag
EDE9810	Hard	Case

Foam Gasket Kit



Part # Frm Clr/Lens Tint
EDE9406 Robson Foam Kit

Custom Logo for Glasses



Part # Frm Clr/Lens Tint

EDE9401 Custom Logo for Glasses - (cost per piece)
One time setup fee - (minimum order 144 pieces)
Shipping - (6 to 8 week delivery)
*Based on 144 pieces - (Cost will vary with larger orders)
please make a notation for custom logo options

















Klondike





The Klondike™ Series from CREWS™ features safety and style at an affordable price to separate you from the pack. Whether on the slopes or in the workplace, Klondike's matte black frame finish, adjustable temples, 11 degree base curve lens and proprietary gel nose piece keeps you at the peak of comfort and style all day long. Lens models are available in your choice of eight options, including our new reduced glare Light Blue lens for indoor and outdoor use. CSA/SEI approved.

Part #	Frame/Lens Color
CREKD110	Clear
CREKD112	Black
CREKD113	Blue
CREKD114	Yellow
CREKD119	Smoke

LCS1 - Lens Cleaning Station





Each station contains two boxes of 300 tissues and one 8 ounce bottle of anti-fog, anti-static cleaning spray.

Part #	Description
CRELCS1	6 Boxes/Case

MCR Safety Headgear









MCR Safety headgear has locking cams which eliminate snaps and lower replacement costs. Face shield windows are sold separately. Please consult your Crews Distributor for more information about other MCR Safety eyewear accessories, including; sideshields, replacement straps and replacement

102 Headgear Only

- Aluminum Material
- · 5 system cam lock for added impack resistance
- 102 Bracket accepts most manufacturers' hard hat and universally punched windows
- · Meets or Exceeds ANSI Z87.1-1989 Safety Standard

103 Headgear Only

- · ABS Material: Plastic Resin forms shell for the headgear
- Crown is made of nylon 66
- · Large ratchet handle is easy to adjust, even with gloves, for optimum fit
- · Large cotton sweatband for better fit, durability, and washable
- · 5 system cam lock for added impact resistence

Part #	Description	
CRE101	w/Rubber Strap	
CRE102	w/Spring Strap	
CRE103	w/Suspension	

Bearkat





 $\label{thm:combines} The \ Bear Kat \\ \hbox{\mathbb{B} superb construction combines the best in safety, comfort, and affordability! Your vision}$ is unobstructed by the one-piece wraparound lens, which by its tight fit provides maximum safety. Comfort is enhanced by the flexible temples and the non-slip rubber head grips are notched for a clip-on breakaway cord! The polycarbonate lens filters out 99% of U.V. radiation. BearKat® meets or exceeds ANSI Z87.1 safety standards. CSA Approved to STANDARD Z94.3-02 (high Impact)

Part #	Frame/Lens Color
CREBK110	Clear
CREBK110AF	Clear Anti-Fog
CREBK112	Grey
CREBK112AF	Grey Anti-Fog
CREBK113	Light Blue
CREBK114	Amber
CREBK119	Indoor/Outdoor Clear Mirror

Checklite





The stylish new Checklite offers our exclusive Duramass scratch-resistant lens coating and spatula temples. Choose from a selection of lens options and designer colors to get the look you want at a reasonable price. CSA approved to the Z94.3 standard.

Part #	Frame/Lens Color	Part #	Frame/Lens Color
CRECL112C	Grey	CRECI110C	Clear
CRECL113	Light Blue	CRECI119C	Indoor/Outdoor
CRECI 118	Blue Mirror		

Storm





Workers in the Storm can expect extreme comfort with this face-flattering protective eyewear from Crews. Ratchet action templesacombined with non-slip rubber head grips create a customized fit for virtually any head size. Meets or exceeds ANSI Z87.1 safety standards

CREST110	Clear			
CREST112	Grey	CREST1130	Dark Green	

Stryker Safety Goggles





CSA Approved to STANDARD Z94.3-02 (high Impact)

CRE2310AF Anti-Fog















F

SAFETY EQUIPMENT PERSONAL PROTECTION





The Twister offers premium optical quality and is extremely lightweight at 26 grams. It features a new revolutionary design with a 9.0 base curve. The sleek features encourage all day wear and comfort. The unitary lens offers a wider field of vision than regular glasses. The wraparound design offers a secure fit and increased protection around the eyes, minimizing slippage. Lenses are scratch resistant, hard-coated, and 100% polycarbonate, which filter out 99.9% of harmful UV rays. The blue mirror, outdoor lens with silver mirror finish, and grey lens are popular shades for all outdoor work or recreation. CSA approved and competitively priced to satisfy your safety budget. Custom imprinting of your company name or logo is available. Packaged 12/Box.

Part #	Frame/Lens Color	Part #	Frame/Lens Color
AIDW20800	Clear	AIDW208052	Dark Green
AIDW20802	Grey	AIDW20807	Blue Mirror
AIDW20804	Amber	AIDW20808	Indoor/Outdoor
AIDW208051	Medium Green		





The Scorpion offers a contemporary lightweight nylon frame with adjustable temples, providing comfort throughout the entire work shift. The wrap-around design and the single scratch resistant polycarbonate lens with molded nose bridge provides protection with unobstructed vision. Polycarbonate lenses filter out 99.9% of harmful UV rays. The Scorpion is available in six different lens colours, regular and anti-fog coatings, uncoated and a Custom imprinting of your company name or logo is available. Replacement lenses are also available. Packaged 12/Box.

AIDW90110	Clear	AIDW901130	IR 3.0
AIDW90110A	Clear Anti-Fog	AIDW90114	Amber
AIDW90110U	Clear Uncoated	AIDW90114A	Amber Anti-Fog
AIDW90112	Grey	AIDW901150	IR 5.0
AIDW90112A	Grey Anti-Fog	AIDW90116	Silver Mirror
ΔΙΟ\Λ/Q011211	Grey Uncoated		

The Vortex





The Vortex Safety Glasses are the newest design for eye protection. The Vortex is a dual injected eyewear made of polycarbonate on the brow & dual injected temple with polycarbonate lens. The Vortex features: 8.75 Base curve lens, classic look of a dual lens with integral molded nose piece, integral side-shields for profile protection, soft temple tips, ratchet temple, and meets CSA Z94.3 standard

AIDW500400	Clear Lens	AIDW504500	Clear Lens
AIDW500402	Grey Lens	AIDW504502	Grey Lens
AIDW500404	Amber Lens	AIDW504504	Amber Lens
AIDW500407	Blue Mirror Lens	AIDW504506	Silver Mirror Lens
AIDW500408	IO Lens	AIDW504508	IO Lens

Lens Cleaning Solution





A quality anti-fog solution for cleaning glasses, goggles, faceshields, sunglasses, hockey and ski visors, to maintain clear fog-free vision. Suitable for glass or plastic. Spray on and wipe clean with a soft lens tissue. Anti-Fog/Anti-Static solution leaves no residue after proper application.

Part #	Description
AID200040	125ml with Sprayer
AID200136	250ml with Sprayer
AID20003P	500ml Boston Round with Sprayer
AID200080	500ml Cylindrical with Sprayer
AID200020	4L Jug
AID200200	Towelettes, 100/Box
AID200190	All Purpose 1-Ply Tissues, 300/Box

Lens Cleaning Stations





Lens cleaning stations are important for workplaces where protective eyewear is required. All stations are wall mountable for convenient and easy access. Disposable and heavy-duty metal stations are available. Custom imprinting of company name and logo is available on the metal station.

Part #	Descr	iption
AID2000	000 Dispos	sable Station: 1 - 250ml Lens Cleaner and 2 Boxes of Tissues
AID2005	500 Dispos	sable Station: 1 - 500ml Lens Cleaner and 4 Boxes of Tissues
AID2000	010 Metal	Station: Key/Lock 2 - 500ml Lens Cleaner & 1 Box Tissues

Headgear and Faceshields







This headgear features a 4" protective sparkguard and a fully adjustable crown strap. Adjustment components located at both sides of the crown allow the window to be raised and held at a desired position. The pivoting guard allows the visor to lift up when not in use. The added feature of a universal locking cam system allows most visors to securely attach to the headgear. Also available for attachment to hard hats are aluminum or non-conductive brackets with universal locking cams for easy window attachment and removal. Faceshields are sold separately.

Part #	Description	Part #	Description
AID244065	Ratchet Headgear	AID243960	Clear Polypropionate Formed
AID310800	Aluminum Bracket		Faceshield 8x15.5x0.60"
AID310810	Dielectric Bracket	AID243700	Clear PCTG Flat Faceshield
			8 x 15.5 x .040"
		AID243710	Clear PCTG Flat Faceshield
			10 x 15.5 x .040"



















- Super lightweight wraparound design for men and women, combines a sleek appearance with rugged durability, features rubberized temple tips and integrated nosepiece. Fits comfortably with half mask
- Impact resistant polycarbonate lens provides 99.9% UV protection and scratch resistant coating, optional anti-fog lenses are available.
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description	Part #	Description
DEN90801	Clear	DEN90805	Indoor/Outdoor
DEN90802	Gray	DEN90806	Anti-Fog Clear
DEN90803	Yellow	DEN90807	Anti-Fog Gray
DEN90804	Blue Mirror	DEN90809	Blue

CATALINA





- The full wrap design of the Catalina provides superb optical performance and increased protection.
- The polycarbonate lenses provide 99.9% UV protection and distortion free comfort and clarity.
- An abrasion resistant coating is provided to prolong the life of the lens.
 CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description	Part #	Description
DEN92601	Clear	DEN92608	Gold Mirror
DEN92607	Brown	DEN92605	Indoor/Outdoor MIrror

CITATION 931 & 932







- Ultra-light eight Nylon single piece lens design provides complete wrap-around styling, designed for men and women. Fits comfortably with half mask respirator.
- Excellent side protection. Impact resistant
- Polycarbonate lenses provide 99.9% UV protection. A scratch resistant coating is applied to prolong the life of the lenses.
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description	Part #	Description	
DEN93101 CI	ear	DEN93201 Cle	ar	
DEN93102 Gray		DEN93202 Gra	DEN93202 Gray	
DEN93103 Yellow		DEN93203 Yellow		
DEN93104 Blue Mirror		DEN93204 Blu	e Mirror	
DEN93105 Inc	door/Outdoor	DEN93205 Ind	oor/Outdoor	
DEN93106 Anti-Fog Clear DEN93206 Anti-Fo		i-Fog Clear		
DEN93107 Ar	nti-Fog Gray			

BLAZE



- Proven wrap around styling offers maximum coverage at brow and sides.
- Moulded-in universal nose bridge design ensures a comfortable fit. Lightweight nylon frame.
- · A scratch resistant coating prolongs the life of the lens.
- CSA Z94.3-02 Certified & Meets ANSI Z87.1 specifications.

Part #	Description	Part #	Description
DEN91001	Clear	DEN91030	IR Green Shade 3.0
DEN91003	Gray	DEN91050	IR Green Shade 5.0

















BODY GLOVE SAFETY GLASSES





- · Foam padded temple arms & lens front prevents particles from entering the eye area.
- · Ultra light weight and stylish design increases wearer comfort and acceptance.
- · Includes soft carrying pouch and Break-Away spectacle retainer attached.
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description
DEN90370	Clear Frame/Clear Lens
DEN90371	Brown Frame/Smoke Mirrored Lens
DEN90372	Black Frame/Smoke Lens
DEN90213	Neoprene Eveglass Keeper

SAFETY FLEX GOGGLES





- Indirect Vent for use where the possibility of chemical and liquid splash exists. Constructed of a soft PVC body with a clear anti-fog polycarbonate lens & elastic head - band or optional rubber headband. Four cap vents provide ample air flow. Fits conveniently over most prescription eyewear.
- Direct Vent for protection against dust & flying debris. Constructed of a soft PVC body with a clear polycarbonate lens & elastic headband, fits conveniently over most prescription eyewear.

 • CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description
DEN223547	Indirect Vent
DEN221501	Direct Vent
DEN223540	No Vent

CAMBRIDGE GOGGLES





- The Cambridge[™] series provides splash and impact protection in a lightweight design for maximum comfort.
- Ultimate viewing area and maximum comfort in a lightweight design.
- Special Design Features: Ultimate Field of View, All-Day Comfort, Enhanced Fit, Blocks Harmful UV, AVP Coating, and more.
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description
DEN22521	Clear Anti-Fog Lens
DEN22521N	Clear Anti-Fog Lens with Neoprene Strap

MATRIX II





- · Matrix II is an ideal alternative for economical, yet durable protection.
- The crown is moulded from polycarbonate providing impact protection and rugged durability; features a snap-lock suspension that allows easy adjustment to a wide range of head sizes
- · Cushioned with an absorptive sponge-type headband that provides a comfortable fit.
- An optional ratchet suspension is available.
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description
DEN481000	Crown with snap-lock
DEN481200	Crown with rachet suspension
DEN4812486HAM	Crown with rachet suspension and replacement visor

MATRIX II Replacement Visors

- · All visors fit the Matrix II and the Matrix headgear.
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description	
DEN485400	Clear Acetate, flat	7-1/2" X 15-1/2", 40"
DEN485420	Green Acetate, flat	7-1/2" X 15-1/2", 40"
DEN486400	Clear Polyester, flat	7-1/2" X 15-1/2", 40"
DEN487400	Clear Polycarbonate, flat	7-1/2" X 15-1/2", 40"

DOUBLE MATRIX





- The ultimate faceshield. Comfortable, complete coverage for the face and neck is available with this double crown face shield.
- · Incredibly light weight design.
- Moulded from high-strength polycarbonate material, it is made to withstand rugged use.
- · Adjusting ratchet-style suspension and leatherette sweatband provide a comfortable fit against the wearer's head
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Part #	Description
DEN48300	Crown with ratchet suspension
DEN483CAPO	With cap attachment

DOUBLE MATRIX Replacement Visors

- · All visors fit both the ratchet and capmount headgear.
- CSA Z94.3 Certified & Meets ANSI Z87.1 specifications.

Description	
Clear Acetate, flat	7" X 16-3/4", 40"
Green Acetate, flat	7" X 16-3/4", 40"
Clear Polyester, flat	7" X 16-3/4", 40"
Clear Polycarbonate, flat	7" X 16-3/4", 40"
Duo-Coat Clear Polycarbonate, flat	7" X 16-3/4", 40"
Shade #5 Acetate, flat	7" X 16-3/4", 40"
	Clear Acetate, flat Green Acetate, flat Clear Polyester, flat Clear Polycarbonate, flat Duo-Coat Clear Polycarbonate, flat

















FMX Full Graphic Faceshield



- Exclusive overlay designs; heat and scratch resistant
 Oversized 7" heat resistant crown for extra protection
 Cam-locking channel grip design seals against sparks and debris
 Accommodates Fibre-Metal window sizes up to 19" x 9.75"
- Adjustable non-slip /non-strip ratchet headgear
 Lifetime Limited Warranty : visor /headgear

Part #	Description
FBRF500X1	FMX Flame
FBRF500X3	FMX Wire Burner
FBRF500X4	FMX Spirit of America
FBRF500X2	FMX Demon

Faceshield Visor





Fibre-Metal faceshield windows are injection molded from propionate, which is superior to other window materials in every significant performance characteristic. They are preformed at the factory to the exact curve of our crown protectors for easy installation, an exact fit and a perfect seal against dust, dirt and debris. All high performance windows are .060" thick for an extra margin of protection

Dual Crown Faceshields





Provides extended, wraparound protection for tough working conditions.

Part #	Description
FBRFM400DCCLC F-400	4" dual crown with 6750-C clear window
FBRFM4400DCCLC F-400	4" dual crown with 6750-C clear
FBRFM5400DCCLC F-400	4" dual crown with 6750-C clear
FBRF3400CGCL	Replacement Clear Chin Guard for all Dual Crown

Faceshields








- Accepts a wide range of faceshield styles
 Large sparkguard provides excellent protection
 Cross strap adjusts to allow an exceptional fit
- · Full floating mount sparkguard provides comfortable wear

Part #	Description	System	
NTHPHG4000	Pinlock	Quick	
NTHKHG4001	Ratchet	Quick	
NTHPHG5000	Pinlock	Protected	
NTHKHG5001	Ratchet	Protected	
NTHCHG5002	Chin Protector		

Brackets and Visors











North offers the widest variety of faceshields, visors and screens, in all shapes and sizes. Fit any headgear that accepts the universal slot design.

Part #	Description
NTHCP5004	Aluminum brackets "High Heat Resistant"
NTHCP5005	Plastic brackets made from Nylon
NTHFS01	7" x 151/2" Black metal screen
NTHA8150/40	8" x 151/2" Clear flat die-cut PETG copolyester .40mm window
NTHA8152/40	8" x 15-1/2" clear flat die-cut polycarbonate .040" thick
NTHA8154	8" x 15-1/2" clear preformed polycarbonate .060" thick

















Insect Repellent Towelettes





- Large 4" x 8" Single use Disposable Insect Repellent Towelette providing a full 32 square inches of material.
- 1 oz. per sq/yd material with excellent dispensing properties and tear strength.
- Contains enough repellent to protect an average size adult in Shorts & T-Shirt.
- · Ultimate in portability: purse, pocket, glove box or fanny sack.
- 20 Towelettes per box

Part #	Description
DEN18100	10% Formula - 3 Hours of Protection
DEN18105	25% Formula - 6 Hours of Protection

Insect Repellent 100 ML SPRAY PUMP





- · Non greasy prevents slipping of items held in hand such as: tools, steering wheel, etc., and will not collect dirt.
- Small bottle size ideal for storage and portability.
- Pump spray reduces waist from overspray and allows you to apply the product where you need.
- · 100 ml Spray pump

Part #	Description
DEN18115	10% Formula - 3 Hours of Protection
DEN18120	30% Formula - 6 Hours of Protection

Insect Repellent Aerosol Spray - 6 Hours of Protection





- 25% DEET formula provides up to 6 Hours of protection.
- •Convenient sized 150 gram aerosol can may be stored in tool box, glove compartment, first aid kits, nap-sacks, etc.
- · Ozone friendly.
- 150 g

DENIEC

Part

DEN18110

350g Wasp & Hornet Killer





- · Controls wasps, bees, hornets and yellow jackets.
- A solvent base using Carbon Dioxide and has a Dielectric Strength of 35kV minimum.
- · May be used around electrical wires and transformers with a higher safety margin than a water based product such as the many Wasp and Foam products.
- Press the nozzle and completely saturate the nest from a distance of 2m (6.5ft) to 2.5m (8.2ft).
- 12 cans/Master Case

Description Part # **DEN18140**

















What is an arc flash?



- · Hazardous flash can occur in any electrical device, regardless of voltage, in which energy is high enough to sustain an arc.
- · This includes many motor control centers, panel boards, and switch boards. An arc of this type, while is typically less than a second in duration, can reach temperatures in excess of 35,000 deg. F - high enough to produce extensive burns or death.
- · Every day work clothing made of cotton and cotton-polyester blends will ignite and can cause extensive life threatening burns

Part #	Frm Clr/Lens Tint			
NTHCKA90/B	4.5 oz.	Cool blue	Shirt	
NTHCKB90/B	6.5 oz.	Cool blue	Shirt	
NTHCKA110/N	4.5 oz.	Navy blue	Pant	
NTHCKB110/N	6.5 oz.	Navy blue	Pant	

Should this concern me?

The Standard dictates that employers must determine PPE clothing based on degree of hazard, then select PPE matching the arc hazard rating of the garments.

Arc Flash Faceshields







Full face and neck protection. Broader, deeper 4" crown and chin guards molded from Noryl for perior performance. Available in dual crown ratchet headgear model or dual channel cap peak mounting bracket with chin guard. High performance injection molded, preformed optically correct propionate windows with 25 cal ratings when used as tested. Both models meet CSA and NFPA 70E, category 1 or 2



Part #	Description
FBRFM400DCAF25	Dual crown protective mask with arc flash
	25 cal window
FBRFM70DCAF25E2	Dual crown protective mask with arc flash
	25 cal window cap style (includes hard hat)

Low Voltage Electrical Gloves







Insulating gloves suited for voltage up to 1,000 Volts AC (Class 0, yellow) and voltage up to 500 Volts AC (Class 00, red). Length 11" available in sizes 9L & 10XL both Classes; leather protector also available sizes 9L & 10XL."

Part #	Description
NTHE010Y	Class 0 low voltage electrical glove
NTHE0011R	Class 00 low voltage electrical glove
NTHLPG10	Grain goatskin leather protector for use with
	Class 0 and Class 00 electrical gloves"



















Kel-Tek Arc Flash Protection Kits (8-10 cal/cm2 HRC2)

CANADIAN MADE



Part #	Description
KELAFHH - 1100	Arc Flash Face Shield Kit - Arc Shield anti-fog coating
	ATPV = 10 cal/cm ² with VLT 70%. Cap bracket and
	Chin protector
KELAFFS - 1101	Stanfields Balaclava - 360 head and neck protection
	when used with Arc Flash Face Shield. Made from 49%
	Kermel (Arimid), 49% Lenzing (FR Viscose), 2%
	Spandex. ATPV = 13.7 cal/cm ²
KELAFBL - 1102	Safety Glasses - Clear lens, anti-fogging, anti-scratch
	and anti-static w/ 99.9% UV protection. Glasses meet
	ANSI Z87.1, 2003, CSA-Z94.3 standards
KELAFSG - 1103	Insulating Rubber Gloves - Class 0 Type 1, Yellow,
	11" long,ANSI / ASTM D120, EN60903
KELAFR0 - 1104	Leather Protector Gloves - 10" Goatskin glove designed
	for use with Class 0 Rubber Glove. Always wear over
	Rubber Insulating Gloves to provide protection against
	cuts, abrasions and punctures
KELAFGS - 1105	Kel-Tek Canvas Glove Protector Bags - Constructed
	of heavy duty canvas and double snap closure
KELAFGB - 1002	Kel-Tek Canvas Arc Shield Protector Bags - Constructed
	of heavy duty canvas. Drawstring closure, helps
	preserve the quality of your Arc Shield
KELAFSB - 1001	Kel-Tek Arc Flash Protection Kit Storage Bag - Nylon
	cordura 30" x 14" x 13" c/w mesh pocket with zipper
	closure. Yellow reflective lettering Arc Flash Protection".
	Custom lettering available

Kel-Tek Garments For Use With 8 cal/cm² Kits

Part #	Description
KELA7938	Kel-Tek Shirt - 7oz. Indura® Ultra Soft® (ATPV = 8.7 cal/cm²)
KELA7935	Kel-Tek Pant - 9oz. Indura® Ultra Soft®
	(ATPV = 12.4 cal/cm²)
KEL357S	Kel-Tek Premium Coverall (optional) - 7oz. Indura® Ultra
	Soft® Royal w/ mesh pkt. (ATPV = 8.7 cal/cm²)

Kel-Tek Garments For Use With 10 cal/cm² Kit

Part #	Description
KEL7953S8	Kel-Tek Premium Coverall - 9oz. Indura® Ultra Soft®
	(ATPV = 12.4 cal/cm2)

Kel-Tek Arc Flash Protection Kit (50 cal/cm2 HRC4)

CANADIAN MADE



Part #	Description
KELAFHD - 1114	Kel-Tek Arc Flash Protection Jacket - Royal Indura®
	Ultra Soft® 13oz. over 7oz. ATPV = 51.5 cal/cm². FR
	hook and loop closure, adjustable cuff for snug fit, dou-
ble	layer stand up collar
KELAFJK - 1112	Kel-Tek Arc Flash Protection Pant - Royal Indura® Ultra
	Soft® 13oz. over 7oz. ATPV = 51.5 cal/cm². Button clo
	sure w/ FR hook and loop fly, adjustable waist and
	cuff for snug fit
KELAFPT - 1113	Insulating Rubber Gloves - Class 2 Type 1, Black,
	14" long, ANSI / ASTM D120, EN60903
KELAFG2 - 1106	Leather Protector Gloves - 12" cowhide glove designed
	for use with Class 2 Rubber Glove. Always wear over
	Rubber Insulating Gloves to provide protection against
	cuts, abrasions and punctures
KELAFCG - 1107	Safety Glasses - Clear lens, anti-fogging, anti-scratch
	and anti-static w/ 99.9% UV protection. Glasses meet
	ANSI Z87.1, 2003, CSA-Z94.3 standards
KELAFSG - 1103	Kel-Tek Canvas Glove Protector Bags - Constructed of
	heavy duty canvas and double snap closure
KELAFGB - 1002	Kel-Tek Canvas Arc Shield Protector Bags - Constructed
	of heavy duty canvas. Drawstring closure, helps pre
	serve the quality of your Arc Shield
KELAFSB - 1001	Kel-Tek Arc Flash Protection Kit Storage Bag - Nylon
	cordura 30" x 14" x 13" c/w mesh pocket with zipper
	closure. Yellow reflective lettering

Arc Flash Protection". Custom lettering available



























Health and Safety Signs



			WHEN PERFORMANCE MATTERS MOR
Part #	Size (in.)		Message
Admittance	, ,		
BDY69096	10" x 14"	FG	Do Not Enter
BDY71229	14" x 20"	FG	Restricted Area-No Unauthorized Personnel
BDY70602	10" x 14"	FG	Notice - Authorized Personnel Only
BDY69097	10" x 14"	FG	Danger-Do Not Enter-Authorized Personnel Only
BDY71545	10" x 14"	FG	Danger-Electrical Equipment
			-Authorized Personnel Only
BDY69111	10" x 14"	FG	Danger - Do Not Enter-Emergency Exit Only
CSA BDY23854	0" -1:	D 44	0 No Occasion (cieta)
BDY23854 BDY23872	8" diam.	B-11	9 (1)
	14" x 14"	B-11	4 ,
BDY21900 BDY21903	14" x 10"	PL PL	Safety Glasses Required
	14" x 10"	PL	Ear Protection Required
BDY21906 BDY21909	14" x 10" 14" x 10"	PL	Respiratory Protection Required Hard Hats Required
BDY21909	14 x 10 14" x 10"	PL	·
BDY21912		PL	Gloves Required
BD121910	14" x 10"	PL	Foot Protection Required
	Hazardous N		
BDY71895	10" x 14"	FG	Danger - Explosives Keep Away
BDY70330	10" x 14"	FG	Danger - Explosives Keep Out
BDY70260	10" x 14"	FG	Danger - Corrosive Liquids Wear Protective
			Equipment
Equipment	40" 44"		
BDY70327	10" x 14"	FG	Danger - Explosive Gas No Smoking
BDY70372	10" x 14"	FG FG	Danger - Hazardous Chemicals
BDY70373	10" x 14"	FG	Danger - Hazardous Material Area
Confined Sp	200		- Authorized Personnel Only
BDY70249	10" x 14"	FG	Danger - Confined Space Enter By Permit Only
			Bungor Commod Opado Enter By Formit Only
Directional &			
BDY47288		FG	Exit
BDY73513	10" x 14"	SS*	Exit (Brady-Glo)
Electrical Ha	azard		
BDY71425	10" x 14"	FG	Caution - Attach Grounding Cables
BDY47005	10" x 14"	FG	Danger - High Voltage
BDY45471	10" x 14"	FG	Danger - High Voltage Keep Out
BDY71580	14" x 20"	FG	Danger - High Voltage Unauthorized Personnel
			Keep Out
BDY47008	10" x 14"	FG	Danger - Keep Out
BDY71065	14" x 20"	FG	High Voltage Keep Out
BDY80204	10" x 14"	SS*	Danger - High Voltage (Brady-Glo)
Fire			
BDY47039	14" x 3-1/2	" FG	Fire Extinguisher
BDY80241	14" x 5"	SS*	Fire Extinguisher (Brady-Glo)
	11 70	-	= Extriguistion (Drady Glo)
First Aid			
BDY47044	14" x 10"	FG	Safety First - First Aid Ki
BDY72722	7" x 10"	FG	Eye Wash Station
BDY80245	5" x 14"	SS*	First Aid (Brady-Glo)
High Visibilit	ty Signs - Fle	xible	
BDY70998	12" x 9"	B-45	0 Fire Extinguisher - L Style
BDY96908	12" x 9"	B-45	0 Fire Extinguisher - V Style
Machine & C	Operational		
BDY74187	10" x 14"	FG	Danger - Hard Hat Area
BDY74621	10" x 14"	FG	Danger - Men Working
BDY47160	7" x 10"	FG	Danger - This Equipment Starts Automatically
		1 3	Danger - This Equipment Starts Automatically
No Smoking			B
BDY47203	10" x 14"	FG	Danger-No Smoking, Matches or Open Lights
BDY72118	10" x 14"	FG	Danger-No Smoking, No Open Flames, No Sparks
BDY73486	14" x 10"	FG	No Smoking (with picto)

BDY72024 10" x 14" FG No Smoking



Construction Grade Safety Signs







THESE PREMISES PROTECTED BY CLOSED CIRCUIT TV

- · 18 stock legends available
- Made of Construction Grade Plastic Material
- · Economical choice for construction/temporary sign requirements
- · Indoor and Outdoor use
- · Graphics are protected by clear overlaminate material
- Size: 10" x 14"
- · All signs come with rounded corners and are pre-drilled with 4 corner holes for easy mounting

Part #	Message
BDY99779	Notice–Hard Hat, Eye Protection and Foot Protection
	Required on Site
BDY99780	Notice–All Visitors Must Report to Site Office
BDY99770	Notice-Personal Protective Equipment Must be Worn
BDY99785	Notice–Accidents Must be Reported to Supervisor
	Before Leaving Shift
BDY99786	Notice–Designated Smoking Area
BDY99787	Notice-No Admittance Except Authorized Personnel
BDY99781	Site Office
BDY99782	Caution–Construction Site
BDY99783	Danger–No Smoking
BDY99771	No Parking
BDY99773	No Trespassing
BDY99774	Danger–High Voltage
BDY99775	Danger–High VoltageVolts
BDY99772	First Aid Station

MiniMark™ Pipemarker Kit





Includes the printer, Markware™ label design software and the folloin outdoor grade B588 vinyl

- 2.25" Yellow (2), Red (1), Green (2), Blue (1)
- · 4" Yellow (2), Red (1), Green (2), Blue (1)
- · Outdoor Grade Ribbon White (2), Black (2)
- 2" Arrow Tape Black/Yellow (1), White/Green (1), White/Red (1), White/Blue (1)
- Pipe marker reference chart and Ammonia (IIAR) Piping Reference chart

Message BDY112636 Pipemarker Kit

MiniMark™ Arc Flash Warning Kit





Includes the printer, Markware™ label design software and the following outdoor grade B588 vinyl tapes:
• 2.25" Orange (1), Red (1)

- 4" White tape with Red Danger Header (5), White tape with Orange Warning Header (5)
- 4" Orange (2)
- Outdoor Grade Black Ribbon (2) Arc Flash Poster (1), Arc Flash Protection Sign (1), Arc Flash Protection Label
- 5 per pack (1), Arc Flash Wallet Card 10 per pack (1)

Part #	Message
BDY112634	Arc Flash Warning Kit

Warning Stripe & Check Tape





- · Made of B-950 vinyl
- Locked-in colours sealed beneath protective layer of abrasion resistant clear vinyl
- Permanent adhesive holds on almost any clean, dry surface Stands up to the toughest conditions - indoors and outdoors
- Easy application Bold patterns
- Choice of four sizes
- Stripes available in four colours; checks available in two colours
- Standard package: one 18 yd. roll

Part #	Colors	Size (in.)	
BDY55300	Blk/Yel	1	
		· ·	
BDY55294	Red/Wht	1	
BDY55290	Blk/Wht	1	
BDY55301	Blk/Yel	1 1/2	
BDY55295	Red/Wht	1 1/2	
BDY55291	Blk/Wht	1 1/2	
BDY55312	Mag/Yel	1 1/2	
BDY55302	Blk/Yel	2	
BDY55296	Red/Wht	2	
BDY55292	Blk/Wht	2	
BDY55313	Mag/Yel	2	
BDY76316	Blk/Wht	2	
BDY76317	Blk/Yel	2	

Tapes also come in 3" sizes. Ask your Sales Person

















WORKPLACE SAFETY

Scafftag®





104111

108348















108354

These tags meet Canadian Code of Practice requirements. Please refer to your Province for specific regulations. Internationally used and recognized, Brady Inspection Tagging systems are designed to the highest specifications to endure tough industrial applications and the harshest environments. All of our systems are easy to use and help you meet proceedural and compliance standards.

Part #	Description	Unit	Size (in.)
BDY108348	SP Purpose Caution	100/Pkg	3 1/4"x7 5/8"
BDY108349	Heavy Duty Caution	100/Pkg	3 1/4"x7 5/8"
BDY108350	Medium Duty Caution	100/Pkg	3 1/4"x7 5/8"
BDY108351	Light Duty Caution	100/Pkg	3 1/4"x7 5/8"
BDY108352	SP Purpose Ready	100/Pkg	3 1/4"x7 5/8"
BDY108353	Heavy Duty Ready	100/Pkg	3 1/4"x7 5/8"
BDY108354	Medium Duty Ready	100/Pkg	3 1/4"x7 5/8"
BDY108355	Light Duty Ready	100/Pkg	3 1/4"x7 5/8"
BDY104111	Holder		

Lockout Tags



This lock/tag may only be removed by:



DANGER

This energy source has been <u>LOCKED</u> <u>OUT!</u>

Unauthorized removal of this lock/tag may result in immediate discharge. Remarks:_____







OPERATE Maintenance Departi



REVERSE SIDE OPTIONS

Side #1

Side #2





- Tags comply with OSHA Lockout Standard
- Tags feature a reinforcing brass grommet with 7/16" or 3/8" diameter to accept most padlocks
- · All tag material surfaces allow employees to easily personalize tags with their name, department and estimated completion information as required by regulations
- Standard package : 25 identical tags

Durable Lockout Tags

Part #	Size (in.)
B-837	Size: 5 1/2" x 3"
B-851	Size: 5 3/4" x 3"
B-853	Size: 5 3/4" x 3"

Heavy Duty Polyester (B837)

Part #	Reverse
BDY65502	Rev.Side#1
BDY65520	Rev.Side#1
BDY65526	Rev.Side#1
BDY65535	Rev.Side#2
BDY65525	Rev.Side#2
BDY65527	Rev.Side #2

Economy Polyester (B851)

Part #	Reverse	
BDY66050	Rev. Side #1	
BDY66063	Rev. Side #1	
BDY66066	Rev. Side #1	
BDY66051	Rev. Side #2	
BDY66064	Rev. Side #2	
BDY66067	Rev. Side #2	

Cardstock (B853)

Part #	Reverse
BDY65407	Rev. Side #2
BDY65445	Rev. Side #2



















Safety Lockouts





- Allows up to six workers to lock out a single energy source
- Constructed of vinyl-coated high tensile steel
- · Plated to resist rust
- · Lock holes: 3/8" diameter
- Available in two sizes
- Standard package: 12 hasps

Part #	Description	
BDY65375	1" Diameter Jaws	
BDY65376	1 1/2" Diameter Jaws	

Lockout Wall Boxes





- · Highly visible boxes
- · Constructed from durable metal
- Withstand the harshest working conditions
- · Acts as a reminder for employees to lockout prior to working on equipment
- · Can be purchased with or without components
- · Complete kit includes keyed differently aluminum locks, tags and 1" hasps
- · Available in 3 sizes
- · Medium and large boxes can be locked for greater security

Part #	Description	Size (in.)
BDY65647	Wall Box Only (small)	3" x 8" x 7"
BDY65646	4 locks, 25 small tags, 3 hasps	3" x 8" x 7"
BDY65649	Wall Box Only (medium)	3" x 8" x 11"
BDY65648	8 locks, 25 med. tags, 4 hasps	3" x 8" x 11"
BDY65651	Wall Box Only (large)	3" x 12" x 16"
BDY65650	20 locks 75 large tags 9 hasps	3" x 12" x 16"

Portable Plastic Lock Box





- · Injection molded using Isoplast polymers for extra durability
- Won't corrode! Chemical & heat resistance properties
- · Patented lock rails hold up to 16 padlocks (locks not included)
- · Slot in front allows keys to be inserted when box is locked · Transparent polycarbonate windows let you view
- contents from outside
- · Pre-drilled holes in back allow for easy wall-mounting
- · Comes with 12 hooks for hanging keys, locks, etc., inside box
- Box body dimensions: 7-1/2"h x 8-1/2"w x 4-1/4"d

Part #	Description
BDY50937	Portable Plastic Lock Box
BDY50939	Extra Key Hooks (12/pkg.)

Cable Lockout





- · Compact, lightweight body made of rugged impact modified glass filled nylon
- Superior chemical, corrosion and temperature resistance properties
- · Two types of interchangeable cables: nonconductive nylon cable (1/8" diameter), metal cable (3/16" diameter, vinyl coating)
 • Ergonomic design makes it a "cinch" to tighten
- cable
- Built-in cable loop keeps cable neatly coiled when stored
- 4 lock holes in handle accommodate most lock shackles and haspsa

Part #	Description	
BDY50941	APCLO with 8' nylon cable	
BDY50943	APCLO with 8' sheathed cable	
BDY50944	APCLO without cable"	

Nonconductive Nylon Cables

Part #	Description	Size (in.)	
BDY50945	Nylon cable	8'	
BDY50948	Nylon cable	12'	
BDY50951	Nylon cable	16'	
BDY50954	Nylon cable	20'	

Sheathed Metal Cables

Part #	Description	Size (in.)	
BDY50947	Sheathed cable	8'	
BDY50950	Sheathed cable	12'	
BDY50953	Sheathed cable	16'	
BDY50956	Sheathed cable	20'	

Mini Cable Lockout





- Revolutionary new cable lockout perfect for use on disconnect switches etc.
- Extremely compact and portable. Cable stored internally
 Comes with vinyl-coated steel cable or nonconductive nylon cable
 6 lock holes accommodate most padlock shackles and hasps
- Body dimensions: 4" diameter x 1-3/4" deep
- Cable dimensions: 1/16" diameter x 8' length

Part #	Description
BDY50940	Mini Cable Lockout w/Steel Cable
BDY51442	Mini Cable Lockout w/Nylon Cable

Universal Multi-Pole Breaker Lockout





- · Single device works with most major multi-pole breakers that employ a tie-bar
- Made of durable impact-modified nylon
- · Compatible with GE, ITE, Sylvania, Challenger, Bryant, Westinghouse, General Switch Co., and more!
- · Use thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened

Part #	Description
BDY66321	Lockout 1/pkg.
BDY66320	Lockout 6/pkg

The Fastener Group

















Safety Padlocks





- 1/4" diameter, 1 1/2" tall nylon shackle with Xenoy® composite body
- 1 1/2" Wide, 1 3/4" Tall Xenoy® Body. Plastic Shackle Dimensions: A: 1/4" C" 25/32"
- All components are non-magnetic & non-sparking plastic, copper, or brass
- · Exposed components are plastic and do not conduct electricity
- · Shackle withstands over 300 lb pull
- Includes write-on "Danger" and "Property Of:" labels in English, Spanish and French

406 Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlocks

Part #	Description	Size (in.)
MST406RED	Keyed Different, Dielectic	1 1/2"
MST406KARED	Keyed Alike	1 1/2"
MST406MKRED	Master Keyed	1 1/2"
MST406KAMRED	Keyed Alike, Master Keyed	1 1/2"

410 Safety Padlock





- Available with 1 1/2" or 3" shackle
- Xenoy® body with 1/4" diameter plated metal shackle for corrosion resistance
- 1 1/2" Wide, 1 3/4" Tall Xenoy® Body. Plastic Shackle Dimensions: A: 1/4" C" 25/32"
- Includes write-on "Danger" and "Property Of:" Labels in English, Spanish and French

Part #	Description	Size (in.)
MST410RED	Keyed Different	1 1/2"
MST410LTRED	Keyed Different, Extra Strength	3"
MST410KARED	Keyed Alike	1 1/2"
MST410KALTRED	Keyed Alike, Extra Strength	3"
MST410MKRED	Master Keyed	1 1/2"
MST410KAMKRED	Keyed Alike, Master Keyed	1 1/2"
MST410AST	One of each color (8-total)	1 1/2"

411 Bilingual Safety Padlock





- Xenoy® body with 1/4" diameter plated metal shackle for corrosion resistance
- 1/2" Wide, 1 3/4" Tall Xenoy® Body. Plastic Shackle Dimensions: A: 1/4" C" 25/32"
- · Available with 1 1/2" or 3" shackle

Part #	Description	Size (in.)
MST411RED	Keyed Different	1 1/2"
MST411LTRED	Keyed Different, Extra Strength	3"
MST411KARED	Keyed Alike	1 1/2"
MST411KALTRED	Keyed Alike, Extra Strength	3"
MST411MKRED	Master Keyed	1 1/2"
MST411KAMKRED	Keyed Alike, Master Keyed	1 1/2"
MST0411-5705	Photo I.D. Labels 411 (6 pk.)	N/A
MST411AST	One of each color (8-total)	1 1/2"

Safety Lockout Hasps











- Combines multiple-person lockout and tag-out identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
 Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength
- Complete with high visibility, re-usable, write-on safety labels (English, French & Spanish)

Part #	Description	Size (in.)
MST420	Steel Jaw w/Vinyl Coated Handle	1 3/4" x 4 1/2"
MST421	Steel Jaw w/Vinyl Coated Handle	2 3/8" x 5"
MST427	Red Labeled Snap-On Hasp	2 7/8" x 7"

Grip Tight™ Circuit Breaker Lockout







- · Secure & simple mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle
- Exclusive design accommodates virtually all styles of breaker toggles Model 491B is appropriate for tall
- and wide breaker toggles Model 493B for standard height and tie-bar toggles
- · Narrow profile permits side-by-side breaker lockout
- Both accept all American Lock® and Master Lock® safety padlock shackle & lockout hasp diameters
- Durable construction with powder coated steel, reinforced polymer allows use in harsh environments

Part #	Description	Size (in.)
MST491B	Circuit Breaker Lockout - tall and w	vide toggles
MST493B	Circuit Breaker Lockout - standard	single and double
MST7C5RED	1 1/8" wide steel body; 4-pin cylind	er;
	5" flexible steel cable. Keved Differ	rent

Rotating Electrical Plug Lockouts MST487/488









- Surrounds the electrical plug; protects against accidental reconnection
- Unique, patent-pending rotating design allows for easier installation in confined space applications
- Complete with high-visibility permanent safety labels (English, French & Spanish).
- · Tough, lightweight, dielectric Xenoy® thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperatures range -46 C to +177 C

Part #	Description	Size (in.)
MST487	2 1/4" dia. x 3 1/4" with cord dia. ւ	ıp to 3/4"
	(100 - 220 volt plugs)	
MST488	3" dia. x 6" with cord dia. up to 3/4	4" (220 - 550 volt plugs)
MSTS2005	Compact Plug Prong Lockout Fits	110-120 volt plugs w

The Fastener Group

















Fire Extinguishers











TYPES OF FIRES

CLASS A

ORDINARY COMBUSTIBLES: wood, paper, rubber, fabrics and many plastics



CLASS B FLAMMABLE LIQUIDS & GASES: gasoline, oils, paint,



CLASS C

FIRES INVOLVING LIVE ELECTRICAL EQUIPMENT

lacquer and tar





CLASS D

COMBUSTIBLE METALS



COMBUSTIBLE METAL ALLOYS (NO picture symbol)









Amerex manufactures an extensive variety of hand portable and wheeled fire extinguishers, both "compliance" (code required) and "specialty" types. "Specialty" type extinguishers are intended for use on particular types of hazards, so careful attention should be made to locating them in close proximity to the specific hazard they are meant to protect. It is natural for a person to use the extinguisher located nearest to a fire. The most current issue of NFPA-10 should be consulted for minimum recommended fire extinguisher types, placement and travel distances. Your local Amerex Fire Equipment Distributor is professionally equipped to help you evaluate and implement these recommenda-

All "Picture Symbols" are detailed below and should be reviewed with all who might be expected to use a fire extinguisher. Everyone should be familiar with these picture symbols which identify the types of fires on which they may be used. The International sign system diagonal red slash indicates a potential danger if the extinguisher is used on that particular type of fire.

ABC or Multi-Purpose extinguishers utilize a specially fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which it is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

- · Dependable Drawn Steel Cylinders
- All Metal Valve Construction
- · Easy and more economical to maintain and service
- U/L & U.S. Coast Guard Listed
- · Bar Coded and Bi-lingual Labels

Dry Chemical

Part #	Description	Type	Size (in.)
AMXB417TX	Fire Ext.	ABC	2.5 lb
AMXB500TX	Fire Ext.	ABC	5.0 lb vehicle
AMXB500X	Fire Ext.	ABC	5.0 lb wall
AMXB456X	Fire Ext.	ABC	10 lb wall
AMXA411X	Fire Ext.	ABC	20 lb wall

How To Use

All Amerex extinguishers are furnished with a detailed "Owners Manual" containing valuable information. The manual contains information on the installation, use and maintenance of the extinguisher. The extinguisher nameplate (label) contains specific information on "HOW TO USE" the particular extinguisher. The label instructions vary slightly according to type and size. All potential operators should be totally familiar with the instructions on any extinguisher they might be required to use.



OUR AMEREX FIRE EXTINGUISHERS ARE TAGGED AND READY FOR THE JOB SITE





- · Watertight, crushproof, and dust proof
- Easy open Double Throw latches with O-ring seal
- · Open cell core with solid wall design strong, light weight
- Automatic Pressure Equalization Valve
- Stainless steel hardware and padlock protectors
- 2 level Pick 'N' Pluck™ with convoluted lid foam
- Personalized nameplate service available
- · Lifetime Guarantee of Excellence

Comes in Desert Tan as shown or Black, also available in Silver, Orange, Yellow and OD Green

Part #	Description	
PEL1500	Case	16.75" x 11.18" x 6.12"
PEL1450	Case	14.62" x 10.18" x 6.00"
PEL1610	Case	21.68" x 16.62" x 10.56"
PEL1620	Case	21.37" x 16.31" x 12.56"
PEL1700	Case	35.75" x 13.50" x 5.25"
PEL1720	Case	42.00" x 13.50" x 5.25"

PELICAN Micro Case Series™



Part #	Description
PEL1010	Size: 4.37" x 2.87" x 1.68"
PEL1020	Size: 5.31" x 3.56" x 1.68"
PEL1030	Size: 6.37" x 2.62" x 2.06"
PEL1040	Size: 6.50" x 3.87" x 1.75"
PEL1050	Size: 6.31" x 3.68" x 2.75"
PEL1060	Size: 8.25" x 4.25" x 2.25"
Comes in Black,	Blue, Yellow and Red



Micro Cases come standard with an impact absorbing elastomeric liner which doubles as an o-ring seal to keep out dust and moisture. A built-in Pressure Release Valve automatically compensates for any change in altitude and airpressure, and we've swapped out the standard lanyard for a new carabiner attachment (not shown). Pick 'N' Pluck™ Foam is also available for all sizes for that extra level of protection. Not for swimming or submerging. (Dimensions shown are interior, L x W x D).

PELICAN 1490 Case





- Watertight, crushproof, and dust proofOpen cell core with solid wall design
- Automatic Pressure Equalization Valve
- O-ring seal
- Double safety locking latches with keys
- Comfortable rubber over-molded handle
- · Stainless steel hardware
- Pick 'N' Pluck™ with convoluted lid foam
- Personalized nameplate service available
- · Lifetime Guarantee of Excellence

		۳
• Size: 17	.75" x 11.37" x 4.12",	

Part #	Description	
PEL1490	Case	
PEL1490NF	No foam	
PEL1490CC #1	Computer Case Deluxe	
PEL1490CC #2	Computer Case	
Comes in Black, Blue, Yellow and Red		



The M11 Flashlight uses a rechargeable 4 C Nicad battery stick and a hi-pressure Xenon lamp to generate powerful, bright pre-focused beams. The light weight Xenoy body with sure-grip vinyl sheath resists chemicals and extreme temperatures. The push button on/off switch operates easily even when wearing thick gloves. The fast charger fully charges the Nicad battery stick in 2 to 3 hours, preparing the M11 for a full day's work. The durable rechargeable Nicad battery pack can take a charge over 1,000 times.

CAUTION: This Pelican Flashlight is a high output Professional Grade Lighting Product and can generate significant heat and light intensity. Do not leave activated flashlight unattended. Do not cover activated flashlight. Do not place activated flashlight against combustible material or material that could be damaged by heat. Keep activated flashlight well ventilated. If the lamp is activated while in a case or other container, the lamp could overheat and cause damage to surrounding materials.

Part #	Description	Run Time
PEL8050	Lamps Xenon Lumen 151	Burn Time 2 hrs



The SabreLite 2010 Recoil LED is Pelican's flagship LED flashlight. Recoil LED Technology produces a white collimated beam that's as bright as an incandescent flashlight and provides 10,000 hours of lamp life and extended battery burn time. The rugged, light weight ABS resin body is submersible and a twist on/off lens shroud eliminates accidental discharge. It is powered by 3 C alkaline cells. The SabreLite 2010 Flashlight is the future of LEDs.

Part #	Description	Run Time
PEL2010	Recoil LED Lumen 65	Burn Time 50 hrs



















The new Advanced Area Lighting Group from Pelican is bringing several dynamic products to the

Four of these new products include the 9430, 9450B, 9460, and 9470 Remote Area Lighting System (RALS). The product range starts with the compact single head 9430 that fits easily into confined hard to reach spaces and extends to the four head 9470 which is capable of turning night into day. All units employ a silent, rechargeable sealed lead acid battery freeing you to work anywhere on or off the grid, no generator necessary.

Designed with LED technology to provide a better quality of light, with high reliability and low energy consumption. The result is an energy efficient lighting solution with low long term operating and maintenance costs.

- · Polycarbonate Lens is light weight and impact resistant
- Maintenance Free LED Array with life expectancy of 50,000 hours
- Fully extendable mast with 360 degree rotating head
- · Waterproof Rubber Activation Switch
- Mast Extension Lock
- · Built Pelican Tough
- Unconditional Lifetime Guarantee
- Now RoHS Compliant

Part #	Description
PEL9470	Lamps 4 Lumen 4000 (L), 8000 (H)
	Battery Burn Time 14 hrs (L), 7 hrs (H) per head
PEL9460	Lamps 2 Lumen 2000 (L), 4000 (H)
	Battery Burn Time 14 hrs (L), 7 hrs (H per head
PEL9430	Lamps 1 Lumen 1000 (L), 2000 (H)
	Battery Burn Time 15 hrs (L), 8 hrs (H)
PEL9450B	Lamps 1 Lumen 1280 (H), Battery Burn Time 17 hrs
	Total Output 9 hrs Peak Output

Mighty Sonic Horn - MSN





The Lightweight, Portable, Long-Lasting Safety Horn. Built for long-lasting reliability - totally independent of any other power source - the portable Mighty Sonic is 100% ozone-safe and non-flammable! POWERFUL! Delivers a piercing 120dB blast at 10 feet. EASY! Convenient pushbutton operation. UNBREAKABLE! Guaranteed durable high-impact trumpet.

Part # FALMSNN Description

Sound 911PSH Horn





The Sound 911 offers great personal protection. If a worker is injured or otherwise needs to get attention, the Sound 911 will blast the signal instantly. No wires or batteries needed. Carried on its own clip for belt or bag. Sends out an 118 decibel blast. Horn is 100% safe for the ozone.

Part #

Description

FAL911PSH

Emergency Alarm Station - TAD4N





The 100% ozone-safe, non-flammable Emergency Alarm Station is perfect for effective, low-cost protection - independent of any additional power source!

Part #

Description

FALTAD4N

Dust-Off XL Disposable, 10 oz. Duster





Larger-size disposable can gives you a great value. Ideal for workstations, labs, repair benches, household use, onlocation photography, etc. Provides potent dust-removing power for practically any task. 100% ozone safe. NOW CONTAINS A BITTERENT TO HELP DISCOURAGE INHALANT ABUSE

CFDUSTOFF

Description

The Fastener Group



















Disposable Fog-Be-Gone Cleaning Station



• 600 series contains (600) interfolded 5"x8" tissues, and one 8 oz bottle of fluid.

All Purpose Wipers





· Keep these wipes handy for use in lab, drafting room, clinic, electronic or warehouse jobs. Note: when cleaning any eyewear, use with Magic Lens Cleaning Fluid. • (300) interfolded 5" x 8" wipes per box.

Part # MSY600FBG

Part # MSY600FBG

Anti-Fog Lens Cleaning Fluids





- Use the formula that suits your needs:
- Pure Sight for everyday anti-fogging cleaning needs.
- · Fog-Be-Gone for superior anti-fogging during extreme
- temperatures changes.
 Products are safe to use for glass, plastic, polycarbonate lenses and special coatings.
- Silicone free.

Part #	Description	
MSY716FBG	16 oz Boston Round Bottle	w/Pump

Respirator & PPE Cleaning Towelettes





ST100DN

- · Available in Alcohol & Alcohol-Free formulas.
- 5" x 8" individually wrapped towelettes.
 100 towelettes per dispenser.

Part #

Colour

ST100DNA

MSYST100DN	Alcohol free	Green Package
MSYST100DNA	Alcohol	Red Package

Dispenser Wall Cabinet



- Holds two boxes of 5" x 8" interfolded wipes and one pump bottle of Pure Sight or Fog-Be-Gone lens cleaning solution.

Empty Dispenser MSY 860D

Filled Dispenser Pure Sight Fluid MSY 860DFP Filled Dispenser Fog-Be-Gone Fluid MSY 860DFF

Part #	Description
MSY860DFF	Wall Cabinet

Pure Sight & Fog-Be-Gone Lens **Cleaning Towelettes**

Description







TW100DS

TW100D

- · Excellent cleaning with no streaking.
- 5" x 8" individually wrapped towelettes.
- · Contains no silicone.

Part #	Description	Colour	Qty
MSYTW100D	Pure Sight	Grey Package	100
MSYTW100DS	Fog-Be-Gone	Blue Package	100

Disposable PPE Cleaning Station





• Contans (1,200) wet-strength wipers (4 boxes of (300) interfolded 5" x 8" tissues and a 16 oz pump bottle of non-alcohol cleaning spray (950PN).

Part # MSY950DSN



















ALLEGRO

SAFETY EQUIPMENT WORKPLACE SAFETY

Manhole Guard Rail



Designed to protect an area 33" x 33", this 42" high guard rail collapses to only 44" square x 4" for easy storage. Weighing 34 lbs., the strong, one inch tubular .078 gauge steel construction is powder-coated in safety yellow for a durable finish and high visibility. Simple one-piece construction offers easy, no-tools assembly. Rail locks open and two hooking chains provide protected entry and exit. For safety, the rail accommodates signs, flags or lights, and for convenience, it can be used with a guard rail tent, umbrellas or winch.

Part # ALL9401 Description

ALLEGRO

Impact Polymer Manhole Shield



Constructed of rugged, lightweight Polyethylene with bright yellow material that resists fading. Will fit 27", 30" and 32" diameter manholes with an inflatable seal that ensures a watertight seal. Designed with 4-outrigger support gussets that stabilize the shield and is 12" tall to keep water and mud out of manhole as you work. Can be used with Allegro guard rail.

Part # Description

ALL9401-12

Guard Rail Winch



Part # Description ALL9401-10



Raising and lowering equipment into confined space can be impossible without this durable winch. Even with a 300 lb. capacity, it is lightweight and portable, allowing easy mounting on guard rails. The side pieces are constructed of high tensile, heavy gauge aluminum with a durable yellow finish that resists weather and wear. The winch bar is constructed of rugged high tensile steel tubing with a 3" drum for fast recovery. Two independent ratchet systems, and a double-disc automatic brake offer load control and security. The 1/2" x 35' Dura-Plex™ braided rope is strong and durable. Guard rail not included. WARNING: Not for use as a personal retrieval device.

Centrifugal Blower System





Allegro's Complete Ventilation Systems include all the most-asked-for equipment for your confined space site. The systems include a choice of Allegro's most popular blowers, six feet and fifteen feet of ducting with a storage bag, a Saddle Vent®*, a 90° Elbow, and a Universal Mount. The Centrifugal Blower Systems offer lightweight portability with the highest output available. See individual blower descriptions for CFM, weight and other specifications.

*Saddle Vent is a registered trademark of Air Systems International, Inc.; the Saddle Vent® device is protected by U.S. Patent Nos. 4,794,956, 4,982,653, and foreign patents.

Part #	Description	
ALL9520-04	Standard Blower System	

Axial Ventilation Systems





Allegro's easy to order, easy to use Complete Ventilation Systems including all the most-askedfor equipment you need for your confined space site. The systems include a choice of Allegro's most popular blowers, six feet and fifteen feet of ducting with a storage bag, a Saddle Vent®, a 90° Elbow, and a Universal Mount. The Axial Blower Systems offer lightweight portability with the highest output available from axial-style blowers. See individual blower descriptions for CFM, weight and other specifications.

Part #	Description
ALL9520-06	DC Axial Blower System
ALL 9520-14	AC Avial Blower System

Tent Heater





The lightweight Tent Heater offers the rugged, heavy duty design of all steel housing with enclosed heating elements and a sealed motor. This powerful heater will raise the temperature by 50° in a work tent. It is UL listed, CSA approved, requires 110V AC, and offers 1500 watts of 5000BTU with 115 CFM airflow.

Part #	Size	Weight (lbs.)
ALI 9401-50	12"x8"x12"	14

















Squids® 3100 and 3110 Tool Lanyard





- Tool Lanyard-Single Carabiner: Tethers tools to help worker prevent injury, damage and lost productivity from dropped tools.
- 1680D Ballistic Polyester with strechcord surrounded by tubular nylon webbing
- Lock stitching at both ends for extra security
- Maximum safe working capacity: 5 lbs. (2.26 kg), 10 lbs. (4.6kg) for 3110
- · Aluminum carabiner, carabiner on each end for
- · Adjustable barrel lock for tool attachment
- · Black, Lime

Part #	Description
ERG3100	Sizes: Standard: 35" to 42" (.89m - 1.1m)
ERG3110	Sizes: Standard: 35" to 42" (.89m - 1.1m)

Squids® 3102 Tool Lanyard





- Tool Lanyard Detachable/Single Carabiner: Tethers tools to help worker prevent injury, damage and lost productivity from dropped tools. Compatible with #3103 Lanyard Loop.
- Stretch cord surrounded by tubular nylon webbing with quick release buckle
- · Quick release buckle with lock stitching at both ends for extra security
- Maximum safe working capacity: 5 lbs. (2.26 kg)
 Adjustable barrel lock for tool attachment with aluminum carabiner
- · Black, Lime

Part #	Description
ERG3102	Sizes: Standard: 35" to 42" (.89m - 1.1m)

ProFlex® 100 Economy Back Support





- · Economy Back Support: Rubber track webbing helps keep support in position.
- Spandex body with adjustable, detachable sus-
- Non-conductive polypropylene stays,
- · Stretchable bias binding with zig-zag stitching
- · 280D spandex body material with rubber track

Part # Sizes **ERG100** XS-4XL

ProFlex® 9015F(x) Cert. AV Glove w/ Dorsal Protection





- · Certified AV Glove w/ Dorsal Protection offers max impact/vibe protection, plus tough dorsal
- ANSI S3.40/ISO 10819-1996/EN420 Certified
- · Patented Nu2O2® polymer pad with Pigskin leather palm and fingers
- · Molded TPR for extra protection on back with Pull-on Tab

Part # ERG9015 S,M,L,XL,2XL

ProFlex® 710 Full-Fingered **Trades Gloves**





- · Full-Fingered Trades Gloves: Superb dexterity, function, and protection for the skilled profes-
- Akton visco-elastic polymer to dampen shock and impact, Abrasion resistant, textured PVC on palm and fingers
- Terry thumb brow wipe, Full-finger design
- · Flex zones for added comfort with reinforced fingertips for optimal durability

Part # Sizes ERG710 S,M,L,XL,2XL

ProFlex® 720 Trades Gloves





- · Trades w/ Touch Control Gloves: Superb dexterity, function, and three open fingers for detail work.
- · Terry thumb brow wipe
- · Akton visco-elastic polymer to dampen shock and impact
- · Abrasion resistant, textured PVC on palm and fingers
- · Breathable, 3-layer stretch spandex with neoprene knuckle pad
- Synthetic leather palm and fingers
- · 3/4-finger on thumb, index, and middle fingers
- · See sales representative for other sizes -(ERG16182 is for a SMALL glove)

Part # Sizes ERG720 S,M,L,XL,2XL

















Chill-Its® 6615 High-Performance **Dew Rag**



- Comfortable to wear under hats, helmets or alone
- · Absorbent terry headband
- Elastic band for a great fit

Part #	Size	Pattern
ERG12482	One Size	Canadian Flag
ERG12485	One Size	Flames
ERG12479	One Size	Red Western
ERG12478	One Size	Camo

Chill-Its® 6602 Cooling Towel



- · Cooling Towel: Dampen this synthetic chamois to create a cooling aid significantly colder than ambient air.
- · Wear for hours, or wipe off for quick relief
- · Reduces the effect of heat stress and fights fatigue

Part #	Size	Colour
ERG12420	One Size	Blue

Chill-Its® Cooling Bandanas





- · Evaporative Cooling Bandana: Activated polymers bring cooling power where you need it most.
- Tie closure

Pai	rt#	Size	Pattern
ER	G12309	Sizes: One Size	Canadian Flag
ER	G12305	Sizes: One Size	Red Western
ER	G12306	Sizes: One Size	Navy Western
ER	G12341	Sizes: One Size	Flames

Chill-Its® 6600 High-Performance Western Bandana



- · High-Performance Western Bandana: Moisture managing performance fabric keeps workers cool and dry.
- Hi Cool® moisture management performance fabric
- · Machine washable
- 24" x 24" (61cm x 61cm)

Part #	Size	Pattern
ERG12415	One Size	Red Western
ERG12416	One Size	Navy Western

Chill-Its® Terry Sweatband



Par ER

- · Terry Sweatband: Economical way for hard hat wearers to manage moisture. Keeps sweat out of eyes.
- · Fits most hard hat suspension systems
- · Machine washable,100% cotton

rt#	Size	Colour
G12440	One Size	Gray

Anti-Slip Footwear - EVERYDAY



- athletic footwear
- 360 degree spike pattern provides more push off and lateral grip.
- · The patented Ice Diamond carbide spikes are integrated into the new open/close split rubber tread for proved traction.

Sizes: S/M (fits M 3-7, W 5-9), L/XL (fits M 8-14, W 10 +)

Part #	Size	Pattern	
DENEVERY	BILCARD-S/M		
DENEVERY	BILCARD-L/XL		

Anti-Slip Footwear - ALL PURPOSE





- · Ideal for any age for those who walk, run, or work outdoors
- · Special rubber compound and form fitting design retains elasticity in all temperatures to fit over almost any footwear.
- · Bidirectional tread provides more traction.

• No snaps, straps or buckles. Sizes: Small (fits M 4-7, W 5-8), Medium (fits M 7-10, W 8-11), Large (fits M 10-14, W 11 +)

Part #	Size
DENALLPUBILCLM-S	Small
DENALLPUBILCLM-M	Medium
DENALLPUBILCLM-L	Large

Anti-Slip Footwear **ALL PURPOSE OVERSIZED**





- · Specially designed for oversized footwear, ideal for anyone who works or plays outdoors.
- · All the same features as the All Purpose, but designed to fit oversized winter boots.
- · For use on Pac boots, oversized boots and work
- · Oversized (fits Winter style Boots and Pac Boot sizes 10 and up)

Part #	Size
DENALLPUBILCLM-OVER	Over Size

Ice Diamond



The patented Ice Diamond is what really sets the DueNorth traction aid apart from any other product. The Ice Diamond is fiel replaceable and does not require tools.

Part #	Qty.
DENICEDBILCLM-6PK	6 per pack.
DENICEDBILCLM-12PK	12 per pack.
DENICEDBILCLM-100PK	100 per pack.















SAFETY EQUIPMENT WORKPLACE SAFETY

Convex Mirrors





Convex mirrors increase aisle visibility and eliminate blind spots, thus decreasing the occurrence forpotential collisions, accidents, and also shoplifting. These lightweight convex mirrors are 20% brighter than glass mirrors and offer less distortion. They are long lasting, fade-proof, and economical. Mounting hardware is included. Additional weatherproofing is available for outdoor mirrors.

Part #	Size
Indoor	
AIDM010112	12" with Z Bracket
AIDM010118	18" with Z Bracket
AIDM010126	26" with Telescopic Bracket
AIDM010130	30" with Telescopic Bracket
AIDM010136	36" with Telescopic Bracket
AIDM010148	48" with Telescopic Bracket
Outdoor	
AIDM010218	18" with 2 Telescopic Brackets
AIDM010226	26" with 2 Telescopic Brackets
AIDM010230	30" with 3 Telescopic Brackets
AIDM010236	36" with 3 Telescopic Brackets
AIDM010248	48" with 3 Telescopic Brackets

Roundtangular Mirrors





These roundtangular mirrors are perfect for use in parking garages, blind spots around machinery, and for areas with low ceilings. They have a hardboard back and vinyl trim. Lightweight mirror is also available (without frame).

Part #	Size (in.)	Part#	Size (in.)
AIDM020018	12 x 18"	AIDM020318	12 x 18"
AIDM020024	15 x 24"	AIDM020324	15 x 24"
AIDM020026	18 x 26"	AIDM020326	18 x 26"
AIDM020030	20 x 30"	AIDM020330	20 x 30"
AIDM020036	24 x 36"	AIDM020336	24 x 36"

360° Dome Mirror





Our cost effective 360° dome mirrors are made of 0.125° acrylic and are pressure formed. You can mount them directly to the ceiling or can be hung by chains. Hardware is included (chain kit is optional).

Part #	Size
AIDM030718	18" Diameter
AIDM030726	26" Diameter
AIDM030732	32" Diameter
AIDM030736	36" Diameter
AIDM030748	48" Diameter
AIDM030760	60" Diameter

180° Dome Mirror





Our cost effective 180° dome mirrors are excellent for T-intersections. Their foam backs provide strength and mounting support. They can be mounted directly to the ceiling or walls. Mounting hardware is included.

Part #	Size	
AIDM030818	½ of 18" Diameter	
AIDM030826	½ of 26" Diameter	
AIDM030832	½ of 32" Diameter	
AIDM030836	½ of 36" Diameter	
AIDM030848	½ of 48" Diameter	

90° Dome Mirror





Our cost effective 90° dome mirrors are made for corner mounting in two-way intersections. Their foam backs provide strength and mounting support. They can be mounted directly to the ceiling or walls. Mounting hardware is included.

Part #	Size
AIDM030918	1/4 of 18" Diameter
AIDM030926	1/4 of 26" Diameter
AIDM030932	1/4 of 32" Diameter
AIDM030936	1/4 of 36" Diameter
AIDM030948	1/4 of 48" Diameter

















Max® - Disposable Earplugs





- The world's most-used polyurethane foam earplug
- · Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal
- · Polyurethane foam enhances comfort, especially for
- · Smooth, soil-resistant closed-cell foam skin prevents

Part #	Cording	Packaging	NRR	Class
HOWMAX1	Uncorded	Polybag	33	A (L)
HOWMAX30	Corded	Polybag	33	A (L)
HOWMAX-1-D	Uncorded	Bulk Refill Box	33	A (L)
		LS500 Dispens	er	

Max Lite® - Disposable Earplugs



by Honeywell



- · Ideal size for workers with smaller ear canals
- · Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- · Smooth, soil-resistant closed-cell foam skin prevents dirt build-up

Part #	Cording	Packaging	NRR	Class
HOWLPF-1	Uncorded	Polybag	30	A (L)
HOWLPF-30	Corded	Polybag	30	A (L)
HOWLPF-1-D	Uncorded	Bulk Refill Box	30	A (L)
		LS500 Dispens	er	

Laser Lite® - Disposable Earplugs







- · Self-adjusting foam expands to fit virtually every wearer
- · Smooth, soil-resistant closed-cell foam skin prevents dirt build-up
- · Contoured T-shape for easy insertion and wear

Part #	Cording	Packaging	NRR	Class
HOWLL-1	Uncorded	Polybag	32	A (L)
HOWLL30	Corded	Polybag	32	A (L)
HOWLL-LS4	Uncorded	Bulk Refill Bag	32	A (L)
		LS400 Dispens	er	
HOWLL-1-D	Uncorded	Bulk Refill Boxr	32	A (L)
		LS500 Dispens	er	

Clarity® - Reusable Earplugs





- Patented Sound Management Technology™ (SMT) enhances communication by blocking low and medium frequencies while higher frequencies (voice, signals, alarms) can be heard more naturally, with less distortion
- · Low attenuation ideal for marginal noise environments of 95 dB or lower
- Patented quadruple SoftFlange™ design creates comfortable seal in the ear canal for all-day comfort
- · Two sizes fine-tune fit for personal comfort and safety (green/small, blue/regular)

Part #	Cording	Packaging	NRR	Class
HOW1005329	Reg./Corded	Case	21	A (L)
HOW1005328	Small/Corded	Case	21	A (L)

AirSoft® - Reusable Earplugs



by Honeywell



- · Advanced air pocket design features internal noiseblocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- · Rounded flanges, tapered shape fits better in the ear
- · Firm stem facilitates easy insertion and removal
- · Outstanding noise-blocking protection highest attenuation in multiple-use

•				
Part #	Cording	Packaging	NRR	Class
HOWDPAS-1	Uncorded	Flip-Top Box	27	A (L)
HOWDPAS-30R	Red Polycord	Flip-Top Box	27	A (L)
HOWDPAS-30W	Nylon Cord	Flip-Top Box	27	A (L)

SmartFit® - Reusable Earplugs





•	Conforming	Material	Technology™	adapts	to	th
	shape of the	surround	ing ear canal wi	nen in vo	nır	eа

Delivers superior comfort and a truly individual fit

· Detachable cord system and case

Part #	Cording	Packaging	NRR	Class
HOWSMF-30	Detachable	HearPack	25	A (L)

















QB1(R)HYG® - Banded Earplugs



by Honeywell




Part #	Cording	Packaging	NRR	Class
HOWQB1HYG	Band	Resealable Bag	27	B (L)

HOWQB100HYG Replacement Pods

QB2HYG® - Banded Earplugs







HOWQB2HYG Band Resealable Bag HOWQB200HYG Replacement Pods

QB3HYG® - Banded Earplugs



B (L)



Part #	Cording	Packaging	NRR	Class	
HOWQB3HYG	Band	Resealable Bag	23	B (L)	
HOWQB300HYG	Replacement I	Pods			

Matrix™ - Disposable Earplugs



Matrix™ Cont...



- · Patented no-roll design makes insertion fast and easy
- · Smooth outer skin and reduced diameter provide long-term comfort
- $\bullet\,$ Delivers instant protection upon proper insertion no need to wait for foam to expand
- · Uniform attenuation profile blocks out noise while voice frequencies can be heard more naturally







Part #	Cording	Packaging	NRR	Class
HOWMTX-1-OR	Orange/Uncorded	Polybag	29	A (L)
HOWMTX-30-OR	Orange/Corded	Polybag	29	A (L)
HOWMTX-OR-LS4	Orange/Corded	Bulk Refill Bag for	29	A (L)
		LS400 Dispenser		
HOWMTX-1-OR-D	Orange/Corded	Bulk Refill Box for	29	A (L)
		LS500 Dispenser		
HOWMTX-1-GR-D	Green/Corded	Bulk Refill Box for	27	A (L)
		LS500 Dispenser		
HOWMTX-1-BU-D	Blue/Corded	Bulk Refill Box for	23	A (L)
		LS500 Dispenser		

Leight® Source 400 & 500 **Earplug Dispensers**





- · Durable plastic design is an economical choice for dispensing earplugs
- · Mounts to wall or stands as table-top dispenser with balanced footing
- · Twist knob to dispense earplugs
- · Catch basin prevents earplugs from falling to the ground
- · Holds 400 pairs of Howard Leight Single-Use earplugs: Max®, Max Lite®, Laser Lite®, Multi Max®, Matrix™

Part #	Description
HOWI S-400	Leight Source 400



- · Heavy-duty anodized aluminum withstands constant use
- · Mount on wall for easy access
- · Crank handle to dispense earplugs
- Ideal for large factories and process in-
- · Holds 500 pairs of Howard Leight earplugs: Max®, Max Lite®, Laser Lite®, Multi Max®, Matrix™ and Quiet®

Part # Description HOWLS-500 Leight Source 500

















Leightning® - Earmuffs





- Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushions make replacement quick and easy
- · Multiple attenuation levels allow for targeted attenuation for a variety of applications

Part #	Description	Style	NRR	Class
BIL1013460	Leightning L0N	Neckband	22	В
BIL1010924	Leightning L3	Headband	30	A (L)
BIL1011993	Leightning L3H	Cap-Mounted	27	A (L)

Leightning® Hi-Visibility - Earmuffs





- · Bright green earcups provide high visibility and contrast
- Exclusive reflective headband illuminates under light for increased visibility and safety (L2FHV)
- Ideal to wear at night, during the day, in low light and under inclement weather conditions

Part #	Description	Style	NRR	Class
BIL1015020	Hi-Vis L1HHV	Cap-Mounted	23	B (L)
BIL1013942	Hi-Vis L2FHV	Folding	27	B (L)
BIL1013941	Hi-Vis L3	Headband	30	A (L)
	==			(-)

Impact® & Radio Hi-Visibility - Earmuffs





- $\bullet \ \ \text{Amplifies ambient sound to safe 82 dB} -- \text{response technology reverts to passive hearing protector} \\$ when noise reaches 82 dB
- · Sound amplification allows wearers to hear important communication alarms/warning signals,
- · Directionally placed stereo microphones amplify and enhance sound for more natural hearing

Part #	Description	Style	NRR	Class
BIL1010376	Impact	Headband	23	В
BIL1010632	Impact H	Cap-Mounted	21	В

- · Bright green earcups provide high visibility and contrast
- · Reflective headband illuminates under light for increased visibility and safety
- AUX input can connect to MP3 players and other devices
- Radio volume does not exceed 82dB

Part #	Description	Style	NRR	Class
BIL1015543	Radio Hi-Vis	Headband	25	B (L)

















QuietDose™ - Noise Dosimetry









 ${\sf QuietDose^{TM}} \ is \ the \ first \ noise \ level \ monitoring \ system \ that \ uses \ in-ear \ dosimetry \ to \ measure \ every$ sound that reaches the user's eardrum. Using microphones embedded in special Eartips based on Howard Leight products, QuietDose provides real-time assessments rooted in specific, personalized and definitive noise level measurements beyond the ability of any currently available systems. Dramatically more precise than existing area or personal sampling devices currently in use, QuietDose data equips safety managers to:

- · Determine whether workers are using their earplugs or earmuffs correctly
- Track and address the potential of noise-induced hearing loss (NIHL) in real time
- Potentially eliminate dual protection
- Provide workers more appropriate hearing protectors
- · Streamline worker deployment by matching shift hours with proper protection more accurately.

HOWARD LEIGHT OFFERS A FULL RANGE OF HEARING CONSERVATION SOLUTIONS. ASK YOUR SALES REPRESENTATIVE FOR A SITE VISIT OR PRODUCT **DEMONSTRATION**

VeriPRO® - Earplug Fit Testing





VeriPRO® makes it easy to get an accurate, real-world picture of your employees' hearing protection. Find out whether your employees are receiving optimal protection, require additional training on how to fit their earplugs, or need to try a different model. VeriPRO uses sophisticated software in a user-friendly format to find the Personal Attenuation Rating (PAR) your employees are receiving from their earplugs.

- Measures the Personal Attenuation Rating (PAR) for each employee
 Captures real-world attenuation by using unmodified earplugs
- · Workswith any earplug, corded or uncorded, from any manufacturer
- Fulfills regulatory requirements to ensure proper initial fitting of hearing protection
- Creates accurate, easy-to-understand reports within minutes, including PAR, Safe Exposure Levels and Protected Exposure Levels, mapped out on an easy-to-read report
- Documents training and proper fit for new or existing employees
- · Fit training videos provide additional training opportunity
- · Provides an ideal opportunity for one-on-one education

Part # Cording **Packaging** NRR Class

Includes: audiometrically balanced headphones, audio processor, software, USB cables, Quick Reference Guide, replacement ear cushions, earplug sample pack and carry case

















E-A-R® UltraFit® - Reusable Earplugs





- NRR 25dB
- Patented flange design gives the most comfortable fit of any reusable
- Washable, promotes worker hygieneNo rolling or touching during insertion
- cord with carrying case 3MO340-4002

3MO340-4003 uncorded 3MO340-4003 corded

E-A-R® Classic® Plugs **Disposable Earplugs**





- · Most popular earplug in the world
- NRR 29dB
- · The E-A-R® Yellow color is your assurance of proven protection
- · Moisture resistant dermatologically safe foam is not irritating
- · Slow recovery PVC foam provides comfort with low pressure

P	aı	rt	#				Description

3MO310-1001 Pillow Paks 3MO311-1101 Corder

No-Touch Foam Plugs Disposable Earplugs



Part #

3MOP2000

3MOP2001

3MO312-1261

3MO312-1260



- · Soft, purple foam fused with LiveWire stem for easy insertion
- · Just grab the stem & insert no roll down reauired
- Noise-Jamming NRR 29 dB
- · Available with LiveWire cord for the high octane
- · Tapered shape for easy insertion & canal hugging

Description

uncorded

corded

Description

uncorded

corded





- · Shaped design helps fit ear more effectively
- NRR 33dB
- The softest & most comfortable
- · Flanged end for easy insertion & removal

Peltor® NEXT™ Skull Screws™ Disposable Earplugs



HEARING PROTECTION





- No-roll convenience
 Look of metal, soft feel of foam
- Twist-to-seal design
- Noise jamming NRR of 30 dB



Part #	Descriptio
3MOP1300	uncorded
3MOP1301	corded

E-A-R Push-Ins Disposable Earplugs





3MO318-1000

Part #

3MO312-1219

3MO312-1221

Qty.

100/box

• NRR 28dB

- Easy fit with no roll down required
 EARform™ yellow foam tip for ultimate comfort
- Blue stem allows for hygienic insertion & removal

E-A-R® TaperFit® 2 Disposable Earplugs



Size

Regular

Plus size

uncorded

corded

- · Self-adjusting foam provides low pressure with excellent attenuation
- The E-A-R® Yellow color is your assurance of proven
- · Softest and smoothest earplugs available today
- · Dermatologically safe foam is non-irritating to the skin

3M 1100 Foam Earplug Disposable Earplugs



· The comfortable fit of soft foam ear plugs with the convenience of a cord

NRR 29dB

 Recommended for moderate to high noise (up to 100 dBA TWA)

3MO1110 The Fastener Group

3MO1100

494



















Optime 95 - Over-the-Head Earmuff/Helmet Attachable Earmuff/Behind-the-Head Earmuff







- · Low profile neckband
- NRR 21 dB
- · Ultra light with liquid / foam filled ear cushions
- · The Ultimate Low Profile Earmuff

Part #	Description
3MOH6A/V	Over The Head
3MOH6P3E/V	Helmet Attached
3MOH6B/V	Behind The Head

Optime 98 - Over-the-Head Earmuff/Helmet Attachable Earmuff







- · Lightweight headband
- NRR 25 dB
- · Dual low pressure bands improve comfort
- Broad foam cushions provide low surface pressure

Part #	Description
3МОН9А	Over The Head
3МОН9Р3Е	Helmet Attached

Optime 101 - Over-the-Head Earmuff/Helmet Attachable Earmuff/Behind-the-Head Earmuff









- Neckband
- NRR 26 dB
- Excellent attenuation at low and high frequencies
- Two low mounting points provide great comfort
- # 1 Selling earmuff in the world

Part #	Description
3MOH7A	Over The Head
3MOH7P3E	Helmet Attached
3МОН7В	Behind The Head

Optime 105 - Over-the-Head Earmuff/Helmet Attachable Earmuff/Behind-the-Head Earmuff









- Twin-Cup® headband
- NRR 30 dB
- Patented Twin-Cup® design
 Highest NRR for any earmuff tested by an accredited lab
- · Attachments for almost all hard hats

Part #	Description
3MOH10A	Over The Head
3MOH10P3E	Helmet Attached
3MOH10B	Behind The Head



















PlugStation® - Disposable Earplugs





- Increases compliance. Puts plugs in easily accessible areas so workers use them.
- PlugStation can be mounted on virtually
- any surface Sealed PlugStations ensure plugs stay sanitary. Completely recyclable.
- Eliminates individual packaging, less mess & maintenance.
- Mounting bracket, template and hardware included with every PlugStation.
- Pura-Fit® earplugs are bright green and Spark-Plugs® are multi-coloured.

Part #	Туре	Packaging	NRR	Class
MOL6844	Pura-Fit®	250 Pair	NRR 33	CSA AL
MOL6845	Pura-Fit®	500 Pair	NRR 33	CSA AL
MOL6644	SparkPlugs®	250 Pair	NRR 33	CSA AL
MOL6645	SparkPlugs®	500 Pair	NRR 33	CSA AL
MOL6875	Meteors®	500 Pair	NRR 33	CSA AL

Meteors® NRR 33/CSA AL **Disposable Earplugs**





- 100% PVC-Free.
- Soft, slow recovery foam and contoured shape molds easily to the ear canal for all day comfort.
- A design to follow the curve of the ear canal for ultimate comfort, fit and protection.
- An innovative undercut tip to keep the earplug secured in the ear canal.
- A narrower diameter for the smaller part of the ear canal that provides exceptional comfort.
- A larger base which seals the ear canal for a proper fit and maximum protection.
- The bright green color is a trademark of Moldex-Metric, Inc. and also provides easy compliance

Part #	Туре	Packaging	NRR	Class
MOL6870	Uncorded	200 Pair	33	CSA AL
MOL6970	Corded	100 Pair	33	CSA AL
Highest Independe	ently tested NRR.			

Pura-Fit® NRR 33/CSA AL **Disposable Earplugs**





- · Made from extra-soft foam for all day comfort.
- Tapered shape for easy insertion.
- Longer length for easy fitting and removal. · Bright green colour for easy compliance checks.
- An employee favourite.
- NRR Part # Type Packaging Class MOL6800 Uncorded 200 Pair 33 CSA AL MOL6900 Corded 100 Pair 33 CSA AL

SparkPlugs® NRR 33/CSA AL Disposable Earplugs





- 100% PVC-Free
- Different swirled patterns and fun colours in each package spark up hearing protection programs and increase compliance.
- Tapered design fits snugly in the ear canal.
- · Bright colours provide easy compliance checks.
- · Made from extra-soft foam.

Part #	Туре	Packaging	NRR	Class
MOL6604	Uncorded	200 Pair	33	CSA AL
MOL6654	Corded	100 Pair	33	CSA AL

Jazz Band® NRR 25 (Under-the-Chin) /CSA AL - Reusable Earplugs





- New, higher NRR 25 Rating with 50% reduced bend
- Optional breakaway neck cord allows the Jazz Band® to conveniently hang around the neck when
- · Soft, comfortable foam pods gently cap the ear canal
- · Offers superior comfort and increased compliance and convenience.
- · One pair of Replacement pods included in each package.
- Replacement package (MOL6504) contains five pairs of pods and one neck cord per bag.

Part #	Packaging	NRR	Class
MOL6506	1 Band	25	CSA AL

Rockets® Special Ops™ NRR 27 /CSA AL - Reusable Earplugs





- 100% PVC-Free.
- Independently tested NRR 27, with a new sound dampening additive.
- NRR 27 gives protection in most noisy environments.
 Easy grip handle lets earplugs easily slip into ear.
- · Air bubble in tip provides cushioned comfort.
- Earplugs can be washed and reused.
- · Pocket-Pak® carrying case provides hygienic storage of plugs between uses.
- · Available in corded, uncorded and corded metal detectable models.
- · Independently tested to ANSI S3.19-1974.



Part #	Туре
MOL6480 Rockets® Special Ops™	Uncorded
MOL6485 Rockets® Special Ops™	Corded



















Rockets® NRR 27/CSA AL Reusable Earplugs





- Easy grip handle allows easy insertion.Air bubble in the tip provides cushioned comfort.
- · Can be washed and reused.
- Each pair comes with a Pocket-Pak® carrying case to store plugs between uses.
- · Slips easily into the pocket.
- Bright blue detectable model is ideal for food processing use.







Part #	Туре	
MOL6400	Uncorded	
MOL6405	Corded	
MOL6415	Corded Metal Detectable	
MOI 6420	Cloth Cordod	

DeciDamp2™ - Disposable Earplugs





- · Foam Construction One size fits most. Lightweight, soft and comfortable. Non-toxic and nonirritating, disposable.
- · Sealed Pouches Available in cellophane and degradable paper. Maximum cleanliness, assures employees that plugs are unused.
- · Available with Cord. More convenient to use, visible for safety checks

Part #	Description	Packaging	NRR
NTH280005	uncorded plastic pouch	200 pr/bx	29dB
NTH282505	uncorded paper pouch	200 pr/bx	29dB

Earmuffs





M1 Premium Earmuff NRR 29/CSA AL

- SoftCoat® covering on cups and yoke helps muffle sound transmission.
- Black-chrome, spring steel headband resists fatigue and is more durable.
- Unique metal band folds into a super-compact size for easy storage.
- · Six different adjustment points provide a custom and comfortable fit for most head sizes.



M2 Multi-Position Earmuff NRR 26 (Over-the-Head)/CSA A

- SoftCoat® covering helps muffle transmitted noise.
- · Exclusive iridescent colour and curvy shape for great looks.
- · Sleek, contoured and low profile styling that workers want to wear.
- Special grips moulded into the cups make fitting and alignment quick and easy.
- Headband made of lightweight plastic for comfort all



M3 Cap-Mounted Earmuff NRR 24/CSA A

- SoftCoat® covering helps muffle transmitted noise.
- Exclusive iridescent colour and curvy shape for great looks.
- · Easily slots into virtually any hardhat.
- Usage and standby positions.
- · Can be locked in the standby position for storage.



Part #	Туре
MOL6100	M1 Premium Earmuff NRR 29/CSA AL
MOL6200	M2 Multi-Position Earmuff NRR 26 (Over-the-Head)/CSA A
MOL6300	M3 Cap-Mounted Earmuff NRR 24/CSA A



















8210



8511





8212



8214



8515



8293





9211

8577



3M™ Particulate Respirator 8210

• Designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction promotes great worker acceptance & comfort & increased wear time.

Part #	Type	Qty.	Per/Box	
3MO8210	N95	20/Box	8 Boxes/Case	

3M™ Particulate Respirator 8511

· Uniquely designed to help provide protection. It is ideally suited for work settings that involve heat, humidity, or long periods of wear

Part #	Туре	Qty.	Per/Box	
3MO8511	N95	10/Box	8 Boxes/Case	

3M™ Particulate Respirator 8271

· Combines P-series versatility with exceptional comfort and fit. It is an excellent choice for those who have work environments that may contain oil aerosols.

Part #	Туре	Qty.	Per/Box	
3MO8271	P95	10/Box	8 Boxes/Case	

3M™ Particulate Welding Respirator 8212

· Designed for applications such as welding, soldering and other operations where metal fumes may be present. With face seal

Part #	Туре	Qty.	Per/Box	
3MO8212	N95	10/Box	8 Boxes/Case	

3M™ Particulate Respirator 8214

• Designed for applications such as welding, soldering and other operations where metal fumes may be present including those with ozone and nuisance level organic vapors. With face seal.

Part #	Туре	Qty.	Per/Box
3MO8214	N95	10/Box	8 Boxes/Case

3M™ Particulate Welding Respirator 8515

 Designed to help provide comfortable, reliable worker protection for applications such as welding, soldering, cutting, grinding, and sanding.

Part #	Туре	Qty.	Per/Box
3MO8515	N95	10/Box	8 Boxes/Case

3M™ Particulate Respirator 8293

· Well suited for those who want NIOSHs highest rated filtration efficiency in a maintenance free

Part #	Туре	Qty.	Per/Box
3MO8293	P100	-	20/Cs

3M™ Particulate Respirator 9210

The 3M™ Particulate Respirator 9210, N95 is a breakthrough in comfort and convenience.

Part #	Туре	Qty.	Per/Box
3MO9210	N95	20/Box	12 Boxes/Case

3M™ Particulate Respirator 9211

• The 3M™ Particulate Respirator 9211, N95 is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is ideally suited for work settings

Part #	Type	Qty.	Per/Box	
3MO9211	N95	10/Box	12 Boxes/Case	

3M™ Particulate Respirator 8247

· Designed to help provide comfortable protection against certain oil and non-oil based particles

Part #	Type	Qty.	Per/Box
3MO8247	R95	10/Box	12 Royes/Case

3M™ Particulate Respirator 8577

Designed to help provide comfortable, reliable worker protection against certain oil and non-oil

Part #	Туре	Qty.	Per/Box
3MO8577	P95	10/Box	8 Boxes/Case





















3M™ Half Facepiece 6200

Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 600 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to

NIOSI I appiova		
Part #	Description	
3MO6200	24/Cs	Medium



3M™ Half Facepiece 7502

 This medium half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow Exhalation Valve, enhances wearer comfort and face fit.

Part #	Description

3MO7502	10/Cs	Medium



3M™ Full Facepiece 6800

• Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series.NIOSH approved.



Part #	Description	
3MO6800	4/Cs	Medium



3M™ Full Facepiece 7800S-M

 Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.

Part #	Description	
3MO7800	1/Cs	Medium S-M



Particulate Filter 2071

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet fit. 3MO2071 P95 100/Cs



Particulate Filter 2078

NIOSH approved for environments containing certain oil and non-oil based particles. 3M recommended for relief against nuisance levels of organic vapor/acid gases and for ozone protection up to 10X OSHA PEL. Not NIOSH certified for use against ozone. Part # 3MO2078 P95 100/Cs w/Acid Gas



Particulate Filter 2091

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M[™] Respirators 5000 Series or Cartridges 6000 Series with 3M[™] Adapter 502, 3M[™] Facepieces 6000 Series, or 3M[™] Facepieces 7000 Series with bayonet fit. 3MO2091 P100 100/Cs



Particulate Filter 2096

NIOSH approved for environments containing certain oil and non-oil based particles. 3M recommended for relief against nuisance levels of acid gases.

3MO2096 P100 100/Cs w/Acid Gas



Particulate Filter 2097

NIOSH approved for environments containing certain oil and non-oil based particles 3M recommended for relief against of organic vapors and ozone protection up to 10S OSHA PEL. Not NIOSH certified for use against ozone.
Part # 3MO2097 P100 100/Cs

w/Organic Vapour



Particulate Filter 7093

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bay. Part # 3MO7093 P100 60/Cs



Cartridge/Filter 7093C

This cartridge/ filter is NIOSH approved and provides the highest level of protection against oil and non-oil based particles. Use with 3M™ Half and Full Facepiece Respirators 6000 Series, Half Facepiece Respirator 7500 Series and Full Facepiece Respirator 7800 Series with bayonet filter holders

3MO7093C P100 60/Cs w/Hydrogen Flouride



Particulate Filter 5N11

NIOSH approved for environments containing certain non-oil based particles. Use with 3M™ Respirators 5000 Series, 3M™ Cartridges 6000 Series, 3M™ Filter Retainer 501. Part # 3MO5N11 N95 100/Cs



Particulate Filter 5P71

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series, 3M™ Cartridges 6000 Series, 3M™ Filter Retainer 501.

3MO5P71 P95 100/Cs



Filter Retainer 501

Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) in place on top of 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series.

3MO501



Filter Adapter 502

Use to attach 3M™ Particulate Filters 2000 Series and 7093 to the 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series for a wide variety of applications.

3MO502 100/Cs



Organic Vapor Cartridge 6001

NIOSH approved against certain organic vapors. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half & Full Facepieces 7000 Series with bayonet style cartridge holders.

3MO6001



Acid Gas Cartridge 6002

 NIOSH approved against certain acid gases. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.

3MO6002 Part#



Organic Vapor/Acid Gas Cartridge 6003

NIOSH approved against certain organic vapors or acid gases. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Face pieces 7000 Series with bayonet style cartridge holders.

60/Cs Part # 3MO6003



Ammonia Methylamine Cartridge 6004

NIOSH approved against ammonia and methylamine. Use with 3M™ Half and Full Face pieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.

3MO6004 Part #



Formaldehyde/Organic Vapor Cartridge 6005

NIOSH approved against formaldehyde and certain organic vapors. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Face pieces 7000 Series with

bayonet style cartridge holders. Part # 3MO6005 60/Cs



Multi Gas/Vapor Cartridge 6006

NIOSH approved against certain organic vapors, acid gases, ammonia, methylamine or formaldehyde. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.



Cartridge/Filter 60921, Organic Vapor

 NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.

3MO60921 P100 60/Cs



Cartridge/Filter 60923, Organic Vapor/Acid Gas

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.
Part # 3MO60923 P100

P100 60/Cs w/OV & AG



Cartridge/Filter 60924 Ammonia

NIOSH approved against ammonia, methylamine and certain particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.

3MO60924 P100 60/Cs




Cartridge/Filter 60926 Multi Gas

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.

3MO60926 P100 60/Cs w/Multi Gas









































5500 Series Low Maintenance Half-Mask



by Honeywell



- Made of an extremely soft non-allergenic elastomer for comfort and fit. Contoured sealing flange eliminates discomfort caused by pressure points on facial nerves. Design of nose area provides excellent comfort and fit.
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance.
- North 5500 Series Half Masks are compatible with North cartridges, filters and accessories.

Part #	Description	Size
NTH550030S	Half Mask	SM
NTH550030M	Half Mask	MED
NTH550030L	Half Mask	LG

7700 Series Silicone Half-Mask





The 7700 Series is the most comfortable and durable half mask available. Its soft non-allergenic silicone seal provides excellent protection, comfort and fit. The half mask cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points.

- Silicone facepiece material conforms to facial features and doesn't harden with age. Silicone is easy toclean, extremely durable and resists distortion ensuring a better fit, time after time.
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves. Design of nose area provides excellent comfort and fit.
- · Minimal dead air space improves worker comfort by limiting re-breathing of exhaled air.
- · Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance.
- · Three overlapping sizes will comfortably fit most
- · North 7700 Series Half Masks are compatible with North cartridges, filters and accessories.

Part #	Description	Size
NTH7700-30S	Half-Mask	SM
NTH7700-30M	Half-Mask	MED
NTH7700-30L	Half-Mask	LG

BP1002 Backpack Adapter





The backpack adapter allows users to locate cartridges and filters out of the work zone, by placing them on the user's back. The BP1002 is easily adaptable to all North Full Facepiece and Half Mask airpurifying respirators, simply by attaching it to the facepiece cartridge connectors. It is ideal for tight or highly heated work places such as those encountered in welding operations. Think of it as an extension cord for your cartridges.

Part #	Description
NTHBP1002	Backpack Adapter

5400 Series Low Maintenance **Full Facepiece**





- · Each facepiece comes with three peel-away windows, six respirator wipes and a storage bag.
- · Oral nasal cup reduces fogging and lessens dead air space to improve worker comfort by limiting re-breathing of exhaled air.
- Chin cup helps to position the facepiece properly.
- · Hard-coated polycarbonate lens affords an over 200° field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact and penetration resistance.
- With many of the same components of the 7600 Series facepiece, replacement part inventory will be reduced.
- · Compatible with all North cartridges and filters.

Part #	Description	Size
NTH54001	Full Facepiece	MED/LG
NTH54001S	Full Facepiece	SM

7600 Series Silicone Full Facepiece





- Silicone facepiece material conforms to facial features and doesn't harden with age. Silicone is easy to clean, extremely durable and resists distortion, ensuring a better fit time after time.
- Oral nasal cup reduces fogging and lessens dead air space to improve worker comfort by limiting re-breathing of exhaled air.
- Speaking diaphragm makes communication easy.
- · Two overlapping sizes, small and medium/large, will comfortably fit most users.
- Compatible with all North cartridges & filters.

Part #	Description	Size
NTH760008A	Full Facepiece	MED/LG
NTH760008AS	Full Facepiece	SM



















Respiratory Cartridges



North offers an extensive line of gas and vapour cartridges and particulate filters to satisfy numerous industrial applications. All North cartridges and filters are approved with all North airpurifying half masks and full facepiece respirators. One line of cartridges and filters will simplify your inventory.

Air-Purifying Respirators with cartridges provide respiratory protection against gases and vapours by using sorbents to purify the inhaled air. Cartridges without filters do not remove dusts, fibers, and other particles.

North has developed the ezGuide™ software program designed to help the user develop change schedules for North gas and vapour cartridges. ezGuide will also determine the appropriate types of respiratory and hand protection required.





Color

Description
Defender™ Multi-purpose
Cartridge for Organic
Vapours, Chlorine, Hydrogen
Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methly lamine and Formaldehyde



NTH75SCP100

Color Olive/Mag

Description Above with P100 Particulate Filter (99.97% Minimum Filter

Efficiency)



Part # NTHN7500-1 Color Black

Organic Vapour Cartridge



Part # NTH7581P100

Color Description Black/Mag

Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)

Part # NTHN7500-2 Color White

Description Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde Cartridge



NTH7582P100

Color White/Mag

Description Above with P100 Particulate
Filter (99.97%
Minimum Filter Efficiency)



Part# NTHN7500-3 Color Yellow

Description Organic Vapour, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide Cartridge



Part # NTH7583P100

Color Yellow/Mag

Description Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)



NTHN7500-4

Color Green Description Ammonia, Methylamine Cartridge



Part # NTH7584P100

Color Green/Mag Description Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)

Particulate Filters and Accessories



by Honeywell

Air Purifying Respirators with filters provide respiratory protection against aerosols by removing dusts, mists, fumes, fibers, and other particles. Filters do not remove gases or vapours, or correct for oxygen deficiency.

End of service life for filters is normally determined by the increase in breathing resistance sensed by the user. When it becomes difficult to breathe comfortably, the filters should be replaced. R95 filters are limited to a maximum of 8 hours use, when used in atmospheres containing oil.



Description P100 Particulate Filter (99.97% Minimum Filter Efficiency) NTH7580P100



Part #

Description P100 Particulate Filter (99.97% Minimum NTH75FFP100

Filter Efficiency)



Part # Description P100 Particulate Filter (99.97% Minimum Filter Efficiency) with nuisance level relief from organic vapours, acid gases and ozone



Part # NTH7506N95

Description
N95 Non-Oil Particulate Filter (95% Mini mum Filter Efficiency)



Part # NTH7506N99 Description

N99 Non-Oil Particulate Filter (99% Mini

mum Filter Efficiency)



Part # NTH7506R95

Description R95 Particulate Filter (95% Minimum Filter Efficiency)



Part # NTH7531N95 Description

M95 Particulate Filter Assembly (95% Mini mum Filter Efficiency) Includes; NTH7506N95 Filter, NTHN750027 Seal Check/Filter Cover and NTHN750015 Filter

Holder



Part # NTH7531N99

Description N99 Particulate Filter Assembly (99% Mini mum Filter Efficiency) Includes NTH7506N95 Filter, NTHN750027 Seal Check/Filter Cover and NTHN750015 Filter

Holder



Part # NTH7531R95

Description R95 Particulate Filter Assembly (95% Minimum Filter Efficiency) Includes NTH7506R95 Filter, NTHN750027 Seal

Check/Filter Cover and NTHN750015 Filter Holder



Part# NTHN750015

Description Filter Holder for NTH7506N95, NTH7506N99 and NTH7506R95 filters. Require NTHN750027 seal check/fil

Description



Part # NTHN750027

Description
Seal Check/filter cover for NTH7506N95,
NTH7506N99 and NTH7506R95 filters. Attaches to Gas and Vapour cartridges. For filter use only, use NTHN750015 Filter



NTHN750029

Shower Cap for NTH7580P100 filter. Pro tects filter during abatement using water or during decontamination.



Description Adapter for assembly of a NTH75FFP100 Pancake Filter to a gas and vapour car tridge



















2200 Series N95 Particulate Respirators





- · Dura-Mesh® shell resists collapsing in heat and humidity.
- · Moulded nose bridge seals easily.
- · Naturally contoured facepiece relieves pressure points.
- · Softspun® lining gives added comfort and durability.
- · Available in three sizes to fit most faces. Meets heat and flame resistance in accordance with ANSI/ISEA 110 -2003 Section 7.11.1.
- · NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil.

Part #	Description
MOL2200N95	Medium/Large
MOL2201N95	Small
MOL2207N95	Low Profile

2300 Series N95 **Particulate Respirators**





- · Exhale valve reduces hot air build-up and keeps workers cooler.
- · Dura-Mesh® shell resists collapsing in heat and humidity.
- · Moulded nose bridge seals easily without a metal nose band.
- · Naturally contoured facepiece with soft foam nose cushion relieves pressure points.
- Softspun® lining gives added comfort and durability.
- · Available in three sizes to fit most faces.
- · Meets heat and flame resistance in accordance with ANSI/ ISEA 110 - 2003 Section 7.11.1.
- · NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil.

Part #	Description
MOL2300N95	Medium/Large
MOL2301N95	Small
MOL2307N95	Low Profile

Dirt Dawgs® 1200 N95 **Particulate Respirator**





- · Dura-Mesh® shell resists collapsing in heat and humidity. · Moulded nose bridge seals easily without a metal nose band.
- · Naturally contoured facepiece relieves pressure points.
- Softspun® lining gives added comfort and durability.
- · NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil.
- Meets heat and flame resistance in accordance with ANSI/ ISEA 110 - 2003 Section 7.11.1.

Part #	Description	
MOL1200N95	Medium/Large	
MOL1201N95	Small	7384
MOL1207N95	Low Profile	

M2700 Special Ops™ Series N95 **Particulate Respirator**





- · Solid black colour stays cleaner looking longer preventing premature disposal.
- · HandyStrap® with buckle allows mask to hang down around neck when not in use.
- · Cloth strap feels cool and comfortable against the skin.
- · Ventex® valve lets the hot air out faster so workers stay
- · Contoured nose bridge with soft foam nose cushion allows all-day comfort.
- Dura-Mesh® shell resists collapsing so mask lasts longer.
- Available in two sizes to fit most workers.
- · NIOSH certified to have a filter efficiency of 95% or greater against particulates free of oil.
- Meets heat and flame resistance in accordance with ANSI/ISEA 110 - 2003 Section 7.11.1.

Part #	Description	
MOLM2700N95	Medium/Large	
MOLM2701N95	Small	

M2800 Special Ops™ Series N95 MOLDEX Particulate Respirator Plus Nuisance Levels of Ozone and Organic Vapors



- · Solid black colour stays cleaner looking longer preventing premature disposal.
- · Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL).
- · For most welding applications.
- · HandyStrap® with buckle allows mask to hang down around neck when not in use.
- · Cloth strap feels cool and comfortable against the skin.
- · Ventex® valve lets the hot air out faster so workers stay cooler.
- Dura-Mesh® shell resists collapsing so mask lasts longer. Contour moulded nose bridge with soft foam nose cush-
- ion provides all-day comfort. · Softspun® lining increases comfort and durability.
- · Meets heat and flame resistance in accordance with ANSI/ISEA 110 - 2003 Section 7.11.1.
- · NIOSH certified to have a filter efficiency of 95% or greater against particulates free of oil.

Part #	Description
/OLM2800N95	Medium/Large
MOLM2801N95	Small

Respirator Locker®





- · 2250 and 2350 2 strap respirators hold five respirators per Locker, 2850 holds four respirators per Locker
- a week's supply in most work situations.
- · Handy personal supply for workers in the field.
- Separate chamber stores respirator-in-use during breaks. Hygienic storage for each worker.
- The 2850 has a special carbon layer that helps relieve workers of nuisance levels of OV (less than OSHA PEL)
- 2850 is a HandyStrap® respirator which allows the mask to comfortably hang down around the user's neck when not in use.

Part #	Description	Qty.
MOL2250	2 Strap Respirator	5/locker
MOL2350	2 strap respirator w/ valve	5/locker
MOL2850	2 strap respirator w/ NL OV protection	4/locker

















ONE-Fit™ NBW95 Molded Cup **Particulate Respirator**





Part #	Description	Size
WIL14110444	NBW95 Molded cup, N95 Non-valved	1 Size

SAF-T-FIT® Plus Particulate Respirator





Part #	Description	Size
WIL14110394	N1125, N95, Boomerang nose seal,	M/L
	exhalation valve	

ONE-Fit™ NBW95V Molded Cup Particulate Respirator





Part #	Description	Size
WIL14110445	NBW95V Molded cup. N95 valved	1 Size

SAF-T-FIT® Plus Particulate Respirator





Part #	Description	Size
WIL14110397	N1125, N95, Boomerang nose seal,	M/L
	exhalation valve. Nuisance OV filtration	

SAF-T-FIT® Plus Particulate Respirator





Part #	Description	Size
WIL14110388	N1105, N95 Basic	M/L

Survivair Blue 1™





- **SAF-T-FIT® Plus** Sperion is now **Particulate Respirator**

Part #	Description	Size
WIL14110391	N1115, N95, Boomerang nose seal	M/L

- · Dual flange silicone provides a more comfortable and secure fit
- · Available with a speaking diaphragm for improved communication
- · Continuous Flow SAR adapter kit available
- · Compatible with S-Series filters and cartridges
- · Packaged in a resealable bag to protect the respirator from contamination when not in use

Description	Size
S-Series, Assembly w/Speaking Diaphragm	SM
S-Series, Assembly w/Speaking Diaphragm	MD
S-Series, Assembly w/Speaking Diaphragm	LG
	S-Series, Assembly w/Speaking Diaphragm S-Series, Assembly w/Speaking Diaphragm

















Survivair Opti-Fit™ APR





- Choose from a 5-point strap or industrial mesh headnet to fit your comfort and needs
- · Silicone skirt offers exceptional durability and comfort
- · All straps are attached to the rim of the facepiece, rather than the silicone skirt, to reduce pressure points and distortion of the sealing surface when tightened
- · Replaceable, high impact resistant polycarbonate lens treated with anti-scratch coating
- · Mask designed with a wide viewing area offering distortion free visibility & optical clarity
- · Molded-in speaking diaphragm provides improved audio
- · Available in 3 sizes for wide range of fit
- · Compatible with S-Series filters and cartridges

Part #	Description	Size
SUR752000	S-Series, 5-Strap Suspension	SM
SUR762000	S-Series, 5-Strap Suspension	MD
SUR772000	S-Series, 5-Strap Suspension	LG

N95 Filter Assembly





• NIOSH-approved N95 protection provides 95% particulate efficiency against oil-free particulates.

Part #	Description	Qty.	
SUR106010	N95 Filter	Sold as Pair	
SUR140170	Filter Retainer	Sold as Each	

P100 Filters





• NIOSH-approved P100 protection provides 99.97% particulate efficiency against oil and non-oil based particulates.

Part #	Description	Qty.
SUR105005	Hard Case	Sold as Each
SUR119010	Slimline	Sold as Pair

Multi-Contaminant Cartridge





· Approved for use against Organic Vapors, Ammonia, Methylamine, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Hydrogen Sulfide (Escape), Formaldehyde and Nitrogen Dioxide

Part #	Description	Qty.
SUR100800	MC Cartridge	Sold as Each

Survivair Cougar™





- · Silicone rubber facepiece provides unsurpassed comfort and durability, even in extreme heat or cold. Won't oxidize or react with ozone. Also provides better sealing ability for improved comfort and fit. Five-strap head harness and skirt are available in 3 color-coded sizes (TwentyTwenty® Plus facepiece). Available in small and standard sizes in blue and black (Classic™ facepiece)
- · Optional headnet mesh-style head harness
- First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs. Choice of three low air alarms — bell, plain whistle, or warbling whistle
- Second stage regulator has compact, low profile; Survivair Air Klic™ fastening system; first-breathon; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode
- · Survivair Mighty-Light® backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry; no tools required — no bolts or screws on harness for quick, easy disassembly and assembly

Part #	Description	
SUR888888	Survivair Cougar	

Fit Test Kits

Sperion is now Honeywell



- · OSHA-accepted
- Provide an easy and affordable method of qualitative fit
- · For both disposable particulate and reusable respirators



Part #	Description
SUR140090	Irritant Smoke Fit Test Kit
SUR193170	Bitrex Fit Test Kit
SUR194040	Deluxe Fit Test Kit, IAA

















Miller Revolution™ Harnesses



- PivotLink™ Connection's unique, rotary design provides greater comfort in bending/mobility
- · The Integrated Accessory System's modular attachment design provides connection points for belts/tools/accessories
- · Easy, one-handed adjustment/release of Cam Buckles allows simultaneous adjustment of shoulder straps
- DualTech™ Webbing makes donning easy with two-sided, contrasting color webbing and textures
- · Web Finial's clip-on design safely organizes webbing after proper adjustment
- · Integrated, Self-Contained Label Pack encapsulates labels, minimizing damage and loss
- Semi-flexible ErgoArmor[™] Back Shield minimizes impact from sharp/heavy snap hooks and selfretracting lifelines

Dual-tech Webbing






Part #	Description	Size
MILRDT-QC/UBK	Quick-Connect Buckle Legs	L/XL
MILRDT-QC/S/MBK	Quick-Connect Buckle Legs	S/M
MILRDTQCBDPUBK	Side D-rings, back pad, belt	L/XL
MILRDTQCBDPSMBK	Side D-rings, back pad, belt	S/M

Kevlar-Nomex Webbing





Part #	Description	Size
MILRKN-QCBSMBK	Removable Belt, QC Buckle Legs	L/XL
MILRKN-QCBSMBK	Removable Belt, QC Buckle Legs	S/M
MILRKN-QC/UBK	QC Buckle legs	L/XL
MILRKNQC/S/MBK	QC Buckle legs	S/M

Construction Harness





Harnesses are also available in XXL/XXXLarge, by replacing the "U" in the model number with "XXL" or "XXXL"

Part #	Description	Size
MILR10CN-TB/UGN	Tongue Buckle Legs	L/XL
	(Front D-ring is an optional ac	cessory)



















Miller® Contractor Harness





- · Lightweight for greater comfort; non-stretch webbing
- Unique combination back D-ring pad/shoulder pads that minimize discomfort/stress around the neck and shoulders when using a tool belt
- Soft lumbar back pad for additional support and comfort
- Waist belt (removable) to accommodate tool pouches

- Single, back D-ring for fall protection Tongue buckle leg straps for easy adjustment Friction buckle shoulder adjustments; mating buckle chest adjustment
- Rated to 400 lbs. (181.4 kg) capacity
- Meets applicable OSHA, ANSI and CSA Standards

Part #	Description	Size
MIL650CNBPSMGN	Contractor Harness w/waist belt	S/M
MIL650CNBPUGN	Contractor Harness w/waist belt	L/XL
MIL650CNBPXXLGN	Contractor Harness w/waist belt	XXL
MIL650CNBDPSMGN	Contractor Harness w/Side D-rings,	S/M
	waist belt & back pad	
MIL650CNBDPUGN	Contractor Harness w/Side D-rings,	L/XL
	waist belt & back pad	
MIL650CNBDPXXLG	Contractor Harness w/Side D-rings,	XXL
	waist helt & hack nad	

Relief Step™ Safety Device





- Alleviates the effects of orthostatic intolerance, also known as suspension trauma
- Small and lightweight
- Attaches to any brand of full-body harness

DuraFlex Python® ULTRA Harness







- · Designed with cushioned tubular webbing in the shoulder straps to minimize discomfort around the neck and shoulders when required to wear a tool belt;
- Patented DuraFlex® stretchable webbing in the lower torso for greater comfort, safety and productivity
- · Features sleek, quick-connect buckles on the chest and leg straps for easy donning
- Specially-woven, breathable, comfort-touch back D-ring pad for greater comfort and tangle-free donning
- Includes friction buckle shoulder straps and belt loops to accommodate a tool belt
- High visibility/chemical resistant lime green or blue webbing
- Universal (large/x-large) size fits most; rated to 400 lbs. capacity

Part #	Size D-Rings	Size
MILP950QC/UGN	No	U (L/XL)
MILP950QC/S/MGN	No	S/M
MILP950QC77UGN	Yes	U (L/XL)
MILP950QC77SMGN	Yes	S/M

Titan™ Harnesses





- · Fully adjustable design
- Sliding back D-ring and pad; back strap prevents
- Non-slip mating buckle shoulder straps and chest strap
- Pull-free lanyard ring
- Front D-ring option
- Universal (large/x-large) sizing fits most

Harnesses are also available in small/ medium and XX-large, by replacing the "U" in the model number with "S/M" or "XXL". For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: T4000FD/UAK)

Part #	Description
MIL9099	Relief Step Safety Device

Size Leg Strap Buckles MILT4000/UAK Mating Universal MILT4507/UAK Universal Tongue

















Manyard® II Stretchable **Shock-Absorbing Lanyards**











- Specially-woven shock-absorbing inner core smoothly expands to reducing fall arrest forces
- Heavy-duty tubular outer jacket serves as a back-up lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and must be removed from service
- Integral bright red core makes visual inspection easier and more reliable
- Available in green or blue webbing

Part #	No.	Harness Con.	Anchorage Con.	
Length				
MIL216M/6FTGN	Ļegs	SASKING OK	SASKING OK	6'
MIL219M/6FTGN	1	Snap Hook	Rebar Hook	6'
MIL231M/6FTGN	2	Snap Hook	Rebar Hooks	6'
MIL232M/6FTGN	2	Snap Hook	Snap Hooks	6'

BackBiter® Tie-Back Lanyards







- Miller BackBiter offers the ultimate in tie-back safety
- All-in-one lanyard with SofStop Shock Absorber and cross-arm anchorage connector
- SofStop® Shock Absorber pack
- First snap hook with a 5,000 lb. (22kn) gate load capacity from any angle

Part # Legs	No. Lock		Anchorage Con. Locking	
MIL913B/6FTGN	1	Snap Hook	5K Snap Hook	
MIL8798B/6FTGN	2	Snap Hook	5K Snap Hooks	

Note: Locking Snap Hook - 3/4-inch gate opening (not needed - no rebar

Miller TurboLite™ **Personal Fall Limiters**





- · Extremely compact and lightweight 1.9 lbs. (.86 kg), the unit attaches directly to the harness back D-ring for greater mobility and versatility.
- Aluminum Twist-lock carabiner on unit end; Aluminum locking snap or rebar hook on lanyard end
- Engineered webbing for greater abrasion resistance and long service life.
- High-strength, impact-resistant nylon housing for maximum durability.
- Built-in swivel prevents lifeline from twisting.
- · Worker rated for up to 400 lbs (181.4 kg) capacity.
- · Meets all applicable OSHA, ANSI Z359-2007, and CSA standards.

Part #	Description
MILMFL-11/6FT	TurboLite w/Aluminum Twist-Lock Carabiner
	and Aluminum Locking Snap Hook
MILMFL-12/6FT	TurboLite w/Aluminum Twist-Lock Carabiner
	and Aluminum Locking Rebar Hook

Miller Twin Turbo™ **Fall Protection System**





- · Replacement for double-legged shock-absorbing lanyards
- Innovative design that easily connects to most fall protection harnesses with non-coated metallic back D-rings
- · Increases worker productivity and versatility with freedom of movement - less restrictive than other units on the market
- · Permits TurboLite PFLs to swivel in multiple directions for greater mobility; the swivel action prevents webbing from twisting and binding inside of the unit
- · Webbing payout smoothly extends/retracts without interruption
- · Easy-to-use and assemble/disassemble
- · Adapts to most Miller TurboLite PFL models
- · Meets all applicable OSHA 1926.502, 1910.66; ANSI Z359-2007 and A10.32; and CSA Z259.12-01 requirements

Part #	Description
/ILMFLB-12/6FT	Twin Turbo D-Ring Connector and two MFL-12/6FT
	TurboLite PFLs

















Miller Scorpion™ **Personal Fall Limiters**





- Greater versatility through dual operation: attach directly to the harness D-ring for use as a personal fall limiter, or use as a traditional retractable lifeline
- Quick-activating, high-strength stainless steel braking system - arrests free falls
- 400 lbs. capacity models available upon request
- No annual factory recertification required
- Visual load indicator indicates the unit must be removed from service

Part #	Connector Options	Lanyard End
MILPFL-4/9FT	Carabiner and Swivel Shackle	Locking Snap Hook
MILPFL-5/9FT	D-Ring Swivel Hook	Locking Snap Hook
MILPFL-6/9FT	Rebar Hook and Swivel Shackle	Locking Snap Hook

Miller Black Rhino™ **Self-Retracting Lifelines**





- 9 ft. stainless steel wire rope
- Lightweight 4.3 lbs.
- Repairable; no annual factory recertification required - lowering cost of ownership
- Quick-activating, high-strength stainless steel braking system - arrests free falls, providing a quick, safe rescue
- Variety of integral anchorage connectors available - provides flexibility of use in a variety of applica-

300	
Part #	Connector Options
MILCFL-4/9FT	Stainless Swivel/Steel Twist-Lock Carabiner
MILCEL FORT	Stainless Swivel/Bohar Looking Span Hook

Miller Falcon™ **Self-Retracting Lifelines**







- · Corrosion-resistant stainless steel and aluminum internal components extend service life and reduce replacement costs
- Lightest composite unit on the market
- · Unique side payout design reduces wear on the entry guide bushing and cable for smooth operation with less drag
- Smooth, quiet operation; engineered spring retraction tension designed not to pull or drag on a worker to improve productivity and reduce fatigue
- Built-in, ergonomically-designed molded handle on the 50- and 65-ft. units provides support and leverage when attaching to anchorage connector
- Dual swivels (unit top and snap hook) minimizes twisting of lifeline during use
- Rated to 400 lbs. capacity when using a SofStop® shock absorber (928LS/18INYL)

· Constructed with durable, impact-resistant nylon

housings with steel frames

Narrow payout port

Quick-activating braking mechanism

· Snap hook with swivel; carabiner included

Part #	Connector Options
MILMP20G/20FT	20' Galvanized Wire Rope with Tagline and Carabiner
MILMP30G/30FT	30' Galvanized Wire Rope with Tagline and Carabiner
MILMP50G/50FT	50' Galvanized Wire Rope with Tagline and Carabiner

Titan™ Self-Retracting Lifeline Series





Part # Description

MILTR30/30FT 30' Glass-Filled Polypropylene 3/16" galvanized wire rope

Calgary Fasteners & Tools Ltd.

is Southern Alberta's ONLY Authorized Miller Service Centre. You can bring us your SRL to be Re-Certified and/or Repaired. CSA requires that all Type 2 and Type 3 SRL's be re-certified two years from date of manufacture and every year thereafter (CSA Z259.2.2-98)

www.calfast.com

#1, 1288 - 42 Avenue SE Calgary, AB T2G 5P1 Tel: (403) 287-5340 Fax: (403) 287-5382

















Cross-Arm Strap - Anchors









6 ft. (1.8m) web Cross-Arm Strap wraps around beams and other structures and attaches with a 2-inch (50mm) D-ring that slips through a 3-inch (76mm) D-ring to form a secure attachment point for lanyards and other connecting devices. 400 lbs. (181.4kg) maximum capacity.

Part #	Material	
MIL8183/6FTGN	Web	
MIL8187V	Cable	

Miller Grip™ Temporary Anchorage Connectors





496

- A safe anchor point is established when the Miller Grip anchor is inserted into a properly-sized, cured concrete hole
- The reusable Miller Grip anchor can be removed and simply reinstalled in a new location
- Designed for vertical or overhead/ceiling surface applications
- Multi-use Grips can be used for anchoring scaffolding, material handling and removal of concrete debris after demolition

Part #	Hole Dia. (in.)	Ultimate Strength for Single User Connection
MIL496	3/4	5000 lb. capacity
MII 497	1	10 000 lb, capacity

Miller Shadow® Beam Anchorage Connectors





Miller Shadow Beam Anchors connect horizontally to a wide range of "I" and "H" beam flanges from 3 inches to 14 inches wide and up to 2.5 inches thick. Both fixed and sliding models are available.

Part #	Size (in.)	Capacity (lbs.)
MIL8815-12	4 - 12	Fixed Shadow Beam Anchor
MII 8816-14	3 - 14	Adjustable Shadowl ite Beam Anchor

Cross-Arm Strap - Anchors





Stainless steel permanent double D-ring or single D-ring roof anchor over a wood ridge peak. Complete with 8, 16d nails.

Part #	Material	
MILRA40	Double D™ roof anchor	
MILRA41	Single D™ roof anchor	

Claw™ Permanent Roof Anchor





Part #	Material
MILRA45	Stainless steel permanent roof anchor over
	wood rafter/truss members. Complete with
	UV-resistant *Santoprene® flashing, protective
	cap and 12, 1-1/2" nails.























- · Lightweight, high-strength aluminum construction for easy handling and long service life

V	Modular design adapts toLowering cost of owners	o many applications hip and providing effective safety solutions fixed bases is available for many confined space applications
9	Part #	Description
1	MILDH-2	Complete 4-Piece Hoist System
	MILMR50GB/50FT	Miller MightEvac® SRL/Hoist w/Mounting Bracket
		Includes: 50 ft. (15 m) of 3/16 in. (4.8 mm)
		Galvanized wire rope w/mounting branket and pulley
The second secon	MILDH-19-MILLER	DuraHoist Complete Mounting Bracket Assembly
Comment of the commen	Laddor Climbing Soldy Sy. Laddor Climbing Soldy Sy. For the part of the part	MILLER TO STATE OF THE STATE OF
	MORE INFOR	SALES REPRESENTATIVE FOR MATION AND A QUOTATION Ladder Climbing System (RAIL)

- SkyGrip® Temporary Horizontal Lifeline
- Vi-Go™ Ladder Climbing System (Cable)
- Xenon® Permanent Horizontal Lifeline





















The Retractable Lifeline series is only available from SafeWaze

ReLoad™ redefines functionality, performance and serviceability of retractable lifelines. The ReLoad™ series from SafeWaze, is available in a full range of lengths in both webbing and cable lifelines—so whatever the job, there is a Reload™ unit for you.

Part

3MOREW-7	3/4" Web	7 ft	5.2"x 4"x 7"	4 lbs	Double Locking
3MOREW-12	1" Web	12 ft	7"x 4.8"x 9.1"	7 lbs	Snap Hook Double Locking Snap Hook
3MOREW-23	1" Web	23 ft	7.5"x 4.6"x 11.1"	11 lbs	Double Locking
3MOREC-23	3/16" Galvanized Cable	23 ft	8"x 5"x 11.5"	12 lbs	Snap Hook Swivel Double Locking Snap Hook
3MOREC-30	3/16" Galvanized Cable	30 ft	8"x 5.5"x 12"	13 lbs	Swivel Double
3MOREC-40	3/16" Galvanized Cable	40 ft	8.5"x 6"x 12.5"	15 lbs	Locking Snap Hook Swivel Double Locking Snap Hook
3MOREC-50	3/16" Galvanized Cable	50 ft	8.5"x 6"x 13"	17 lbs	Swivel Double
					Locking Snap Hook





















ExoFit™XP Harnesses





- · The industry's first "truly washable" harness with removable padding
- · State-of-the-art 3-D mesh wicks moisture keeping you cool and delivering all-day comfort
- · Unique spring loaded "stand-up" dorsal D-ring ensures fast, easy and safe connections
- Superior "X" design padding wraps around the wearer for the ultimate in no-tangle donning
- · Color coded quick-connect buckles make it easy to put on and fit the harness every time
- Meets or exceeds all applicable industry standards including CSA, OSHA and ANSI including the stringent ANSI Z359

ExoFit™ Harnesses





- ExoFit[™] harness is the first of a new generation of harnesses designed from the ground up for maximum comfort and performance
- · Lycra® edging moves with you preventing uncomfortable rubbing or chafing enhancing comfort and
- The industry's first and only one-handed quick connect buckles make putting on, adjusting and removing the harness a snap and provide a memory fit - adjust the harness once and it stays that way
- · Wrap around no-tangle design slips on like a vest, making it quicker and easier to put on while provid-ing ventilation, comfort, padding and security
- · Adjustable non-slip chest strap with intuitive quick connect buckle
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse
- Meets or exceeds all applicable industry standards including CSA, OSHA and ANSI including the stringent ANSI Z359

Vest-Style	Back D-ring, loo	ps for belt, quicl	k-connect (QC) buckles
------------	------------------	--------------------	------------------------

Part #	Size	
DBI1110100C	SM	
DBI1110102C	LG	
DBI1110101C	MED	
DBI1110103C	XI	

Vest-Style - Back D-ring, loops for belt, tongue buckle (T&B) leg straps

Part #	Size
DBI1110125C	SM
DBI1110127C	LG
DBI1110126C	MED
DBI1110128C	XL

Construction Vest Style - Back D-ring, sewn-in hip pad/belt, side D-rings,

		I OLD IEU SU aps
Part #	Size	
DBI1110175C	SM	
DBI1110177C	LG	
DBI1110176C	MED	
DBI1110178C	XL	

Construction Vest Style - Back D-ring, sewn-in hip pad/belt, side D-rings, QC buckles

Part #	Size
DBI1110150C	SM
DBI1110152C	LG
DBI1110151C	MED
DBI1110153C	XL

Vest-Style Part # Size DBI1107975C SM DBI1107976C MED DBI1107977C LG DBI1107981C XL Back D-ring, loops for

belt, quick-connect buckles

Construction Vest Style		
Part #	Size	
DBI1108500C	SM	
DBI1108501C	MED	
DBI1108502C	LG	
DBI1108507C	XL	Back D-ring, sewn-in hip pad/belt,



















Delta™ II Harnesses







- Delta No-Tangle [™] design for added comfort and easy donning
- Spring loaded stand-up back D-ring ensures fast, easy and safe connections
- Meets or exceeds all applicable industry standards including CSA, OSHA, ANSI and the stringent ANSI Z359

Vest-Style Part #	Description	Size
DBI1102000C	Back D-ring, tongue buckle leg straps	Univ.
DBI1101252C	Same as above	XL
DBI1101254C	Back D-ring, tongue buckle leg straps,	Univ.
	shoulder retrieval D-rings	
DBI1101257C	Same as above	XL
DBI1103321C	Back D-ring, pass thru buckle leg straps	Univ.
DBI1101776C	Same as above	XL
DBI1110600C	Back D-ring, quick-connect buckle leg	Univ.
	& chest straps	
DBI1110601C	Same as above	XL

Construction	_	
Part #	Description	Size
DBI1102526C	Back D-ring, tongue buckle legs, loops for be	lt Univ.
DBI1102529C	Same as above	XL
DBI1102201C	Back & side D-rings, belt with sewn-in hip &	SM
	shoulder pads, tongue buckle leg straps	
DBI1101654C	Same as above	MED
DBI1101655C	Same as above	LG
DBI1101656C	Same as above	XL
DBI1110575C	Back & side D-rings, quick-connect buckle	SM
	leg & chest, belt w/ sewn-in back pad	
DBI1110576C	Same as above	MED
DBI1110577C	Same as above	LG
DBI1110578C	Same as above	XL

Cross-Over Style		
Part #	Description	Size
DBI1102010C	Front & back D-ring, pass thru buckle	Univ.
	leg straps	
DBI1101855C	Same as above	XL

PRO™ Industrial Harnesses







- PRO™ Harnesses have an ergonomically designed chassis for better fit and function
- · Lightweight padding enhances comfort making this a true all-day harness
- · All are equipped with firm, lightweight comfort pads around the back D-ring and shoulders and
- · Spring loaded torso buckles for quick and easy
- Approved to CSA standards

Vest-Style - Pro, Vest style, back D-ring, pass thru buckle legs

rail#	Size
PRT1191200C	SM
PRT1191201C	M/L
PRT1191202C	XL

Pro, Vest style, back D-ring, tongue buckle legs Part # Size PRT1191236C SM PRT1191237C M/L PRT1191238C XL

Construction harness, back-D-ring, side-D-rings, hip pad, tongue buckle belt and legs Part # Size PRT1191208C SM PRT1191209C M/L PRT1191210C XL

Pro, Vest Style, back and leg padding, quick connect legs & chest, back D-ring Part # Size PRT1191252C SM PRT1191253C M/L PRT1191254C XL



Harness Accessories

Part #	Description
DBI9501403C	Suspension Safety Straps (1 pair), fits most harnesses
PRTAB011C	Extension, D-ring, 18", screwlock fastener
DBI1201117C	D-ring extension with self locking snap hook x 18"

















EZ Stop® II Shock Absorbing Lanyards









1221460C



Every DBI-SALA lanyard combines super strength and ease of use withoutsacrificing safety. All lanyard hardware is proof tested to meet or exceed industry standards before you even get it. Standard on all DBI-SALA lanyards are our patented, userfriendly self locking snap hooks. They allow you to open and close the hook even with gloves on without getting your thumb or fingers in the way, they're industry preferred!

- 1" polyester webbing for durability and longevity
- · Soft cover shock absorber for comfort
- · Meets or exceeds the CSA Z259 requirements for E4 & E6 classification

CSA E4 CLASS 100-254 lbs

CSA E6 CLASS 200-386 lbs

Part #	Description	Size
DBI1220006C E4	1" web, snap hook at ends x 6ft.	
DBI1220256C E4	1" web, adjustable, snap hook at ends x 6ft.	
DBI1220416C E4	1" web, 100% Tie-Off, 2 1/2" gate leg ends x	6 ft.
DBI1221106C E4	1" web, snap hooks at ends, floating D-ring	
	allowing lanyard to be choked off x 6 ft.	
DBI1220850C E4	1" web (polyurethane coated), snap hooks x	6 ft.
DBI1221460C E4	Retracts & expands 2-1/2 to 6 ft., 1-3/8" web,	hooks, 6 ft.
DBI1225006 E4	Force2™ 1" web x 6 ft.	
DBI1242226C E6	1" web, snap hook at ends x 6ft.	
DBI1242250C E6	1" web, adjustable with snap hook at ends x 6	6 ft.
DBI1242326C E6	1" web, 100% Tie-Off w/2109193 steel rebar	hook (2-1/2"
	gate opening) at leg ends, snap hook at othe	r x 6ft.

Rope Positioning Lanyards







- * Available in 3', 4', 5', and 6' lengths
- * Includes two AJ520A double locking snaphooks
- * Red plastic eyelets permanently deform if subjected to an impact load and reduce wear on rope
- * Complies with CSA, OSHA 1926 standards for positioning devices
- * Available in polyester

Part #	Description
PRTAL340C-4	5/8" rope, with AJ6650A (.75" gate) snap hooks - 4'
100	PRTAL340C-6 - 6'
PRTAL340CA-6	5/8" adjustable rope with AJ6650A (.75" gate) snap
	hooks - 6'

Protecta Shock Absorbing Web Lanyards







- Shock absorber unit encased in UV-Resistant transparent plastic for easy inspection
- * 100% back-up strap (in shock absorber unit) minimizes impact load
- * Keeps impact forces to below 900 lbs.
- * Complies with CSA, OSHA 1926 and ANSI Z359 standards for deceleration devices

Part #	Description
PRTAE560C-4	1" web, AJ6650A (.75") snap hook each end, impact
	indicator - 4', PRTAE560C-6: PRTAE560C-4 w/ 6'
PRTAE525C	Shock pack only with D-ring and snap hook, 18"
PRTAE542CPW24	1.75" web, with AJ6650A (.75" gate) snap hooks - 4',
	PRTAE542CPW26 - 6'
PRTAE544CPW24	1.75" web, with AJ6650A (.75") and AJ595A (2" gate)
	snap hooks - 4', PRTAE544CPW26: 6'
PRTAE555CW2-6	1.75" web, with AJ6650A (.75") and AJ595A (2" gate)
	snap hooks - 6' 100% Tie-off

Sealed Blok™ Self Retracting Lifeline







- · New sealed design keeps the critical working components (brake, power spring, energy absorber) free of dirt, grease, water and chemicals.
- · Built-in carrying handle makes transport and anchoring safe and easy. It also provides a secondary "dropped objects protection" attachment point.
- Large pivoting anchorage handle stays in line with load for added security and allows use of a variety of connecting hardware.
- Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs for added safety.
- · Cast aluminum housing and heavy guage steel end plates resist damage and provide corrosion resistance.
- Self locking swivel hook with impact indicator makes connections easy, and provides a visual means of inspection.
- · i-Safe™ Intelligent Safety System is built into every unit to track inspections, control inventory and manage information.
- · Meets OSHA, CSA & ANSI requirements.

Part #	Description
DBI3400825C	15 ft., 3/16" galv. steel wire rope, swivel snap hook
DBI3400800C	30 ft., 3/16" galv. steel wire rope, swivel snap hook
DBI3403400C	50 ft., 3/16" galv. steel wire rope, swivel snap hook
DBI3403500C	85 ft., 3/16" galv. steel wire rope, swivel snap hook
DBI3403600C	130 ft., 3/16" galv. steel wire rope, swivel snap hook

















Ultra-Lok® Self-Retracting Lifeline







- · Stainless steel working components for corrosion
- 3/16" galvanized steel wire rope for durability Reserve lifeline retention system for added safety
- Self-locking swivel snap hook with impact indicator
- Swiveling anchorage loop to prevent twisting of
- Meets or exceeds all applicable industry standards including CSA, OSHA, ANSI and the stringent ANSI Z359

Protecta® Self Retracting Lifeline







- Utilizes 3/16" galvanized cable
- Zinc coated internal components
- Shock-Resistant thermoplastic casing
- Begins fall arrest within 2'
- Red end-of-travel indicator
- Incorporated energy dissipation element
- · Double locking swiveling snaphook on lifeline, carabiner on housing
- Complies with CSA, OSHA 1926 and ANSI Z359.1 (2007) standards
- Two year warranty

Part #	Description
DBI3504433C	20 ft., 3/16" galv. steel wire rope, thermoplastic housing
DBI3504430C	30 ft., 3/16" galv. steel wire rope, thermoplastic housing
DBI3504450C	50 ft., 3/16" galy, steel wire rope, thermoplastic housing

Description AD110BC 10' web AD120BC 20' web 3590502 33' galv. 3590503 33' ss 35905552 50' galv.

Talon™ Quick-Connect SRL's







Concrete D-ring Anchor








- Re-usable D-ring assembly, just install a new bolt and it's ready for use again
 Safe "hook-up" indicator notifies the user the an-
- For flexibility, install into 11/16", 18mm or 3/4" holes only standard drill bits needed
- 5,000 lb. rated, OSHA compatible connection point swivels 360 degrees for safety and usability
- Meets or exceeds all applicable industry standards including OSHA, ANSI and ASTM E488 Standard Test Methods for Strength of Anchors

Part #	Description	
DBI2104560	Single Bolt	D-ring
DBI2104561	5 Bolt	D-ring
DBI2104562	11 Bolt	D-ring
DBI2100066	10-Pack of repla	cement bolts for Concrete D-ring Anchor



















Roof Anchor







- Additional D-ring anchor point for connection of a lanyard, lifeline or Sayfline™ synthetic horizontal lifeline for complete versatility
- Swiveling design provides 360 degree mobility and accommodates a 30 ft. or 50 ft. Ultra-Lok® self retracting lifeline (order separately)
- Meets or exceeds all applicable industry standards including OSHA and ANSI

Part # Description

DBI2105683 For wood & metal decking

Disposable Anchor Strap







- Disposable anchor strap is for temporary anchorage on concrete forms
- Once concrete sets, a safe 5,000 lb. fall arrest anchorage point exists
- Durable 1-3/4" polyester webbing construction for ultimate abrasion resistance
- Meets all industry standards including OSHA, ANSI and the stringent ANSI Z359

Part # Description DBI2100050 Concrete Anchor Strap with D-ring, 3-1/2 ft

Glyder2 Sliding Beam Anchor







- Extremely lightweight at only 3.7 lbs (1.66 kg), with a user capacity of 420 lbs. (189 kg) and a minimum breaking strength of 5,000 lbs (22kn)
- Meets or exceeds all applicable industry standards including OSHA, ANSI A10.32 Z359.1 and EN795

Part # Description DBI2104700 Glyder2 sliding beam anchor, fits 3-1/2"-14" wide flange up to 1-1/4" thick (use with Force2™ when using at workers feet)

Webstrap Anchor Sling







- 5,000 lb. anchorage point
- 3" scuff/cut guard provides extended life
- Meets OSHA 1926 & ANSI Z359 standards

Description PRTAJ450C-3 3 ft. yellow PRTAJ450C-6 6 ft. yellow

Coated Wire Rope Sling with **Anchor Ring**







- Galvanized steel construction-available in stainless steel-Part # AJ408AS
- 5,400 lb. rated anchorage point
- Meets OSHA 1926 & ANSI Z359 standards
- · Image shown without coating

Part # Description PRTAJ408CG-4 4 ft PRTAJ408CG-6

Saflok® Steel Carabiner







- 3/4" gate opening
- Meets or exceeds all applicable industry standards including CSA, OSHA and the new 2007 ANSI Z359 standard

DBI2000524 Steel, self closing/locking gate (3/4" gate opening)

Compliance in a Can with **Self Retracting Lifeline**







- · Full body harness
- Rope grab w/S.A.
 50 ft. Lifeline
- 1 roof anchor

Part # Description PRTCOMPKIT51 Roofer's kit with 1191201C, AC203C-SA2, 50' of lifeline & AJ730A roof anchor

The Fastener Group



















Sayfline™ Cable Horizontal Lifeline System





- Sayfline $\ensuremath{^{\text{TM}}}$ system is a complete kit that is easily installed with no special tools or equipment
- Incorporates the Zorbit™ shock absorber for added safety, it allows you to use a standard 5,000 lb. Rated anchorage connector such as our tie-off adaptor, fixed beam anchor, D-ring anchorage plate, etc.
- System length = 20 ft. (30, 40, 50, 60, 70, 80, 90 and 100 ft. systems are also available)
- Meets or exceeds all applicable industry standards including OSHA, ANSI and CSA


rait#	Description
DBI7602060	60 ft. Sayfline system,
	turnbuckle. Zorbit ener

3/8" cable, wedgegrip, rgy absorber

EZ-Line™ Retractable Horizontal Lifeline System







Customize your system length in any increment up to 60 ft (40 ft. in Canada)

- 33% lighter than conventional system.
- · Provides hands free horizontal mobility and continuous protection for 2 users per span, up to 6 users per system.
- · Meets CSA standards

Part # Description DBI7605063 40 ft in length, tension and impact indicators

SecuraSpan® Horizontal Lifeline System





- · SecuraSpan® system comes with everything needed and is installed with novspecial tools or equipment - No system "tie-back" is neces-
- Bypassable design and unlimited system length provides 100% protection and flexibility
- Includes a Zorbit® energy absorber with turnbuckle for added safety and tensioning of the
- Standard size fits flanges up to 12" wide, and 2-1/4" thick (optional base clamps available to fit 18", 24" or 36" wide beams)
- System length = 20 ft. cable assembly with fastening hardware (30, 40, 50 and 60 ft. systems are also available)
- · Meets or exceeds all applicable industry standards including OSHA, ANSI and CSA

Part # Description DBI7400160 60ft, incl. two stanchions, 3/8" cable ass'y and Zorbit energy absorber. Other lengths and components available

Lad-Saf® Flexible Cable **Ladder Safety System**





imposed on the ladder structure Locked on for hands-free movement! The swiveling Lad-Saf® sleeve, attached by carabiner to your Delta No-Tangle™ harness, prevents falls by locking onto the cable. It is easily attached or removed anywhere along the cable and automatically follows as you climb or descend

absorbing design uses an elastomeric impact attenuator to substantially reduce the forces

- Easily install the Lad-Saf® system with standard wrenches. The unique built-in tension tells you precisely when the system is at the proper tension
- Built-to-last from corrosion resistant materials, the system is galvanized for amaintenance free life. For harsh environments, use the complete stainless steel system
- Options, options! Designed for ease of use, economy and versatility, youcan bolt or weld the system, choose rung clamp sizes/ styles, choose systems for straight or curved ladders and for connection to wood, concrete or steel structures
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z 359 and CSA

Part #	Description
DBILADSAF-60	Ladder safety system, 3/8" cable, 60 ft in length
DBI6116502	Detachable sleeve w/2000524 carabiner

DBI Advanced 5 Piece Hoist System

Other lengths and components available







- 12" 29" Adjustable Offset Mast (pt# 8518001)
- 33" Lightweight Lower Mast (pt# 8518002)
- Three-Piece Lightweight Base (pt# 8518005)
- · Winch and SRLs sold separately.

Part #	Description
DBI8518000	Advanced 5 Pce Hoist System includes 12"-29"
	adjustable offset upper mast (8518001), 33"
	lightweight lower mast (8518002), and 3 pc
	lightweight base (8518005). Includes winch
	mount brackets.
DBI8525001	Basic Hoist System, incl. folding hoist, winch x
	40ft. galvanized and brackets



















Aluminum Tripod







- · 7 ft. aluminum tripod is lightweight and portable, easily set-up by one worker and can be transported from one location to another just as easy (model 8000010 is 9 ft. tall)
- Adjustable locking legs adjust quickly in increments of 2-3/4" for added versatility and are kept in position with locking push pins - adjusts from 5 ft. to 7 ft. height and will span a 5 ft. diameter hole
- Complete with quick-mount bracket for attachment of DBI/SALA mechanical device for ease
- Rated working load is 350 lbs. for work support and 310 lbs. for fall arrest, can withstand up to
- 5,000 lbs. of vertical pull Meets or exceeds ANSI Z359.1, ANSI A10.14 and OSHA requirements

Part #	Description
DBI8000000	7 ft. aluminum tripod w/adjustable locking legs,
	safety chains, rubber safety shoes containing
	spiked edges, top pulley assembly & mounting
	bracket base (8005048).
DBI9503094	Carrying bag for 7 ft. tripod (8000000)
	9' Tripod and bag also available

Salalift® II Winch







- Easy Operation; raise or lower personnel or materials. Gear ratio is 6:1 with an average lifting speed of 12.75 ft/min. (no power source is required)
- 60 ft. of 1/4" galvanized steel cable complete with carrying bag (60, 90 and 120 ft. lengths available in galvanized or stainless steel)
- Lightweight Design; 35 to 37 lbs. depending upon model for ease of use
- Quick-Mount System; incorporates a quickmount bracket which mates with a bracket on all DBI/SALA support structures allowing the user to attach/detach device with a detent pin and makes retrofitting easy (no additional hardware needed)
- Meets or exceeds all industry regulations including OSHA and ANSI

Part #	Description	
DBI8102001	Winch w/ 60 ft. of 1/4" galvanized cable,	
	mounting bracket & winch had	



SAFETY EQUIPMENT

Part #	Description	
PRTAK515CG-TPSW	Confined 50 ft. space kit includes tripod, retrieval SRL,	
	winch, pulleys and storage bags	
PRTAK515CG-TPW	Confined space kit includes tripod, retrieval 50 ft.SRL,	
	pulley and storage bags	

Sealed SRL with Retrieval Winch







- · Stainless steel and cast aluminum housing for corrosion resistance
- 50 ft. 3/16" galvanized steel wire rope for durability (50, 85 and 130 ft. lengths in galvanized or stainless steel are available)
- Quick-mount bracket (model 3401065) enables user to attach to a DBI/SALA support structure with ease
- · Meets or exceeds all applicable industry standards including CSA, OSHA, ANSI and the stringent ANSI Z 359

Part #	Description
DBI3403402C	Sealed SRL w/ emergency retrieval, 50 ft. of
	3/16" galv. cable, indicator hook
DBI3400115C	3403402 w/ 3401065 mounting bracket and
	9503515 carrying bag

The Fastener Group

















i-Safe™ Premium Handheld **Personal Computer**





i-Safe™ is exclusive to DBI-SALA and provides a multitude of benefits for the safety conscious. It uses Radio Frequency Identification (RFID) technology to provide quick access to inspection, inventory and information. The inspection feature allows the user to access predetermined questions to inspect and record the inspection without accessing files or notes through the use of a hand-held PC. The system is paperless and reduces the time of inspecting and recording inspections by well over 30%.

- Ideal for data collection in rugged environments
- User friendly design built with ergonomic efficiency in mind
- Tough, impact resistant housing with optional foam boot for added protection
- Integrated RFID scanner that won't get lost

Part #	Description
DBI9000038	i-Safe™ Enabled handheld PC ready for use with
	i-Safe™ Mobile (with cradle)
DBI9503818	i-Safe™ Universal Rigid Retro-Fit Tag, 6-Pack w/ zip-tie,
	adhesive pad and key-ring
DBI9503819	i-Safe™ Universal Rigid Retro-Fit Tag, 25-Pack
	w/ zip-tie, adhesive pad and key-ring
DBI9502059	i-Safe™ Soft Choker Retro-Fit Tag, 6-Pack
DBI9502553	i-Safe™ Soft Choker Retro-Fit Tag, 25-Pack
DBI9502425	i-Safe™ Cable/SRL Retro-Fit Tag, 4-Pack

Perimeter Debris Net System





Description

A variety of sizes are available. Call customer service for more details

- Single floor, fully adaptable light duty perimeter debris netting system for concrete
- Contains jobsite debris from construction activities
- Catches bricks, concrete blocks, hand tools, and general construction debris
- Meets ANSI and OSHA standards
- The entire system can be moved up to the next floor level as construction progresses
- Provides security and safety to workers, the public and equipment
- Easily installed from one level without the use of a crane or specialized equipment

Hi-Vis Work Vest & Harness





- · Neon yellow and orange vests meet ANSI/ ISEA & CSA Class 1 and 2 standards
- · Lightweight and unique polyester fabric provides exceptional breathability
- · Reflective Orange or Yellow Work Vest Har-
- Back D-ring
- · Tongue buckle legs

Part #	Size	Colour
DBI1107404C	Universal	Reflective Orange
DBI1107420C	Universal	Reflective Yellow

Rollgliss® Rescue Ladder





- · The steps are staggered instead of straight across making climbing fast and easy.
- Ladder is synthetic and lightweight making transportation and storage fast and easy
- · Available in 8 ft (2.4m) sections. Extra sections can be added to lengthen for specific site requirements

Part #	Description
DBI8516294	Ladder w/carabiners and carry bag
DBI8516316	Accessory plate for mounting rescue ladder to
	a davit arm or single anchorage point.

EZ Stop™ Single Leg **Shock Absorbing Lanyard**





- 1" polyester webbing for durability and longevity SafLok Max^{TM} 3' (76mm) gate opening hook on one end, 6 ft. in length
- · Limits arresting forces to 900 lbs. or less

Part #	Size	Туре
DBI1240211	6' EZ Stop™	Single leg

Chain Rebar Assembly with SafLok Max™ hooks





- · Twist link chain rebar lanyard for restraint and positioning
- Swiveling aluminum hook (2-1/4" opening) at center, 24 inches in length
 SafLok Max™ 3" opening hooks at leg ends

Type DBI5920059 2' Chain 2 1/4" Opening at center

The Fastener Group

















Workman™ Fall Protection Harness





Vest Style

- · Abrasion-resistant, strong, durable webbing
- Yellow polyester webbing for high visibility
- Single Back D-Ring
- Easy to Don & Adjust
- Integral Fall Indicator
- CSA, OSHA and ANSI approved
- · Standard Size to Fit Wide Variety of Workers

Construction Style

- · Includes integral shoulder and back pad for added comfort
- · Abrasion resistant, strong, durable webbing
- Yellow polyester webbing for high visibility
- · Includes Back and Hip D-Rings for work positioning
- Easy to Don & Adjust
- · Integral Fall Indicator
- · CSA, OSHA and ANSI approved
- · Standard Size to Fit a Wide Variety of Workers

Part #	Description
MSA10072479	Workman Harness Vest Style
MSA10077571	Workman Harness Construction Style

TechnaCurv® Full Body Harness





Part #



- Curvilinear Comfort System
- Visco-Elastic Shoulder padding
- Innovative web design
- Secure-Fit buckles
- Sorbtek fabric on shoulder and sub-pelvic
- Meets ANSI Z359.1, A10.32, all applicable OSHA regulations, and is CSA certified
- Padded shoulders with Front, Back and Hip D-Rings

TechnaCurv® Construction Harness





- · With integral belt that includes a Dual Durometer back pad for superior comfort
- With Belt Loops for total flexibility of adding any belt of your choice
- Shoulder pads and integral ,umbar and tool
- · Back and Hip-D Rings
- · Tongue leg buckles





Part # Description MSA10054402 **Construction Harness**

TechnaCurv® Construction Harness





Part # Description MSA10072474 Workman Adjustable Lanyard Locking Snap Hooks MSA10076124 Workman Adjustable Lanyard w/Rebar Snap Hook MSA10073708 Workman Adjustable Y-Lanyard Locking Snap Hooks MSA10072475 Workman Adjustable Y-Lanyard w/Rebar Snap Hooks

MSA10041611 Full Body Harness

Description

















Workman™ Fall Protection Harness







- Integral shock absorber limits fall arrest forces to 900 lbs or less
- · Visual impact load indicator to alert user when unit has been subjected to an impact
- Swivel snaphook to prevent birdcaging or kinking of lifeline
- · CSA, OSHA and ANSI approved
- Require re-certification 2 years from date of manufacture and annualy thereafter

Part #	Description
MSA10006470	DynaLock Self Retracting Lifeline, 30'
MSA10006468	DynaLock Self Retracting Lifeline, 50'

MSA Rebar Chain Assembly



- Designed for work positioning applications
- Incorporates 2 1/4" snap hook for rebar connection Two LC snaphooks for connection to hip D-Rings

Part # Description MSA10044811 Rebar Chain Lanyard

MSA Rebar Chain Assembly







- · Quickly and easily removed and reinstalled in another location
- Compact and lightweight
- · Durable stainless steel and aluminum construction
- 400 lb capacity 2 models: 5000 lb version (5K) and 10,000 lb (10K) version

Part #	Description
MSA10081594	5K Removable Concrete Anchor
MSA10081570	10K Removable Concrete Anchor

MSA Sure-Line™ Horizontal Lifeline





- · Allows for quick and easy installation
- System is approved for 2 workers
- · Provides workers fall protection for 60' of horizontal movement
- · Incorporates integral shock absorber
- Uses a 3/8", 6x36 galvanized cable
- · Incorporates a combination clamp/thimble that allows for effortless tensioning of lifeline

Part # Description

MSASHL2009060 60FT Sureline Horizontal Life Line

MSA Dyna-Line™ Horizontal Lifeline





- Includes integral energy absorber 5/8" black nylon kernmantle rope
- Rated for two workers
- Includes 2 cable anchor slings
- Includes storage bucket

Part # Description

MSA10013153 60FT Rope Horizontal Life Line

SURETYMAN™ RESCUE UTILITY SYSTEM





- · Pulleys equipped with a built-in auto reversing lock
- · Only a 10 lb force is all that is required to hold a 220 lb (90 kg) load
- Rapid deployment
- · Virtually maintenance free
- Rated for 2-person hold
- Compact and light weight with a standard system weight of 17 lb (7.7 kg)
- Multi-purpose ascent or descent
- Rated capacity of 600 lb (272 kg) for personnel and materials
- Standard rope length of 200 ft (66m) with a maximum rope length of 800 ft (267m)

Description Rescue Utility System (200' length) MSASRS15200

















RITE-ON II Harnesses





- · Open cell foam padding size reduced by 20%
- Now offering Two (2) Sizes
- · Reflective silver piping
- Web management system
- · Removable 11" Comfort Leg Pad
- · Molded lanyard keepers
- · Protective label pouch
- Quick bayonet connectors
- · Fall arrest indicator





Part #	Description
NTHFP81T/1DBA	Back D-ring / CSA class A
NTHFP81V/3DDA	One back, two side D-rings / CSA class AP / Belted
NTHFP81V/6D3	One back, two side, one sternal, two shoulder D-rings
	CSA class APLE / Belted
NTHFP81V/6ED3A	One extended back D-ring, two side, one sternal, two
	shoulder D-rings / CSA class APLE / Belted

Universal Size Fall Arrest Harness









- · Universal size plus XL Accommodates a wide range of body types.
- Lightweight polyester webbing Offers superior UV and chemical resistance.











A = FALL ARREST CSA Group A P = WORK POSITIONING CSA Group P

D = DESCENT CSA Group D
L = LADDER CLIMBING CSA Group L
E = EVACUATION/RETRIEVAL CSA Group E

Part #	Description
NTHFP759/1DP	Fall Arrest
NTHFP759/5DP	Evacuation/Retrieval

Lanyards with Soft Pak







- Soft Pak shock absorbing lanyard design Proven over years of service, the Soft Pak effectively limits maximum arrest force (MAF) to less than 900lbs.
- Easily visible deployment The slightest deployment of the Soft Pak is clearly visible, aiding equipment inspection and identification of lanyards that have been subjected to a fall equivalent load and should be withdrawn from service.
- · Lightweight polyester webbing Offers superior UV and chemical resistance.
- · Y-Lanyards available Provide 100% tie-off.
- Wide range of connectors available For connection to a variety of different sized anchor points.
- CSA approved and ANSI/OSHA compliant Suitable for use in all industries throughout North America.

Part #	Description	Length
NTHFP26322	1-3/4" Soft Pak	4', 6' Length
NTHFP26329	1-3/4" Soft Pak	4', 6' Length
NTHFP2562GG	1" Soft Pak	6' Length
NTHFP28822	Nylon Decelerator	4', 6' Length

Roofer's Kit





Lightweight Universal Harness (FPD698/1DP386), with Soft Pack energy absorbing lanyard and Rope Grab, permanently attached. 3-Strand Copolymer Rope of 5/8" (16 mm) 25ft (8 m) or 50ft (16 m) (FP16E/PSxx), (2) Roof Bracket (FP90B), (1) Carabiner Connector (FP86), (10) 4" (100 mm) Nails

Part #	Description	Length
NTHFPD90/50	Roofer's kit	50' (16 m)

Vertical Lifelines - 3 Strand Rope



		by Fibridy won	
art#	Description	Length	
NTHFP16E/PS	5/8" (16mm) 3-strand 10,000 lbs	25', 50', 100'	

Pa

















SAFETY EQUIPMENT FALL PROTECTION & RESCUE

Web Loop Sling





- Designed to couple fall arrest lanyard to ancorage
 Each flexible anchorage connector has min. strength of 5,000lbs (22kN)
 Can be used for a variety of fall arrest applications

"Suitable for concrete pour apps"



Part #	Description	Size
NTHFP242	Tiny 'n Tough (TnT) Web Loop Sling	2', 3', 4', 6'
NTHFP09/3	Heavy Duty Nylon Web	3'

Mounting Bracket for FP2 Series





Part #	Description
NTHFP6610/15	Brackets for FP2 series SRL and winch housing types

FP2 Series Winches





Part #	Description	
NTHFP2/715SR	Access/egress personnel winch, 50' stainless steel cable	
NTHEP2/415SR	3-Way Rescue winch/SRL 50' stainless steel cable	



Part #	Capacity	Storage Length	Weight
NTHFP6600/7	Tripod, 310 lbs	4.5 ft	29 lbs.
NTHFP6600/10	Tripod, 310 lbs	6 ft	34 lbs.



















SAFETY EQUIPMENT FALL PROTECTION & RESCUE

Arsenal® 5504 34-Pocket **Synthetic Tool Rig**





- Framer/Builder Tool Rig: Large capacity, 34-pocket poly tool rig for framing and general carpentry. 3-Inch base layer tool belt with vented foam padding
- 1680D Ballistic Polyester
- · Reinforced bindings, semi-rigid
- · Abrasion-resistant PVC-reinforced pouch bases
- Tape holder large (5571)
- Nickel-plated hammer holder (5575)
- Padded Suspenders sold separately (5560)
 Fits waist sizes 29"-44";

Part #	Size
ERG5504	Large,XL

Arsenal® 5560 Padded Tool Rig Suspenders





- Padded Tool Rig S uspenders: Gel shoulder pads and quick adjust feature make 'em too good.
- 1680D Ballistic Polyester
- · Thick, vented foam padding for comfort
- · Gel at key ride points for optimal comfort
- · Quick adjust suspender style
- · Nickle-plated, spring-loaded, pivoting clips
- · Cell phone holder
- · Clips to any belt or rigd separately (5560)
- Fits waist sizes 29"-44'

Part # Size ERG5560 Large,XL

Arsenal® 5522 16-Pocket Tool & Fastener Pouch





- · Framer/Builder Tool Pouch: 16-pocket synthetic pouch for tools and fasteners.
- 1680D Ballistic Nylon
- · 4 main pockets for fasteners and tools
- Nickel-plated hardware and angled hammer loop
- Detachable tape measure pocket
- · Diamond PVC bases with patent pending Storm

Part # Size ERG5522 One Size

Arsenal® 5400 Framer/Builder Leather Tool Rig



- Framer/Builder Tool Rig: 21-pocket top grain tool rig for Framing and general carpentry
- Ranger Style Belt (5450)
- 11 Pocket Tool Pouch (5422)
- 10 Pocket Fastener Pouch (5432)
- Hammer Holder (5475)
- · Premium Top Grain Leather
- · Screened nickel-plated Storm Drains
- Nickel-plated hardware

Part #	Size
FRG5400	M I XI 2XI 3XI

Arsenal® 5808 Widemouth **Tool Organizer • Long**





- · Widemouth Tool Organizer-Long: Organize your long tools and haul your Sawzall anywhere
- 1680D Ballistic Polyester
- 28 Pockets: 12 exterior, 16 interior
- Wide, reinforced opening
- · Molded rubber base
- Nickel-plated hardware
- · Detachable phone holder, parts organizer & junk pouch
- YKK zippers
- Bio-curved padded shoulder strap and carry handle

Part # ERG5808 25"L X 10"W X 14"H

The Fastener Group



Part Number

REGSAFETYBOOT

he Safety Boot[®] Guardrail System provides contractors with a proven method for constructing versatile, freestanding temporary guardrail and stair rail systems that meet OH&S guardrail regulations. The fully reusable Safety Boot features a unique design that allows toeboards to be inserted quickly and easily for complete OH&S required protection.



Multi-Family Applications



Commercial Applications



Commercial Applications



Residential Applications



Extras Provided With ALL Orders

- ◆ Certified Stress Engineering Report
- Fastener Specifications
- Drill Adapter(s) for Fast Installation
- Specified Fender Washers



MADE IN CANADA







EXCEEDS ALL CANADIAN OH&S REQUIREMENTS!!!



















GAS DETECTION

ALTAIR® Maintenance-Free Single-Gas Monitor





- Dual LEDs positioned to be seen from all
- angles Standard vibrating alarm and standard event
- logging
- Hard polycarbonate case, encapsulated in a thick rubberized shell
- Extremely resistant to drops and impacts
- Rated to IP67 protection levels for dust/water
- Two years or 18 hours of alarm (1080 minutes)

Part #	Gas Type
MSA10092521	H2S Altair, 10 ppm and 15 ppm alarm setpoints
MSA10092522	CO Altair, 25 ppm and 100 ppm alarms setpoints
MSA10092523	O2 Altair, 19.5% and 223% alarm setpoints

ALTAIR® 4 Multigas Monitor





- · MotionAlert feature pluis audible, visual, and vibrating alarms
- · Most rugged instrument available
- · Large buttons for easy operation
- 20-hour battery run time when fully charged
- Tested to IP67
- Galaxy® System compatible
- Global approvals
- Economically priced
 MSA Link™ Software-ready
- QuickCheck™ Test Station available for fast, easy bump testing

Part #	Gas Type
MSA10089091	CO, H2S, O2 and LEL detector with Lion battery
MSA10099094	CO, H2S, O2 and LEL detection with MotionAlert
	feature and Lion Battery









- · Standard web browser accessibility for data retrieval and reporting
- System does not require a computer or network interface
- Single button operation
- Minimal training required
- 2-year warranty
- Economically priced
- Calibration gas sold separately

3,		
Part #	Gas Type	
SA10089997	Galaxy Automated test station for Altair 4,	
	four (4) gas instruments	
MSA10078254	Galaxy Automated test station for Altair single	
	gas instrument	



Calgary Fasteners & Tools Ltd.

Offers Gas Monitor Rentals

#1, 1288 - 42 Avenue SE Calgary, AB T2G 5P1 Tel: (403) 287-5340

www.calfast.com

Fax: (403) 287-5382

















GAS DETECTION

TR4021 - Carbon Monoxide Combustibles*





Applications: Enclosed parking garages, vehicle repair facilities, mail & courier depots, propane forklift areas, manufacturing facilities, boiler rooms, ice rinks, fire halls, refrigeration/mechanical rooms

- Solid state (MOS)
- 4-20 mA
- · up to 10 year sensor life
- Economical
- · Non linear output
- · Cross sensitive to other gases

(DC) (CO) (CB)	12-30 VDC Carbon Monoxide Combustibles R-22 R-134(A) Ammonia	0-400ppm 0-1%/Vol. 0-500ppm 0-3000ppm 0-100ppm
Specif Set-Po	y Low & High Alarm int Concentrations	

Part # Gas Type AIRTR4021

TR4023 - Toxics*





Applications: Parking structures, loading docks (diesel) diesel repair facilities, manufacturing facilities, H2 battery charging/storage, CI2 water treatment, H2S water treatment, O2 inert gas storage, MRI rooms, NH3 cold storage/refrigeration

- High accuracy
- · Linear output
- Gas specific

(DC)	12-30 VDC	
(CO)	Carbon Monoxide	0-200ppm
(NO2)	Nitrogen Dioxide	0-10ppm
(H2)	Hydrogen	0-10,000ppm
(CI2)	Chlorine	0-5ppm
(02)	Oxygen	0-25%
(H2S)	Hydrogen Sulfide	0-200ppm
(NH3)	Ammonia	0-50ppm
Specify (Sas To Be Measured	

Part # Gas Type AIRTR4023

TR4022 - Carbon Monoxide*





Applications: Enclosed parking garages, vehicle repair facilities, mail & courier depots, propane forklift areas, manufacturing facilites, boiler rooms, ice rinks,fire halls

- · As economical as solid state
- Linear poutput
- · Gas specific = high accuracy
- · Installs in any J Box

12-30 VDC Carbon Monoxide	0-200ppm

TR4024 - Combustibles*





Applications: Parking structures, propane storage facilities, manufacturing facilities, boiler rooms, propane forklift areas, landfill sites, combustible storage, battery charging/storage, non-classified areas

- High accuracy
- Linear output
- Cost effective for non-classified areas

12-30 VDC Combustibles Propane Butane Methane/Natural Gas Hydrogen 0-100% LEL Specify Gas To Be Measured

Part # Gas Type AIRTR4024

Part # Gas Type AIRTR4022

* Optional RS485 (Modbus)



















GAS DETECTION

TR4025 - Combustibles*





Applications: Propane storage facilities, manufacturing facilities, combustible storage, Class 1, Div 1 areas

- High accuracy
- · Linear output
- Explosion proof enclosure

12-30 VDC Combustib Propane 0-100% LEL Methane/Natural Gas Hydrogen

Specify Gas To Be Measured

Part # AWETR4025

AE4050 Single Channel - Carbon Monoxide/Combustibles





- · Up to 30 minute time delay, adjustable in 2 minute increments.
- 2 x 5 Amp
- Low cost control solution
- · Possible to parallel wire a number of controllers
- · Line voltage or 24 VAC
- · Time delay

Input: 12/24 VAC/VDC, 115 VAC, 240 VAC
Optional:
(H-AC) Remote horn alarm center
(SL-AC) Remote strobe alarm center
(HSL-AC) Remote horn & strobe alarm

Relays: TP1 TP2

Low trip point concentration High trip point concentration

Part # AWEAE4050

AE4052 Dual Channel - Carbon Monoxide/Combustibles





- · Up to 30 minute time delay, adjustable in 2 minute increments.
- 2 x 5 Amp
- · Low cost control solution
- · Possible to parallel wire a number of controllers
- · Line voltage or 24 VAC

	TimeChoi		ty of sensors
=			
		Input: 24 VA Optional: (H-S) (SL-S) (HSL-S) (H-AC) (SL-AC) (HSL-AC) Gas 1	C, 115 VAC, 240 VAC Horn mounted on AE4052 Strobe mounted on AE4052 Horn & strobe mounted on AE4062 Horn & strobe mounted on AE4062 Remote horn alarm center Remote stron & strobe alarm center Remote horn & strobe alarm cent Low trip point measurement val Low trip point measurement val Low trip point measurement val Ligh trip point measurement val
		Relays:	Fault Alarm Trin Doint

AE4001B Customized Multiple Point Controller





- · Highly Flexible Platform
- · Variety of control and interface options
- · Designed to customer's specifications
- For large applications

Input: 24 VAC, 115 VAC, 240 VAC Can be designed from 3 to 200 inputs or more.

Possible Custom Components include: displays, a variety of outputs, inputs, analog, custom control schemes and sequence of opera-

Part # AWEAE4001B

Intellisense®





Calibration and adjustments can be performed without opening the sensing head housing with the Intellisense® Infra red, hand-held, remote control device. Use of the remote control eliminates the need for hot work permits and area declassification during routine maintenance.

- Operation from up to 12 feet away
- Explosion proof sensor housing
- Large LED displays gas concentrations, diagnostics and user adjustable settings
- Plug-in sensor provides accurate reliable detection of gas and vapours

Gas measured - variety of toxic and combustible gases

Part # AWE400-888



Airwave Electronics offers a wide variety of toxic and combustible gas cylinders for calibration and bump testing.

* Optional RS485 (Modbus)

Part # AWEAE4052

















PROVINCIAL REGULATION FIRST AID KITS



Part #	Description	
British Columbia	Personal Kits	
AIDF89PN100	Nylon Kit (Pkgd in a nylon pack F010100)	
AIDF89PR000	Refill Kit (Pkgd in a ziplock bag)	
British Columbia	Basic Kits	
AIDF89BN260	Nylon Kit (Pkgd in a nylon soft pack F0626100)	
AIDF89BR000	Refill Kit Pkgd in a ziplock bag)	
British Columbia	Level 1 Kits	
AIDF891N300	Nylon Kit (Pkgd in a nylon soft pack F0630100)	
AIDF891R000	Refill Kit (Pkgd in a ziplock bag)	
British Columbia	Level 2 and 3 Kits	
AIDF892N270	Nylon Kit (Pkgd in a nylon soft pack F0627100)	
AIDF892R001	Refill Kit (Pkgd in a ziplock bag)	
Alberta Type "P"	(1 worker)	
AIDF88PN100	Nylon Kit (Pkgd in a nylon pack F0610100)	
AIDF88PR000	Refill Kit (Pkgd in a ziplock bag)	
Alberta Level 1	(2-9 workers)	
AIDF881P160	P16 Kit (Pkgd in a plastic box F0551610)	
AIDF881M160	M16 Kit (Pkgd in a round corner metal box F5011610)	
AIDF881N260	Nylon Kit (Pkgd in a nylon soft pack F0626100)	
AIDF881R001	Refill Kit (Pkgd in a ziplock bag)	
	(10.10	
Alberta Level 2	(10-49 workers)	
AIDF882P361	P36 Kit (Pkgd in a plastic box F0543610	
AIDF882M361	P36 Kit (Pkgd in a round corner metal box F0513610	
AIDF882N260	Nylon Kit (Pkgd in a nylon soft pack F0626100)	
AIDF882R000	Refill Kit (Pkgd in a ziplock bag)	
All t - 1 1 0	(50.400	
Alberta Level 3 AIDF883M021	(50-199 workers)	
	M02 Kit (Packaged in a metal cabinet F0515250)	
AIDF883N040	Nylon Kit (Pkgd in a nylon soft pack F0604100)	
AIDF883R000	Refill Kit (Pkgd in a zip lock bag)	



Part #	Description		
Saskatchewan	Level 1 (1-10 workers)		
AIDF871P160	P16 Kit (Pkgd in a plastic box AIDF0551610)		
AIDF871N020	Nylon Kit (Pkgd in a nylon soft pack AIDF00602100)		
AIDF871R000	871R000 Refill (Pkgd in a ziplock bag)		
Saskatchewan	Level 2 (10-40 workers)		
AIDF872P240	P24 Kit (Pkgd in a plastic box F0552410)		
AIDF872N270	Nylon Kit (Pkgd in a nylon soft pack F0627100)		
AIDF872R000	Refill (Pkgd in a ziplock bag)		
Saskatchewan	Level 3 (Over 40 workers)		
AIDF873P360	P36 Kit (Pkgd in a plastic box F0552410)		
AIDF873N270	Nylon Kit (Pkgd in a nylon soft pack F0627100		
AIDF873R000	Refill (Pkgd in a ziplock bag)		
Manitoba First Ai	d Kits		
AIDF861P240	P24 Kit (Pkgd in a plastic box F0552410)		
AIDF861M240	M24 Kit (Pkgd in a round corner metal box F0512410)		
AIDF861P360	P36 Kit (Pkgd in a plastic box F0543610)		
AIDF861M360	M36 Kit (Pkgd in a round corner metal box F0513610)		
AIDF861N030	Nylon Kit (Pkgd in a soft pack F0303100)		
AIDF861R000	Refill Kit (Pkgd in a ziplock bag)		
Ontario WSIB	Level A (1 -5 workers)		
AIDF85AN020	Nylon Kit (Pkgd in a nylon pack)		
AIDF85AP100	P10 Kit (Pkgd in a plastic box)		
AIDF85AR000	Bulk Refill Kit		
Ontario WSIB	Level 1 (6 – 15 workers)		
AIDF851P160	P16 Bulk Kit (Pkgd in a plastic box)		
AIDF851N260	Nylon Kit (Pkgd in a nylon pack)		
AIDF851P240	P24 Kit (Pkgd in a plastic box)		
Ontario WSIB	Level 2 (16 – 200 workers)		
AIDF852N270	Nylon Kit (Pkgd in a nylon pack)		
AIDF852P360	P36 Bulk Kit (Pkgd in a plastic box)		















Extreme Kit





- · Dura-Mesh® shell resists collapsing in heat and
- · Moulded nose bridge seals easily.
- · Softspun® lining gives added comfort
- · Available in three sizes to fit most faces. Meets heat and flame resistance in accordance with ANSI/ISEA 110 - 2003 Section 7.11.1.
- NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free

Description AIDF7580M060 EXTREME KIT

Emergency Auto First Aid Kit





This kit is designed for use in vehicles or designated sites in the event of distress or natural disasters. Packaged in a red nylon bag, this portable kit can be stored in a car, truck, trailer, campsite, cottage, boat, aircraft, at a remote work site, or with rescue response teams gear.

Description AIDF7562N300 **AUTO FIRST AID KIT**

Eyewash Solution





This sterile solution is designed for the cleansing and relief of fatigued or irritated eyes caused by exposure to chlorinated water, foreign materials, dust, smog, smoke, pollen, wind, and other air pollutants. Contains 1.9% w/v boric acid.

Part #	Description
AIDF4584130	30ml
AIDF4501160	125ml
AIDF4501162	250ml
AIDF4501165	500ml Boston Round
AIDF4501169	1L
AIDF4501189	4L

Metal Eyewash Station Cabinet







mounting brackets, hinged lid, and carrying handle.

Part # Description

AIDF4569100 **Empty Metal Eyewash Station Cabinet**

Portable Eyewash Stations and Accessories





Made of high-impact plastic, these eyewash stations are white, highly visible, and hold one 500ml eyewash bottle, one (single) or two (dual) 1L eyewash bottles. Mirror included in order to view contaminated eye or face. Features 4 predrilled holes for easy mounting or relocation. Printed with bilingual instructions. Custom imprinting is available (minimum quantity required).

Part #	Description
AIDF4558701	500ml Single Station, Empty Bottle
AIDF4560701	1L Single Station, Empty Bottle
AIDF4565701	1L Dual Station, Empty Bottles
AID70118E	500ml Single Board with Eyewash
AID70119E	1L Single Board with Eyewash

Adhesive Waterproof Tape





A premium grade tape made from waterproof coated high tensile strength cloth with a zinc oxide adhesive backing. The quality adhesive is resistant to water and extreme temperatures, and is easy to cut and tear.

Part #	Description
AIDF2021701	1.25cm x 4.5m (0.5" x 5 yards)
AIDE2024701	2 5cm v 4 5m (1" v 5 varde)

Rubbing Alcohol & Cetrimide Cream







Rubbing Alcohol

General (70% isopropyl alcohol) antiseptic cleaning solution for sprains, stiffness and sore muscle tissue.

This water soluable first aid cream is used for the treatment of cuts, wounds, abrasions, minor burns, scalds, and other skin irritations. It is an ideal item for any first aid kit.

Part #	Description	Size
AIDF2501162	Rubbing Alcohol	250ml
AIDF3001125	Cetrimide	25gm

The Fastener Group



Hydrogen Peroxide & First Aid Spray





Hydrogen Peroxide

Use full strength as a topical antiseptic cleansing agent for cuts, lacerations, scrapes, etc. Dilute with an equal amount of water to use as a mouth wash.

First Aid Spray

An antiseptic solution ideal for first aid treatment of minor burns, sun burns, and scalds..

Part #	Description	Size
AIDF2501162	Hydrogen Peroxide	250ml
AIDF2505160	First Aid Spray	120ml

N95 Masks





These masks are NIOSH approved and meet 42 CFR 84 requirements for protection against solid particles (excluding those containing oil). The contoured aluminum nosepiece can be shaped for personal adjustment to provide a close fit and the low profile design lets you see without any obstructions and can be worn with glasses. Features include a hypo- allergenic microfiber filtration media for enhanced protection, a soft, non-irritating lining, a comfortable inner foam nosepiece, pre-stretched durable head straps, and high quality materials and molding process which improves the collapse resistance of the shell when worn. Ideal for blood-borne pathogen hazard spill kits. Available with and without air valve.

Part #	Description	Box	Case
AIDW795120	Without Air Valve	20/Box	12 Bx/Cs
AIDW795110	With Air Valve	10/Box	12 Bx/Cs

CPR-Aid Compact Mask





CPR-Aid Compact Mask with 02 inlet, case, gloves, wipes, instructions and pouch.

Part #	Description
AIDF5019101	Kit

First Aid Blanket





This multi-purpose first aid blanket is ideal for stretchers and beds. It keeps the victim warm, whether at the scene of an accident or in a first aid room. It is also suitable as emergency protection for snowmobilers, hunters, hikers, and campers.

Part #	Size
AIDE0500404	400 5

AIDF6503401 102.5 x 180cm (41 x 72")



These quality instruments are made of stainless steel. They are economically priced and are widely accepted for medical, clinical, and first aid uses.

Part #	Size	Description
AIDF3503115	15cm (5.5")	Black Handle Universal Scissors
		(Paramedic Style)
AID F3502114	14cm (5.5")	Bandage Scissors
AID F3531109	9cm (3.5")	Straight Splinter Forceps



















Army pole stretcher with feet, aluminum cross-spreader bars, vinyl coated bed – 81" x 21-1/2" x 5-1/2" high.

Part #	Description
NTHST/108A	Non Folding
NTHST/108AF	Same as ST/108A with folding option (folds neatly in half
	for better storage)

North Pocket Mask





• Mask with one-way valve, filter, headstrap, oxygen intake in oval shaped hard case.

Part #	Description
NITHEMS1025	

CPR Kit #1





· Rescue breather with one way valve. Complete kit with gloves and antiseptic wipes in belt loop velcro pouch.

Part #	Description
NTHEMS101	No Key Ring
NTHEMS101K	Same as EMS101 with added key ring

CPR Kit #3




by Honeywell

· Universal pocket mask with one-way valve, head strap and oxygen intake. Complete kit with gloves and antiseptic wipes in double-loop zippered belt pouch (51/2"x 4"x 2"). Ready to use.

Part # Description NTHEMS301

Wire Basket Stretcher





Advanced rescue stretcher system and optional components.

Part #	Description
NTHST/1597	Wire basket stretcher only.
NTHST/XF42WB	Reinforced wooden backboard for wire basket - 72" x 16"
NTHST/1598	Matress for wire basket stretcher.
NTHST/1599	Security straps, nylon with Velcro closure, set of 4.
NTHST/1600B	Lifting bridle assembly for wire basket stretcher.

Rescue Breather





 C.P.R. shield with one way valve in ziplock bag. A pocket size "Physical barrier" for Mouth-to-Mouth resuscitation. It has been designed as a "First Response Device". One way valve reduces the risk of cross contamination. Instructions in 3 languages: English/ French/Spanish.

Part #	Description
NTH218410001	

Universal Pocket Ventilator





• Pocket mask with one way valve and O2 inlet with head strap, in ziplock bag. Instructions in: English/French/ Spanish. Ready to use.

Part # Description NTH21818303

















FIRST AID

Fire Blankets





Gel-soaked Fire Blankets extinguish flames on a victim, put out smoldering clothes, relieve pain, cool the burn, and protect against airborne contamination. Used by the US Military.

- · Vital in areas where high heat flames, arc flash, hot liquid, steam or chemicals exist
- Gel is water-soluble and can be easily rinsed off for further medical treatment
- · Blankets can also be used to put out fires and protect a rescuer from heat and flames
- Available in 3 sizes: 36"x30", 6 ft. x 5 ft., 8 ft. x 6 ft. in high visibility orange canisters or foil pouches
- Medical Device contains no active ingredients (drugs)
- · Wall mounting brackets also available

Part #	Description	Case
WTJ9672-04	Heat Shield (Canister)	4/Cs
WTJTL-10	Mounting Bracket	
WTJ7260-04	Fire Blanket-Plus (Canister)	4/Cs
WTJP7260-04	Fire Blanket-Plus (Pouch)	4/Cs
WTJTM-10	Mounting Bracket (Fits 7260-04)	
WTJ3630-04	Burn Wrap (Canister)	4/Cs
WTJP3630-04	Burn Wrap (Pouch)	4/Cs
WTJTS-10	Mounting Bracket (Fits 3630-04)	

Water-Jel® Burn Dressings





Sterile gel-soaked dressing for burn emergencies.

Part #	Size (in.)	Qty.	Туре
WTJ0206-60	2"x6"	60 dressings	
WTJ0404-60	4"x4"	60 dressings	
WTJ0416-28	4"x16"	28 dressings	
WTJ0818-20	8"x18"	20 dressings	
WTJ1216-20	2"x16"	20 dressings	Facial burns
WTJ0820-20	8"x22"	20 dressings	Hand burns

Cool Jel®





Topical cooling gel for minor burns

- Helps dissipate the heat, moisturize and soothe the injury
- · Available in 3.5g unit does foil packets in 25-count and 6-count boxes and 4 oz squeeze bottle
- · No active ingredients

Part #	Size	Description	Case	Box
WTJCJ4-24	4 oz.	Squeeze Bottle	24/Cs	
WTJCJ25-600	3.5g	Packet-Dispenser	24/Cs	25/Bx
WTJCJ6-600	3.5g	Packet-Unitized	100/Cs	6/Bx
WTJCJ-BULK	3.5g	Packet-Bulk Pack	1728 Units	

Industrial Welding Kit





Topical cooling gel for minor burns

- · Helps dissipate the heat, moisturize and soothe the injury
- · Available in 3.5g unit does foil packets in 25-count and 6-count boxes and 4 oz squeeze bottle
- · No active ingredients

Part #	Size (in.)	Qty.
WTJIWK-5	16"x12"x8"	5 kits/Cs

















Fendall Pure Flow 1000®

Honeywell



- Easy installation. No plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or stand
- Factory-sealed fluid cartridges eliminate mixing, measuring, and the opportunity for airborne par-ticles or microorganisms to contaminate the fluid prior to use
- Permits thorough flushing with a constant flow rate and stream height that provides 0.4 gpm for entire 15-minute cycle required by ANSI Z358.1-2009

 • 24-month cartridge life,* at least four times longer than other primary self-contained eyewash
- devices, saves time and money on replacements and inspections.

Part # Description

FDL1000-0020 Eyewash Station Pure Flow 1000

Refill Cartridges

Honeywell



24-month cartridge life,* at least four times longer than other primary self-contained eyewash devices, saves time and money on replacements and inspections. Cartridges sold separately

Part # Description

FDL1050-0000 Sterile Saline Refill Cartridges for Pure Flow 1000

Fendall Porta Stream® II + III

Honeywell



- Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installa-
- · Large 16 gallon (60.5L) capacity permits thorough flushing by providing 0.4 gpm over the entire 15-minute flushing period required by ANSI Z358.1-2009
- · Sperian Eye Saline® Concentrate requires 6-month maintenance cycle.

Part #	Description
FDL200-0020	Porta Stream II
FDL310-0020	Porta Stream III with Saline Concentrate

Eye Saline® Concentrate

Honeywell



- Mix with clean, potable water (10:1 ratio)
- · Creates a preserved, buffered, saline solution

Part # Description FDL513-0020 Saline Concentrate, use w/Fendall Porta Stream II, III



FIRST AID

X3 Clean - Hand Sanitizer





X3 Clean uses only the most advanced pharmaceutical grade antimicrobial ingredients and emollients. This new gentle, alcohol free, fragrance free, foaming formula leaves your hands free of any sticky residue and your skin soft, moisturized, and most importantly – germ free.

X3 Clean, Alcohol and Fragrance Free foaming hand sanitizer is the next generation of hand sanitizers. X3 Clean's unique formula is:

- Xtra Safe Non- Flammable, Non-Toxic, Non- Corrosive.
 Xtra Soft Alcohol Free, Fragrance Free and Residue free.
- $\bullet\,$ Xtra Strong Kills 99.99% of Germs including MRSA and the Norwalk Virus!
- 3 X More you get 3 times more applications per ounce compared to Alcohol Gels.
- · Keep your employees Healthy and Safe!
- Reduce Absenteeism up to 30%!

Part #	Description
X3C10009	8 ml Pocket Size Mini Spray (70 sprays)
X3C10002	75 ml Personal Size Bottle (150 applications)
X3C10010	250 ml Desk or Counter Top Bottle (500 applications)
X3C10003	1 L Counter Top Bottle (1333 applications)
X3C10005	1 L Dispenser cartridge – Filled (2500 applications)
X3C10004	4 L Refill (10,000 applications)

New X3 Dispensers





X3 Clean offers both Manual and Touch-less Dispensers.

Part #	Description
X3C10080	Manual Dispenser - White
X3C10085	Touch-less Dispenser - White
X3C10086	Touch-less Dispenser - Metallic
X3C10070	Empty refillable Cartridge



















AXION MSR ™





Emergency equipment by Haws - the fi rst and only eyewash and eye/face wash specifically designed to operate in concert with standard healthcare protocols and the natural function of the human eye.

- Inverted eyewash and eye/face streams
- · Laminar flow eyewash streams for greater stream consistency
- "Zero vertical velocity " stream engineering for maximum victim comfort
- · Field configurable as either an eyewash or eye/face wash
- New drench shower nozzle offers better coverage, with a "soft-as-rain effect"

Part #	Description

SEE YOUR SALES REP

AXION Eye/Face Wash





Wall-mounted eye/face wash features the medically acclaimed AXION MSR™ with the superior inverted flow design. Unit comes with a chrome plated brass ball valve with stainless steel ball, stem and push pad. Also includes stainless steel in-strainer to collect line dehris

Part #	Description
HAW7360B	Stainless Steel Bowl
HAW7460B	Green ABS Plastic Box

AXION Drench Shower






Newly upgraded AXION drench shower can be mounted either vertically or horizontally from any ceiling or wall. ABS showerhead with integral flow control combined with the Schedule 40 hot dipped galvanized steel pipe make it a solid construction for any environment.

Part # Description

HAW8122



AXION Pedestal Mount Eye/Face Wash





Model 7261-7271 pedestal mounted eye and face wash features the medically acclaimed AXION MSR™ eye/face wash head assembly (patent pending). This revolutionary inverted flow design is the only product on the market that provides a Medically Superior Response consistent with all EMT, emergency room and doctors' office protocols by sweeping contaminants away from the vulnerable nasal cavity. Traditional eyewashes irrigate from the outside edge of the eye back toward the nose, where contaminants can then be flushed into the nasal cavity through the lacrimal punctum, nature's ocular cavity drain.

Eyewash streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness

Features a round 11" (27.9 cm) green ABS plastic receptor and 1-1/4" NPT galvanized stanchion Includes a mesh in-line strainer to collect line debris. and ball valve with stainless steel ball and stem for durability

Supply: 1/2" IPS. Waste: 1- 1/4" IPS

Model 7261-7271 is certified by CSA to meet the ANSI Z358.1 Standard for Emergency Eyewash and Shower Equipment.

Due to technology advancements these (two models) are now the same

Part #	Descriptio
HAW7261	Pedestal

AXION Combination Shower





Combination shower and eyewash features the medically acclaimed AXION MSR™ eye/face wash head assembly (patent pending). AXION MSR™ offers a new hydrodynamic shower design that minimizes the strong physical pressure that drives the water to the outer rim of normal shower heads, making the distribution equal across the entire footprint of the flow.

- · Features a round 11" ABS plastic bowl, with an eyewash head and integral flow control that can be user configured as either an eyewash or eye and face wash on site.
- · Eyewash streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness.
- AXIAN MSR™ ABS plastic drench shower head with flow control delivers dispersed flow for uniform drenching.

Part # Description HAW8320-8325 Combo Shower

















Portable Unit



Nine gallon compact portable unit ideal for remote locations. Uses gravity to supply a continuous flow of clean water to injured personnel for a full 15 minutes at 0.4 gpm.

Part #	Descript	tion	
HAW7501	9 Gallon	Portable Unit	
HAW9082	Bacterio	static water, 4-8 oz. Bottles,	preservative additive

Lab Unit








Lab units like the barrier-free 7610 are located in accessible sink locations for ease of use. Back mount/pull down design allows the unit to be easily installed and quickly activated in emergency situations while leaving sink open for other uses when in the off position.

Part #	Description
HAW7611	Swing away version
HAW7610	Non-swing version

Deck Mounted Eye/Face Wash





Deck mounted eye/face wash featuring the AXION MSR $^{\mbox{\scriptsize TM}}$ head. Stay open squeeze lever valve encourages proper eye/face wash drenching.

Part #	Description
HAW8904	8' Green hose

Deck Mounted Eye/Face Wash





Deck mounted eye/face wash featuring the AXION MSR™ head. Stay open squeeze lever valve encourages proper eye/face wash drenching.

Part #	Description	
HAW9202	40 gpm showers or eyewashes	
HAW9201	20 gpm eyewashes	
HAW9201EF	7 gpm eyewashes	

















Portable/Pressurized Eyewash





- Stainless steel pressure tanks include tire filler valve with 0-160 PSI air gauge, built in pressure relief valve and carrry handles for easy transportation.
- Transport Cart available for ease of mobility
- · Includes twin eyewash heads with a flow control and pop-off dust covers.
- Eyewash activates by a large stainless steel push handle with stay-open ball valve.
- · Supplemental hose spray for face and body, w/8' hose and squeeze valve.
- · Eyewashes maintain minimum 15 minute water
- · ANSI Z358.1-2004 Standards. SEI Certified.

Part #	Volume	Weight
BRDS19-690	10 Gallon (1)	30.0 lbs
BRDS19-690H	10 G/with Heater Jacket	31.0 lbs
BRDS19-865	Water Preservative	3.0 lbs

Drench Hose Sprays







- · Hand-held hose sprays are available with single spray head or twin sprayhead assemblies.
 Sprayheads are ABS plastic and include a flow con-
- trol and pop-off dust covers.
- Valve is chrome-plated brass and stays open when handle is squeezed. Yellow 8' hose is rated at 450 PSI burst strength.
- Meets ANSI Z358.1-2004. UPC &cUPC approved, SEI Certified.
- Installer to supply backflow prevention as required by UPC, IPC and/or local plumbing code

Part #	Ends	Weight
BRDS19-460	Single Head, Deck	5.0 lbs
BRDS19-430A	Single Head, Wall Bracket	5.0 lbs
BRDS19-460EFW	Dual Head, Deck	6.0 lbs
BRDS19-430EFW	Dual Head, Wall Bracket	5.0 lbs
BRDS19-465 EFW	Dual Angle Head, Deck	6.0 lbs

Emergency Thermostatic Mixing Valves







- · Thermostatic Mixing Valves blend hot and cold water to a tepid flushing temperature (65°-95°F). · ANSI Standards require tepid water to assure the
- eyewash and drench shower do not subject the
- user to scalding or freezing water temperatures.

 Bradley valves feature an exclusive fixed coldwater bypass, which allows only cold water to flow through the valve in the event of loss or interruption of hot water supply or thermostat malfunction.

 • Valves are pre-set at 85°F, but can be adjusted to
- other temperature set points. Valves are available in four options to accommodate various equip-

applications: 8 GPM, 36 GPM, 67 GPM, 103 GPM

Part #	GPM	арриоанопо.	Weight	31 M, 100 OI M
BRDS19-2000	8 GPM	5.0 lbs		
BRDS19-2100	36 GPM	20.0 lbs		
BRDS19-2200	67 GPM	30.0 lbs		
BRDS19-2300	103 GPM	40.0 lbs		
BRDS19-866	20 GPM FI	ow Control	1 lb	

Combination Drench Showers





- · Showers include either yellow impact resistant plastic or corrosion-resistant stainless steel 10" diameter showerheads that activate by a pull rod and 1" IPS chrome-plated stay-open ball valve.
- Eye and eye/face washes include twin sprayheads with a flow control and pop off dust covers with either yellow impact resistant plastic or corrosion-resistant stainless steel 10" diameter bowls.

 • Eye and eye/face washes activate by highly visible push handle and ½" IPS chrome-plated stay-
- open ball valve. Some units can be hand or foot control operated.
- All units include 11/4" galvanized pipe and floor flange which is protected by a yellow polyurethane coating to withstand harsh/corrosive environments. Safety sign and inspection tag is also included. Water supply: 11/4" IPS (female). Waste: 11/4" IPS (female).
- Meets ANSI Z358.1-2004. UPC & cUPC approved, SEI Certified.

Description	Weight
Plastic/Plastic Eyewash	40.0 lbs
Stainless/Stainless, Eyewash	43.0 lbs
Plastic/Stainless, Eyewash	42.0 lbs
Plastic/Plastic, Eye/Face Wash	41.0 lbs
Plastic/Stainless, Eye/Face Wash	42.0 lbs
	Plastic/Plastic Eyewash Stainless/Stainless, Eyewash Plastic/Stainless, Eyewash Plastic/Plastic, Eye/Face Wash




















Eye Washes

Bradley @





- Wall bracket is heavy-gauge aluminum with three clearance holes for wall mounting.
- Units activate by a high visible plastic push handle and $\ensuremath{\mbox{$1$}}\xspace_{\mbox{\mbox{$2$}}\xspace}$ IPS chromeplated brass stayopen ball valve.
- Twin sprayheads include a flow control & pop-off dust covers.
- · All units include: safety sign and inspection tag.
- Water supply: ½" IPS.
 Meets ANSI Z358.1-2004 Standards. UPC & cUPC approved.SEI Certified.



Part #	Description	Weight
BRDS19-220	Eyewash/Plastic	6.0 lbs
BRDS19-220B	Eyewash/Stainless	7.0 lbs
BRDS19-220DC	Eyewash/Stainless	9.0 lbs
	w/Dust Cover	
BRDS45-1964	Retrofit Plastic Dust Cover	5.0 lbs

On-Site® Gravity-Fed Eyewash and Transport Cart





- · Clear see-through tank makes visual inspections quick and easy
- · Relocate to Point-of-Need even when assembled and filled on maintenance vehicles, hand carts, or Bradley Waste Cart.
- · Eyewash is light weight only 7 gallons and 60 lbs. when full and can be easily transported from one location to another.
- · Eyewash activates water flow when hinged eyewash tray is pulled down.
- · Spray heads provide a continuous flow of water for 15 minutes at 0.4 gpm.
- · All units include: safety sign and inspection tag and water preservative.
- Meets ANSI Z358.1-2004 Standards. SEI Certified. · Transport Cart includes rigid casters in front and locking swivel casters in back for easy transportation of Gravity-fed unit. Waste collection tank is 56 gallons with 1/2" petcock at bottom for easy draining of waste over a floor drain.

Part #	Description	Weight
BRDS19-921	Gravity-Fed Eyewash	23.0 lbs
BRDS19-921H	Gravity-Fed Eyewash	25.0 lbs
	w/Heater Jacket	
BRDS19-865	Water Preservative	3.0 lbs
BRDS19-899	Refill Kit	2.0 lbs
BRDS19-399	Transport Cart	28.0 lbs

Pedestal-Mount Eye and **Eye/Face Washes**





- Pedestal-mount eye and eye/face washes include 10" diameter impact-resistant yellow plastic bowl or corrosion-resistant stainless steel bowl.
- Units activate by a highly visible plastic push handle and 1/2" IPS chrome-plated brass stay-open ball valve.
- Twin sprayheads include a flow control and pop-off dust covers.
- Galvanized steel pipe is 1-1/4" and protected with Bradtec[™] safety yellow polyurethane coating to help protect against corrosion.
- All units include: safety sign and inspection tag. Water supply: 1/2" IPS. Waste: ¼" IPS

 Meets ANSI Z358.1-2004, UPC & cUPC
- approved,SEI Certified

Part #	Description	Weight
BRDS19-210	Eyewash/Plastic	15.0 lbs
BRDS19-210B	Eyewash/Stainless	16.0 lbs
BRDS19-210FW	Eye/Face Wash/Plastic	17.0 lbs
BRDS19-210Y	Eye/Face Wash/Stainless	20.0 lbs

Eye/Face Wash





- Wall-mount eye/face wash includes 10" diameter impact resistant yellow plastic or stainless steel corrosion resistant bowl.
- Unit with hinged stainless steel dust cover keeps dirt and other contaminant out of the eyewash bowl when not in use.
- Handle operates 1/2" IPS chrome-plated brass stay open ball valves.
- · Twin ABS plastic sprayheads include a flow control and pop-off dust covers.
- · All units include: safety sign and inspection tag. Water supply: 1/2" IPS (female).
- Meets ANSI Z358.1-2004. UPC &cUPC approved, SEI Certified.

Part #	Description	Weight
BRDS19-220FW	Eye/Face Wash/Plastic Bowl	6.0 lbs
BRDS19-220T	Eye/Face Wash/Stainless	7.0 lbs
BRDS19-220DCFW	Eye/Face Wash/Stainless	10.0 lbs
	w/Dust Cover	
















ColdForm[™] sorbents are made from recycled and renewable resource materials, are more environmentally friendly and help to lower our environmental impact.

Coldform Laminated





• This laminated ColdForm product line is one of the toughest sorbents on the market. The heavy-weight spun bond cover stock is extremely abrasion resistant and almost lint-free. Constructed by bonding outer layers of heavy and very tough polypropylene spun bond to a high-loft core. The core is manufactured so that it will not fall out even if the outer coverings are torn. Ideal for environmental applications that demand extreme durability and high absorbency in demanding situations.

Coldform Laminated - Universal







Part #	Туре	Size	Weight	Qty.
SPLUQP100	Pads	16"x18"	Heavy	100/case
SPLUQEP100	Pads	16"x18"	Medium	100/case
SPLUQP200	Pads	16"x18"	Light	200/case
SPLUQR150	Rolls	28"x150'	Heavy	1/case
SPLUQSR150	Split Rolls	14"x150'	Heavy	2/case
SPLUQER150	Rolls	28"x150'	Medium	1/case
SPLUQESR150	Split Rolls	14"x150'	Medium	2/case

Coldform Laminated - Oil Only







Part #	Туре	Size	Weight	Qty.
SPLQP100	Pads	16"x18"	Heavy	100/case
SPLQEP100	Pads	16"x18"	Medium	100/case
SPLQP200	Pads	16"x18"	Light	200/case
SPLQR150	Rolls	28"x150'	Heavy	1/case
SPLQRS150	Split Rolls	14"x150'	Heavy	2/case
SPLQER150	Rolls	28"x150'	Medium	1/case
SPLQESR150	Split Rolls	14"x150'	Medium	2/case

Sorbents - Oil Only



Pure meltblown fibers are the most cost-effective absorption technology today. Fast-wicking fibers absorb 25





Part #	Туре	Size	Weight	Qty.
SPLP100	Pads	15"x18"	Heavy	100/case
SPLP200	Pads	15"x18"	Light	200/case
SPLEP100	Pads	15"x18"	Medium	100/case
SPLR144	Rolls	30"x150'	Heavy	1/case
SPLSR144S	Rolls	15"x150'	Heavy	1/case
SPLB510	Booms	5"x10'		4/case
SPLB810	Booms	8"x10'		4/case
SPLMOPO3048	Socks	3"x48"		30/case
SPLMOPO10120	Socks	3"x120"		10/case
SPLSP818-20	Pillow	8"x18"		20/case
SPLSP1818-10	Pillow	18"x18"		10/case
SPLSAKPIL10	Pillow	14"x25"		10/case

















Meltblown - Universal





Universal/Chemical sorbents are designed to pick-up aggressive hydrocarbon (oil and water) spills. Suitable for non-aggressive acids, caustics, coolants, solvents, water and solu-





Part #	Type	Size	Weight	Qty.
SPLUP118	Pads	15"x18"	Heavy	100/case
SPLUP200G	Pads	15"x18"	Light	200/case
SPLUP118-9	Pads	15"x18"	Medium	100/case
SPLUR136	Rolls	30"x150'	Heavy	1/case
SPLUR118S	Rolls	15"x150'	Heavy	1/case
SPLUR136-9	Rolls	30"x150'	Medium	1/case
SPLUR118-9	Rolls	15"x150'	Medium	2/case
SPLUB510	Booms	5"x10'		4/case
SPLUB810	Booms	8"x10'		4/case
SPLMOPU3048	Socks	3"x48"		30/case
SPLMOPU10120	Socks	3"x120"		10/case
SPLSPU818-20	Pillow	8"x18"		20/case
SPI SPU1818-10	Pillow	18"x18"		10/case

General Purpose Socks



Part #	Type	Size	Qty.	
SPLGP3048	Socks	3"x48"	30/case	
SPLGP10120	Socks	3"x120"	10/case	

Granular Sorbent - Universal





SpeediKleen Premium Oil Absorbent is an allpurpose absorbent designed for the quick clean-up of water, oil and grease. Made from diatomaceous earth, a naturally occurring mineral with superior absorption ability, this high quality product delivers 50% more absorbency per pound than clay alternatives. SpeediKleen premium Oil Absorbent is available in a leak-resistant, moisture-proof polybag.

Part #	Size	Skid
SPLHD2205	20 lbs/bag	75 bags/skid

Spill Kits are ideal for permanent installations and mobile transport vehicles. Your choice of oil only, universal or hazmat kits. Spill Kits are good for hydrocarbons (oil only) and nonaggressive chemicals (universal).

5 Gallon Spill Kit





Part #	Type
SPLSK5	Oil Only
SPLGPSK5	Universa
SPI HAZSK5	Hazmat

45 Gallon Spill Kit





Туре
Oil Only
Universal
Hazmat

















250L Mobile Spill Kit





1 mobile spill cart (30"x29"x42"), 100 sorbent pads, 4 sorbent socks (3"x120"), 4 sorbent pillows (18"x18"), 1 bag of SpeediKleen, 1 drain cover (36"x36"), 3 disposal bags, 2 pairs of safety goggles, 2 pairs of nitrile gloves

Part #	Туре
SPLCSK-F250M	Oil Only
SPLCSKU-F250M	Universal
SPLCSKH-F250M	Hazmat

60L Spill Kit





20 sorbent pads, 3 sorbent socks (3"x48"), 2 sorbent pillows (8"x18"), 2 disposal bags (26"x36") 1 pair of safety goggles, 1 pair of nitrile gloves

Part #	Туре
SPLASK-20-U	Universal (Poly Bag)
SPLASK-20-UN	Universal (Red Nylon Bag)
SPLASK-20-UP	Universal (Blue 14 gallon pail)
SPLASK-20-O	Oil Only (Poly Bag)
SPLASK-20-ON	Oil Only (Red Nylon Bag)
SPLASK-20-OP	Oil Only (Blue 14 Gallon Pail)

ColdForm Spill Kit contains sorbents made from recycled and renewable resource materials. They still offer outstanding absorbency and durability! Spill Kits are good for hydrocarbons (oil only) and non-aggressive chemicals (universal).

Economy ColdForm Spill Kit





10 pads, 1 sock (3"x4'), 1 pair gloves, 1 disposal bag

Part #	Туре
SPLCSKCSPO	Oil Only, Zip Lock Bag
SPLCSKCSPU	Universal, Zip Lock Bag
SPLCSKCSNO	Oil ONly, Nylon Bag
SPLCSKCSNU	Universal, Nylon Bag

20 Gallon ColdForm Spill Kit





50 pads, 4 socks (3"x48"), 2 pillows (8"x18"), 1 pair gloves, 1 pair goggles, 1 disposal bag

Part #	Type
SPLSKC200	Oil Only
SPLC2011	Universal

45 Gallon ColdForm Spill Kit





50 pads, 3 socks (3"x120"), 5 socks (3"x48"), 1 drain cover, 1 pair gloves, 1 pair gloves, 1 pair googles, 2 Tyvek suits, 3 disposal bags

Part # Type

SPLCSKC450 Oil Only
SPLCSKC45U Universal

















Poly-SpillPallet 2000





- · This secondary containment system is engineered to meet the rigors of today's regulatory environment. With 100% polyethylene, it provides excellent chemical resistance. Optional tarp for outdoor storage and drain hole with plug
- Dimensions: 53.5" L x 29" W x 17" H, Weight: 63 lbs, Sump Capacity: 58 gallons

Ultra IBC SpillPallet Plu	S
---------------------------	---





Low profile 28" overall height allows safe and convenient IBC tank handling and dispensing. All polyethylene construction offers excellent chemical resistance and will not rust or corrode. Forkliftable - allows for convenient positioning to desired locations.


• Dimensions: 62" L x 62" W x 28" H, Weight: 280 lbs, Sump Capacity: 360 gallons

Part #	Type
SPL1157	
SPL1158	w/Drain

Part # Type SPL5253-YE SPL5253-YE-D w/Drain

Low-Profile in-Line Poly-SpillPallet 3000





Dimensions: 98" L x 25.25" W x 12" H, Weight: 80 lbs, Sump Capacity: 66 gallons

Part #	Type
SPL5102-YE	
SPL5102-YE-D	w/Drain

Keep Sediment And Other Pollutants From Entering The Water System

Ultra-Drain Guard





Guards remove waste from stormwater before it can become a problem in the water system. Designed for practical use in Industrial Facilities, Construction Sites, Parking Lots, and "Drive-Up" Retail Facilities.

Poly-SpillPallet 6000



Type

w/Drain



• Rated at 6,000lbs UDL weight with a 83 gal-Ion sump capacity that meets EPA 40 CFR 264.175. Square 50"x50" footprint saves space yet easily holds four 55 gallon drums. Includes the same rugged features as the 2000. Forkliftable from all sides. Optional drain available.

 Dimensions: 50" L x 50" W x 17" H, Weight: 88 lbs, Sump Capacity: 83 gallons

Part #	Туре
SPL9217	Oil and Sediment
SPL9218	Oil and Sediment (10 Pack)
SPL9219	Oil and Sediment PLUS
SPL9220	Oil and Sediment PLUS (10 Pack)

Poly-Slim-Line 6000

Part #

SPL5001-YE SPL5001-YE-D



		-	
-		-	
	34		ī

Туре SPL5400-YE SPL5400-YE-D w/Drain



· Poly-Slim-Line 6000 offers all of the same advantages as our Poly-SpillPallet 6000 ... and more! This addition to our pallet family features a low, 12" profile and a UDL load bearing capacity of 6,000lbs. Optional drain available.

 Dimensions: 54" L x 54" W x 12" H, Weight: 91 lbs, Sump Capacity: 66 gallons

Ultra-Grate Guard





- · For use with flat grate catch basins.
- Allows run-off to flow through while blocking sediment and/or capturing oil.
- Standard and custom sizes available.

Part #	Туре
SPL9278-SED	Sediment Only (24"x48"x4")
SPL9278-O/S	Oil and Sediment (24"x48"x4")

Sure-Grip® EX Safety **Storage Cabinet**









Part #	Capacity
JUS892200	22 Gal./83L
JUS893000	30 Gal./114L
JUS894500	45 Gal./170L
JUS896000	60 Gal./227L
JUS899000	90 Gal./341L



Fully compliant Sure-Grip®EX Safety Cabinets help you safely store and organize flammable liquids such as fuels, chemicals, solvents, paints, and cleaning agents. They are specially designed to protect personnel and facilities from the risk of fire. Fire resistant, high performance cabinets feature all welded, doublewalled 18 ga. steel with 1-1/2" of insulating air space and a fail-safe 3-point stainless steel bullet latching system for optimum longevity. Exclusive U-Loc™ handle can be key locked or optional padlock to secure hazardaccepts ous contents. Haz-Alert™ reflective warning labels offer visibility under dark conditions. For added safety, SpillSlope™ shelves direct spills into leakproof sump. Dual vents & leveling feet included. Meets OSHA & NFPA. FM Approved. 10-yr warranty.

- Attractive U-Loc[™] padlockable paddle handle with slip resistant grip offers easy fingertip operation and reduces dangerous "catches" from passing traffic. Handle is supplied with two keys and accepts an optional No. 5 Master Lock® padlock for added security.
- · When illuminated by a flashlight beam, hazardous warning labels burst with high visibility under fire conditions or power outages. Labels are strategically positioned in high and low zones to help firefighters easily locate volatile
- Sturdy galvanized steel SpillSlope™ shelves safely direct incidental spills to back and bottom of leak proof sump. Adjustable on 3" (76mm) centers, they meet ANSI standards with a 350 lb. (159 kg.) safe allowable load.







Ext. Dim.	
65"x23"x18"	3 Shelves
44"x43"x18"	1 Shelf
65"x43"x18"	2 Shelves
65"x34"x34"	2 Shelves
65"x43"x34"	2 Shelves

EcoPolyBlend™ Spill Control Pallets





Eco-friendly pallets are the only ones made of up to 100% recycled polyethylene; dirt hiding black color is 100% recycled, high visibility yellow is 35% recycled content. Fully compliant and quality engineered with a robust design, they withstand the toughest environments and are nearly impervious to chemical attack. Featuring seamless construction, oversized sumps, and sturdy removable self-locating grates, these pallets provide optimum, solid protection from leaks and spills. Two drum and 4-drum square pallets include wide forklift pockets for easy relocation. Optional Ramp for 4-drum square pallets offers convenience when loading and unloading heavy drums. Pallets meet or exceed EPA, SPCC, NFPA 1, and the Int'l Fire Code.

Part #	Size	Dimensions	Weight	Colour
JUS28623	66 Gal./250L	49"x25"x18"	44lb/20kg	Black
JUS28622	66 Gal./250L	49"x25"x18"	44lb/20kg	Yellow
JUS28635	73 Gal./276L	49"x49"x10.25"	70lb/32kg	Black
JUS28634	73 Gal./276L	49"x49"x10.25"	70lb/32kg	Yellow
JUS28620	Ramp 4-Drum	49"x33"x10.5"	40lb/18kg	Yellow

EcoPolyBlend™ Accumulation Centers





Secondary containment centers are ecofriendly - the only ones made of up to 100% recycled, durable polyethylene. Black color is 100% recycled; yellow color is 45% recycled. Sturdy, removable grates make sump cleaning easy while low profile offers convenience when loading/unloading. Versatile modular design allows you to customize your workspace. Optional Sump-to-Sump™ Drain Kit provides a continuous sump for on-site compliance when needed. Accessory Ramp makes drum handling easy.







Part #	Size	Dimensions	Weight	Colour
JUS28655	24 Gal./90L	49"x25"x5.5"	32lb/15kg	Black
JUS28654	24 Gal./90L	49"x25"x5.5"	32lb/15kg	Yellow
JUS28657	49 Gal./185L	49"x49"x5.5"	61lb/28kg	Black
JUS28656	49 Gal./185L	49"x49"x5.5"	61lb/28kg	Yellow
JUS28650	Ramp	48"x33"x6.25"	41lb/19kg	Yellow
JUS28927	Sump-to-sump kit	1lb/.5kg		

















SAFETY VEST - TEAR AWAY DESIGN

"Brave The Elements"®







- · 4" 3M reflective tape in WCB/Worksafe configura-
- · Fully compliant with CSA Z96-09 Class 2, Level 2 and ANSI/ISEA 107-2004 Class 2, Level 2 - lab
- Becomes class 3 in combination with right model arm and leg bands
- 5 point Velcro tear away safety design
- · Safety D Ring access slot on back
- 4 Front storage pockets
- Strong breathable premium polyester material
- Extra strong edging tape
- Machine Washable

Part #	Description	Sizes
VIK61350	Orange	S/M, L/XL, 2XL/3XL
VIK6135G	Green	S/M, L/XL, 2XL/3XL

HI VIZ SAFETY FLEECE HOODIE

"Brave The Elements"®







- 4" 3M Reflective tape in WCB/Worksafe/DOT configuration
- Fully compliant with CSA Z96-02 Class 2, Level 2 and ANSI/ISEA 207-2006 Class 2, Level 2 - lab
- · Becomes class 3 in combination with right model arm and leg bands
- · Left chest velcro sealed cell phone pocket
- · Dual straps on chest for radio/phones to be clipped on
- Draw string adustable hood
- 2 front storage pockets
- · Premium strong, breathable, non-pill, 260gm polyester fleece
- Detachable Snap On Hood
- · Fully lined arms for easy wear
- · Comfort elastic wrist and waist gathers
- · Machine washable

Part #	Description	Sizes
VIK6420JO	Orange	S - 3XL
VIK6420JG	Green	S - 3XL

HI VIZ SAFETY MESH T-SHIRT

"Brave The Elements"®





- · 4" 3M Reflective tape in WCB/Worksafe configuration. Fully compliant with CSA Z96-02 Class 2, Level 2 and ANSI/ISEA 207-2006 Class 2, Level 2
- Meets BC MOT safety apparel T-09/050 Revised 03/2006
- Becomes class 3 in combination with right model arm and leg bands
- Premium soft ppolyester mesh fabric in fluorescent CSA colours
- Left chest velcro sealed pocket + pen holder slot
- · Dual straps on chest for radio/phones to be clipped on

Part #	Description	Sizes
VIK6005O	Orange	S - 3XL
VIK6005G	Green	S - 3XL

FR SAFETY VEST

"Brave The Elements"®





- Strong breathable FR treated premium polyester material
- 2" Vi-Brance reflective tape in WCB/Worksafe configuration
- · Fully compliant with CSA Z96-09 Class 1, Level FR
- 5 point Velcro tear away safety design
- Safety D ring access slot on back
- · Extra strong edging tape
- · Machine washable

Part #	Description	Sizes
VIK6136FR	Orange	S/M, L/XL, 2XL/3XL

FR PVC SUIT

"Brave The Elements"®



- · 0.35mm FR treated PVC/Polyester/PVC material
- · 2" DM Yellow Prism Reflective Tape · Fully compliant with CSA Z96-09 Class 1, Level FR
- · Generous sizing for comfort and freedom of movement
- · Welded seams for durability and waterproof
- · Adjustable wrist and boot cuffs
- · Cotton corduroy collar on Jacket
- · Removable hood included
- · Attached bib with adjustable waist panel and suspenders
- Fly access

Part #	Description	Sizes
VIK2110FR	Orange Suit	S - 3XL

FR PU JACKET AND PANT







- · Stretchable FR treated PU/Polyester fabric lightweight and flexible in sub zero conditions
- 2" Yellow Reflexite™ Prism reflective tape
- Fully compliant with CSA Z96-09 Class 1. Level FR
- Micro welded seams
- · Nylon Snap closure system and suspenders meet electric shock resistance standard
- · Resistant to motor oil, diesel, chemicals, animal fat and fish oil
- Attached Hood can stuff into collar
- Adjustable wrist cuffs
- Outer storm flap over zipper
- · Attached bib and elastic suspender on pants
- Adjustable boot cuffs

Part #	Description	Sizes
VIK6050FRJ	Jacket	S - 3XL
VIK6050FRP	Pant	S - 3XL

















Sash Belt 1 1/2"



Honeywell

- Constructed from elasticized Yellow/Silver/Yellow North-Lite™ Reflective Material
- Fully adjustable
 Elasticized refelctive belt
- Adjustable buckles
- 2 vertical stripes and an "X" on the back

Part #	Size
NTHTV20E	One size

Sash Belt 2"





- · CSA Class 1, Level 2 with 360° horizontal stripes around the body for maximum safety and visibility from all angles (TV25CSA)
- · Standard style with vertical stripes (TV25)
- British Columbia compliant with side stripes (TV25BC)
- · Ideal for the trucking and forestry industries
- · Lightweight and comfortable
- · 2 vertical stripes and an "X" on the back with adjustable velcro closure

Part #	Size	Province
NTHTV25	M-2XL	Alberta
NTHTV25BC	M-2XL	British Columbia
NTHTV25CSA	M-3XL	CSA Class 1, Level 2

Barricade Tape

Honeywell



- Part # Size NTHCT3YE1 CAUTION NTHCT3RE9 **DANGER**
- · Made of strong polyethylene
- Thickness: .002mil.
- · Can be quickly placed to provide warning of physical hazards or dangerous situations
- Each 1000 ft roll comes in a dispenser box for easy
- handling or storage

 Comes in 3"width and three different lenghts: 1000 ft. 200 ft or 100 ft
- Other legends available upon request

Traffic Vests



- Canada's all time best selling vests
- Bright orange polyester mesh is Fire Retardant
 North-Brite™ Reflective Material has omni-directional performance which has the highest level of reflectivity no matter which way the wearer twists, turns or bends
- 5 point "Tear-Away" feature on some models is ideal when there is danger of catching onto moving vehicles

Part #	Size	Province	
NTHTV50RS	One size		
NTHTV51RSBC	One size	British Columbia	

Reflector Flares Kit

Honeywell



- · Set of three triangular reflector flares
- · Heavy weighted base
- Rugged storage container

Part #	Size
NTHXG29	Set of 3 flares

Traffic Cuffs

Honeywell

- · Lightweight and comfortable Provides added safety when worn with safety garment
- Incorporates various types/styles of Reflective Material
- Nylon with Yellow North-Brite™ with velcro closure

Part #	Size
NTHSCS14	Traffic Armband

The Fastener Group

















Mesh Utility Vest



Part #	Description
KEL7942	Fluorescent orange/lime-yellow, high gloss reflective
KEL7943	Fluorescent orange, silver reflective
KEL7944	Fluorescent lime-yellow, silver reflective

Surveyors Vest





- · Vest background material per CSA Z96-09 section
- Light weight
- Snap front closure
- Multiple large pockets
- Radio pocket
- Full back cargo pouch w/ heavy duty zipper
- Large inside map / photo pockets
- Multiple grommets
- Class 2, Level 2
- Sizes: S, M, L, XL, 2XL, 3XL

Part #	Description
KEL7945OR	Fluorescent orange, silver reflective
KEL7945LY	Fluorescent lime-yellow, silver reflective

Zip-Front Vest





- Vest background material per CSA Z96-09 section 5.1.1
- Zip-Front closure
- Class 2, Level 2
 Sizes: S/M, L/XL, 2XL/3XL

Part #	Description
KEL7966	Fluorescent orange/lime-yellow, high gloss reflective
KEL7967	Fluorescent orange, silver reflective
KEL7968	Fluorescent lime-yellow, silver reflective

GloWear® 8385HGX Class 3 Hi-Gloss X-Back Jacket





- Class 3 4-in-1 X-back Jacket: Fall, Winter or
- Weatherproof outer shell constructed of 300D oxford
- Breathable PU coating
- Inner jacket with 100g 3M™ Thinsulate™ lining
 2" Level 2 ANSI-certified tape (3M™ Scotchlite™)
- Inset hood with drawstring and stoppers Storm front with YKK #5 Zippers and snap closure
- Removable sleeves
- CSA compliant X-back design Orange w/ lime hi-gloss tape

Part #	Size	Colour
ERG8385HGX	S-5XL	Orange w/lime tape

GloWear® 8378X Class 2 X-Back Thermal Vest



- Class 2 X-Back Thermal Vest: CSA compliance combined with toasty warmth, large back pocket,
- Poly-cotton shell with 300g fleece lining
- · Also fits inside popular 8385 4-in-1 series
- 2" Level 2 ANSI-certified tape (3M™ Scotchlite™)
- Pockets: Two in front, one large in back
- YKK #5 Zippers · Lime, Orange
- Part # Size Colour ERG8378X S-5XL Orange

GloWear® 8006 Hi Visibility **Neck Shade**





- · Hi-Vis Neck Shade: Save your neck from the sun and your body from oncoming traffic!
- ANSI-certified polyester solid fabric (3.6 oz.)
- Reflective binding
- Hook & loop closures
- · Attaches to hard hat suspension headbands

Part #	Size	Colour
ERG29061	One Size	Orange
ERG29063	One Size	Lime















Non-reflective Stop/Slow Paddle (Aluminum)





Aluminum, silk-screened octagon shaped paddle in 18" size. .080 gauge baked aluminum enamel. Available with 6" aluminum handle. Ideal for school crossing guards, flaggers and plant security guards. Aluminum handle: 5-3/16", 14-7/8" to bottom of sign. Assembly kit includes paddle, handle and hardware.

Part #

JCK3007353

Safety Triangle





Meets Federal Motor Vehicle Standard No. 125. Constructed of molded polypropylene plastic with red acrylic plastic reflectors. Air-flow design helps reduce wind resistance. Kit ncludes three triangles in one red, hard plastic case.

Part #	Description
JCK3006007	





- Wide body design with orange base
- · Flow molded, dayglow orange PVC w/white inner
- · Custom stencling available

Part #	Size	Weight
JCK3004042	18"	2.5 lbs
JCK3004158	28"	6.5 lbs

Traffic Cones







Size

18"

28"

Part #

JCK3012918

JCK3018159



4/bag

4/bag



Part #	Description
JCK3005547	A-5 Fits rebar 3/8" to 3/4" diameter.
	Also fits inside 1" ID pipe. Dimensions: 2.25"W x 2.5"H.
	Standard package 200.
JCK3005543	A-10 Fits rebar 3/8" to 1-1/4" diameter. Also fits inside
	1-3/4" ID pipe. Dimensions: 2.5"W x 3"H.
JCK3005545	A-20 Fits rebar 1" to 2-1/4" diameter.
	Dimensions:2.75"W x 3.5"H, Standard package 100.



















Winter

Hi-Viz Mechanics Glove



- Double Reinforced Clarino™ Palm · Hi-Viz Orange Spandex Back
- Neoprene Knuckle
- 3M Hi-Viz Reflective Piping
- Gel-Pack Palm Inserts for Vibration Resistance
- · Elastic Wristband with Hook and Loop Closure
- C-100 Thinsulate[™] Lined

Part # Description Size BDG20-9-10606 Winter Hi-Viz Mechanics Glove w/C-100 Thinsulate S-X2L

Synthetic Leather - Super Grip





- Double Stitched Clarino™
- · "Lightweight, Breathable Fabric Back"
- Anti-Slip Diamond Grip
- · Airprene Knuckle
- Terry Cloth Thumb for Perspiration
- · Hook and Loop Closure with Grab Tab
- Hook and Loop Closure with Grab Tab
- · Wash and Wear

Part #	Description	Size
BDG20-1-10004	Performance Synthetic Leather Super Grip	S-X2L

Synthetic Leather - Heavy Duty





- Double Stitched Clarino™
- "Lightweight, Breathable Fabric Back"
- Neoprene Knuckle
- · Terry Cloth Thumb for Perspiration
- Hi-Viz Piping
- · Hook and Loop Closure with Grab Tab
- Wash and Wear

Part #	Description	Size
BDG20-1-10005	Performance Synthetic Leather Heavy Duty	S-X2L

Synthetic Leather - Mechanics Glove





- · Lightweight Breathable 4-way Stretch Fabric Back & Fingers
- "Leather Palm, Knuckles and Fingertips" Reinforced Double Palm • Gel-pack Inserts
- Neoprene Knuckles for Breathability and Comfort
- · Elastic Wristband with Hook and Loop Closure

Available in 4 colors: Black, Navy, Red & Yellow

Part #	Description	Size
BDG20-1-10605B	Synthetic Leather Mechanics w/Gel Pads	S-X2L

Synthetic Leather - Hi-Viz Mechanics Glove





- Double Reinforced Clarino $^{\text{™}}$ Palm
- · Hi-Viz Orange Spandex Back
- Neoprene Knuckle
- 3M Hi-Viz Reflective Piping
- Gel-Pack Palm Inserts for Vibration Resistance
- · Elastic Wristband with Hook and Loop Closure

Part #	Description	Size
BDG20-1-10606	Orange/Black Hi-Viz Mechanics w/3M Piping	S-X2L

Heavy Duty Impact Performance Glove





- Clarino™ Synthetic Leather Palm w/Rubbertec® Stitched Vibration Gel-Packs and Fingertips · Heavy Foam Backhand Knuckle Protection w/
- TPU Rubber Finger Protection · Extra-Thick Foam Pad in Palm for Maximum
- Impact and Vibration Absorption
- Neoprene wristband with Hook and Loop Closure

Part #	Description	Size
BDG20-1-10680	BDG Impact Heavy Duty Performance Glove	S-X2L

Site Glove - Hi-Viz



NEW



- Clarino™ Synthetic Leather Palm w/Rubbertec® Stitched Vibration Gel-Packs and Fingertips
- Extra-Thick Foam Pad in Palm for Maximum Impact and Vibration Absorption
- Hi-Viz Florescent Orange Back
- · Heavy Foam Backhand Knuckle Protection w/ TPU Rubber Finger Protection
- Extended Neoprene Cuff is Resistant to Damage from Flexing and Twisting, with Added Rubber Protectors for Impact
- Machine Washable

Part #	Description	Size
BDG20-1-10690	Heavy Duty High-Viz Performance Site Glove	S-X2L

Grain Leather Goatskin





- · Standard Grade Leather Palm (Tan)
- · Foam Padded Palm Provides Excellent Vibration Resistance
- · Lightweight Breathable 4-way Stretch Fabric Back & Fingers
- · Elastic Wristband with Hook and Loop Closure
- · Neoprene Knuckle, Wash and Wear

Part #	Description	Size
BDG20-1-1214	Premium Grain Goatskin Mechanics Glove	S-X2L

















Standard Grade Grain Leather Cowhide





- Hi-Viz Driver Glove
- · Standard Grade Leather
- · Hi-Viz Fluorescent Orange Nylon Back
- · Reflective Knuckle Strip for Extra Visibility
- · Hemmed Cuff w/Elastic Wrist

Uses: Transportation, Railway Operations, Road Construction

Part #	Description	Size
BDG20-1-1582	Cowhide Driver w/Hi-Viz Orange	S-XL

Hi-Viz Driver Grain Leather Cowhide








- · Standard Grade Leather
- Hi-Viz Fluorescent Lime Nylon Back
- · Reflective Knuckle Strip for Extra Visibility
- · Hemmed Cuff w/Elastic Wrist

Uses: Railway Operations, Transportation, Road Construction Size

Part # Description BDG20-1-1583 Cowhide Driver w/Hi-Viz Yellow S-XL

Hi-Viz winter Fitter Glove





- Rubberized Safety Cuff
- C-100 Thinsulate[™] Lined
- Available in pile lining (30-9-1003)

Uses: Utilities Industry, Road Construction, Truck and Trailer Industry

Part #	Description	Size
BDG30-9-1004	Hi-Viz Winter Fitter, Premium Grade Leather	L-X2L

Deerskin Driver Glove w/Thinsulate™





- · Premium Grade Leather
- C-100 Thinsulate[™] Lined
- Double Shirred Elastic Wrist
- Rolled Hem
- Keystone Thumb

Uses: Construction, General Purpose, Material **Handling Operations**

Part #	Description	Size
BDG20-9-366	Deerskin Driver w/C-100 Thinsulate	S-XL

Winter Goatskin Mechanics Glove





Grain Leather Goatskin w/Reinforced Split Cowhide Palm Patch

- · Lightweight, Breathable, 4-Way Stretch Fabric Back
- C-40 Thinsulate[™] Lined
- Elastic Wrist w/Hook and Loop Closure
- · Available in 3 colors: Black, Navy, Red

Uses: Road Construction, Railway Operations, Plant Maintenance

Part #	Description	Size
BDG20-9-816B	Winter Goatskin Mechanics w/C-40 Thinsulate	M-XL

Split Leather Cowhide w/Reflective Stripe



- Premium Grade Leather
- Hi-Viz Florescent Orange
- Knuckle Reflective Strip
- Safety Cuff

Uses: Road Construction, Railway Operations, Plant Maintenance

Part #	Description	Size
BDG30-1-1003	Hi-Viz Split Leather Fitter w/Reflective Stripe	-

Fitters Grain Leather Cowhide





- · Standard Grade Leather
- Hi-Viz Florescent Orange Back
- Knuckle Reflective Strip
- Single Piece Palm
- · Solid Color Safety Cuff
- Available in Smaller Hand Size (40-1-287W)

Uses: Railroad Industry, Transportation Industry, Road Construction

Part #	Description	Size
BDG40-1-287	Hi-Viz Grain Leather Fitter w/Reflective Stripe	-

Hi-Viz Winter Grain Fitter





- · Hi-Viz Florescent Orange Back
- Single Piece Palm
- Knuckle Reflective Strip
- C-100 Thinsulate[™] Lined
- · Solid Color Safety Cuff
- Available in pile lining (40-9-2870)

Uses: Railroad Industry, Road Construction, Pipeline Industry

Part #	Description	Size
BDG40-9-2875	Hi-Viz Winter Fitter, Premium Grain Leather	L-X2L

















Hi-Viz Latex Coated





- Nylon Seamless Knit (Hi-Viz Lime)
- Crinkle Latex Coated Palm (Blue)
- Elastic Wrist

Uses: Fishing Industry, Recycling, Agriculture, Freight Handling, Durable Goods Assembly

Part #	Description	Size
BDG99-1-9850	Hi-Viz Nylon Synthetic Glove w/Latex Coated Palm	7-10

Winter Hi-Viz Latex Coated





- Acrylic Seamless Knit (Hi-Viz Lime)Crinkle Latex Coated Palm (Blue)
- Brushed Terry Liner
 Treated with Actifresh®
- · Safe for food contact

Uses: Fishing Industry, Cold Storage Facilities, Winter Transportation, Freight Handling

Part #	Description	Size
BDG99-9-260	Hi-Viz Synthetic Glove w/Latex Palm & Terry Liner	7-10

Bi-Polymer Coated w/Wrist Strap





- Nylon Seamless Knit (Hi-Viz Orange)
- Bi-Polymer Coated Palm and Fingers
- Velcro Wristband
- Treated with Actifresh®

Uses: Precision Assembly, Light Fabrication, Inspection and Packaging, Freight Handling

Part #	Description	Size
BDG99-1-9855	Hi-Viz Nylon Synthetic w/Bi-Polymer Palm	7-10

Ninja® Ice





- "HPT™ Coated Palm, Fingers and Knuckle"
- · Two-layer Insulated Terry liner
- Seamless Knit Construction
- Treated with Actifresh®

Uses: Cold Storage, Commericial Fishing, Construction and Outdoor Winter Use

Part #	Description	Size
BDG99-9-265	Winter Liner w/HPT Palm Coating to Knuckle	7-11

Winter Lined Dyneema®/Latex Palm





Cut Level 5 Seamless Dyneema®/Synthetic Fiber Shell Crinkle Latex Palm **Brushed Terry Liner**

Uses: Bottle and Glass Industry, Canning, Automotive Assembly, Injection Molding, Sheet **Metal Operations**

Part #	Description	Size
BDG99-9-9753	Dyneema® Glove w/Latex Palm & Terry Liner, Cut 5	7-10

Dyneema Seamless Knit





- Cut Level 3
- · Polyurethane Coated Palm and Fingers
- Dyneema®/Synthetic Fiber Shell
- Machine Washable

Uses: Injection Molding, Metal/Glass Handling, Automotive Industry

Part #	Description	Size
BDG99-1-9740	Dyneema® Synthetic Fiber Shell	S-XL

BDG® X3







- · Seamless Fiberglass/Nylon/Lycra Knit Blend
- HPT™ Sponge Coating
- · Treated with Actifresh® to kill bacteria and promote freshness

Uses: Bottle and Glass Industry, Canning, Automotive Assembly, Injection Molding

Part #	Description	Size
BDG99-1-9729	Economic Cut Protection	S-XL

BDG® X3 Ice







- Cut Level 3
- Seamless Fiberglass/Nylon/Lycra Knit Blend
- · Cotton, Polyester, Nylon, & Acrylic Terry Liner
- HPT™ Sponge Coating
- · Treated with Actifresh® to kill bacteria and promote freshness

Uses: Bottle and Glass Industry, Canning, Automotive Assembly, Injection Molding

Part #	Description	Size
BDG99-9-9731	Economic Cut Protection	S-X2L

















Gander

Gander Brand

Gander

Gander

Brand

Brand

Brand

SAFETY EQUIPMENTPROTECTIVE CLOTHING

Utility - Grain Leather Cowhide





- · Standard Grade Leather
- Welted Finger Tips For Extra Wear
- Thumbstrap

Uses: Utilities Industry, Construction Maintenance, General Purpose

Part #	Description	Size
BDG60-1-1274	Utility Grain Leather Cowhide	9-12

Welders - Split Leather Cowhide





- · Standard Grade Leather
- · Fully Lined for Extra Protection
- · Welted Thumb and Finger Tips

Uses: Welding and Fabrication

Part #	Description	Size
BDG60-1-238	Welders Split Leather Cowhide	-

Welders - Split Leather Cowhide







- Industrial Grade Leather
- 4-1/2" Gauntlet Style Cuff"
- Grey Split

Uses: "Added Protection for "Critter Handler" Additional Warmth Liner

Part #	Description	Size
BDG60-1-2605	Welders Split Leather Cowhide	_

Welders - Split Leather Cowhide





- Standard Grade Leather
- Inside Padded Back for Heat Protection
- Gauntlet Cuff w/Gore
- · Welted Thumb and Index Finger

Uses: Welding and Fabrication

Part #	Description	Size
BDG60-1-1500	Welders Split Leather Cowhide	M, L

Welders - Split Leather Cowhide







- · Premium Grade Leather
- · Welted Thumb and Finger Tips
- Back Hand Lined for Added Heat Protection
- Available in Smaller Hand Size (64-1-888W)

Uses: Welding and Fabrication

Part #	Description	Size
BDG64-1-888	Welders Split Leather Cowhide	-

Welders - Split Leather Deerskin







- · Premium Grade Leather
- TIG Welder w/Thumbstrap
- · Gauntlet Cuff

Uses: Welding and Fabrication

Part #	Description	Size
BDG60-1-1141	Welders Split Leather Deerskin	XS-XL

Utility - Grain Leather w/Split Back Cowhide







- "Premium Quality Grade ""A"" Leather"
- · Grain Palm w/Split Back
- Heather Lined Gauntlet Cuff w/Gore

Uses: Utilities Industry,I Steel and Iron Works Operations, Forestry Industry

Part #	Description	Size
BDG64-9-1268	Grain Leather w/Split Back Cowhide	M, L

Utility - Grain Palm/Split Back







- · Grain Palm and Index Finger
- Split Back
- 5" Stiff Cowhide Gauntlet Cuff
- · Fleece Lined Palm for Comfort and Perspiration

Uses: Waste Management, Pulp and Paper Industry, Light Fabrication

Description

Part # BDG60-1-650 Grain Palm/Split Back S-X2L

















Endura® Grain Fitter Gloves





Gunn-cut styling, features select grain palms, fingertips, index finger and knuckle strap to protect against scrapes and abrasion, while cotton backs are elasticized for snug fit and breathable comfort. Protective safety cuff for easy on and off. Complete with an absorbent cotton palm liner absorbs sweat allowing increased wear and comfort.

- Cowgrain
- Palm Lined
- · Safety Cuff

Part #	Size
SUG76B	Mens/Ladies

Endura® Grain Fitter Gloves



GLOVE 2



Endura® gloves are made from smooth topgrain leather for durability, dexterity, plus oil and water resistance. Cowgrain styles are a heavier weight and are very durable, whereas grain pigskin gloves are noted for their breathability and how well they return to their original softness after becoming wet.

- Cowgrain
- Economy Patch Palm
- Palm Lined
- Safety Cuff

Part #	Size	
SUG76YBDQ	S-XL	GLOVE 3

Endura® Driver and Roper Gloves





Endura® cowhide gloves provide comfortable, dependable hand protection. They are naturally durable, offer good dexterity and water repellency. Drivers and Roper styles provide a snug fit and a good sense of touch.

- · American Style Drivers Glove
- Unlined

Part # Size SUG378A S-XL GLOVE 6-L

Endura® Driver and Roper Gloves





Endura® cowhide gloves provide comfortable, dependable hand protection. They are naturally durable, offer good dexterity and water repellency. Drivers and Roper styles provide a snug fit and a good sense of touch.

- · Canadian Style Ropers Glove
- Adjustable Snap Back
- Unlined

Part #	Size	
SUG378C	S-XL	GLOVE 31

Endura® Goatskin Driver Gloves





Goatskin is often referred to as nature's strongest leather. It has very high tensile strength and abrasion-resistanct properties, but has excellent softness and is lightweight. Because of this high strength-to-weight ratio our Endura® Goatskin gloves are much tougher and more durable than their suppleness leads you to

- Goatskin Driver
- Keystone Thumb

Part #	Size
SUG378GKTA	S-XL

Gun-cut Split Fitter Gloves





The gun-cut pattern removes most seams out of the wear area and around to the back of the hand. All styles have full leather palms and index fingers, plus reinforced leather finger tips and knuckle straps for extra protection. All summer styles have cotton-lined palms for comfort and sweat absorption.

- · Standard quality
- Safety cuff

Part #	Size	
SUG66B	Men's Large	GLOVE 4

















Teammate™, Winter Split-Leather **Fully Lined Fitter Gloves**





The winter version of Superior's Teammate™ split-fitter gloves lets you enjoy the warmth of a heavier glove - without the bulkiness. Heavy cotton-twill backs with elastic for snug fit, and 2.5" rubberized band-top cuff for wrist protection and easy on and off. Available with 3M Thinsulate™ offering greater warmth without the bulk.

- · Black selected split Leather
- Fully Thinsulate[™] lined
- · Safety cuff

Part # Size SUG66BFTL Men's Large

Sidekick® Premium Sidesplit Fitter 2020 Gloves Lined with Dyneema®





Gunn-cut pattern glove combines 1.4 mm premium side-split leather, selected for its durability, with 9 oz. cotton twill to create a glove that stands up to the toughest jobs, and features a 10-gauge, seamless string-knit Dyneema® liner for significantly better cut protection. Super-strong Kevlar® thread is used for seam integrity. Elasticized at back of wrist for snug fit.

- Premium Sidekick Fitters Glove
- Fully Lines with Dyneema®
- ASTM Cut Level 2

Part # SUG69BDYFL Men's Large

CrewMate™ Double Palm Fitter Gloves





For the toughest, most abrasive jobs, have a pair of our best-selling Crewmate™ fitters gloves on your side. With an extra layer of heavyweight Tri-tan leather on the palm, thumb and index finger, you can easily handle the unexpected. Back of gloves are cotton with elastic at wrists. Rubberized safety cuffs complete the

- Outside double palm
- · rubberized safety cuff

Part # Size SUG66BRR Men's Large

Guncut Split Fitter Gloves





Teammate split fitters stand up to heavy duty and rugged wear. Good protection from cuts, scrapes and abrasions. The guncut pattern removes most seams out of the wear area and around to the back of the hand. All styles have full leather palms and index fingers, plus reinforced leather finger tips and knuckle straps for extra protection. Cotton lined palms for comfort.

- Standard quality
- Patch palm
- · Safety cuff

Part # Size SUG66Q Men's Large

Dexterity NT Nitrile-Dipped Gloves







The tough nitrile-dipped coating on DEXTER-ITY NT gloves gives superior abrasion, cut and puncture resistance. The combination of the unique 100% cotton seamless-knit shell and the ergonomically designed curved hand and finger shape gives this glove unsurpassed comfort and dexterity.

- · Nitrile Dipped, Seamless Cotton Knit
- 15 Gauge Shell, Knit with THT
- CFIA Approved

Part # Size SUGS15NT

Dexterity PVC Dipped Work Gloves





The tough PVC coating on DEXTERITY NT gloves gives superior abrasion resistance, and excellent wet grip. The combination of the 100% Nylon seamless knit shell and the ergonomically designed curved hand and finger shape gives this glove unsurpassed comfort and dexterity.

- Black PVC Foamed Dipped
- Nylon Knit
- 13 Gauge Shell

Part # Size SUGS13BPVC

















Dexterity Foam-Nitrile-Coated Nylon Gloves





The tough flexible foam-nitrile coating on DEX-TERITY NT gloves gives superior abrasion, cut and puncture resistance. The combination of the 100% nylon, 13-gauge seamless-knit shell and the ergonomically designed curved hand and finger shape gives this glove unsurpassed comfort and dexterity. Ideal for handling oily metal parts.

- Black Nitrile Foam Dipped
- Nylon Knit, 13 Gauge Shell

Part #	Size
SUGS13BFNT	6-10

Superior Touch 13-Gauge Nylon Gloves w/Polyurethane Palm





Superior-Touch polyurethane gloves give unparalleled touch sensitivity and dexterity. The non-linting filament-nylon, seamless-knit shell combined with the low particulate shedding properties of the polyurethane coating makes this glove suitable for fine assembly work in industries where product contamination is an

- · Economy Grey Seamless Knit Nylon Liner
- · Grey PU Palm Coated

Part #	Size
SUGS13GPUQ	7-10

Dexterity™NT Foam-Dipped Work Gloves





Excellent oil grip and bare-hand feel are what set our Dexterity™ NT gloves apart from ordinary nitrile-dipped gloves. Fine-gauge, 100% nylon, seamless-knit shell is non-linting and breathable. Shell is dipped into foamed nitrile over an ergonomically shaped hand form, giving this glove unsurpassed comfort and dexter-

- Foam-Nitrile-Dipped, 13 Gauge
- · Nylon-Knit Shell
- CFIA Approved for Food Handling

Part # Size SUGS13FNT

Superior-Touch Gloves made with Dyneema®





You couldn't ask for a better fit if these gloves were custom made. Made with stronger-thansteel, 13-gauge Dyneema®, to protect you from sharp steel, blades, or glass. Sure-Grip® PVC dots for increased grip and better wear than polyurethane or nitrile-coated gloves.

- Dyneema® Glove
- White

Part #	Size
SUGS13DY	XS-XXL
SUGS13DYD	Available in a Dotted \

Cut-Resistant Palm-Coated Gloves made with Dyneema®







Dyneema® is 15-times stronger than steel on an equal weight basis and twice as strong as Kevlar®. It is also a lint-free, continuous-filament yarn. With their high coefficient of friction polyurethane palm coating and glove body with Dyneema®, these gloves give an unparalleled cut resistance for a glove of such high dexterity and flexibility.

- Polyurethane Palm Coating
- · White with Dyneema®

Part #	Size
SUGS13SXPU	6-12
SLICS13SYCDLI	Available in C

Cut-Resistant Foam Nitrile Palm Gloves made with Dyneema®







Part # Size SUGS13SXGBFN 6-11

Dyneema® is 15 times stronger than steel on an equal weight basis and twice as strong as Kevlar®. It is also a lint free, continuous filament yarn. With their high coefficient of friction Nitrile palm coating and glove body with Dyneema®, these gloves give an unparalleled cut resistance for a glove of such high dexterity and flexibility.

- Black foamed nitrile palm
- · Cut Resistant
- · Grey Glove with Dyneema®

















Our 'Action' leather gloves have become the

industry standard for heavy-duty cut resis-

tance and durability. We combine our own

abrasion-resistant Tri-tan side-split leather with

the excellent comfort and cut resistance of a

seamless-knit Kevlar® glove.

Kevlar® String Knit Glove

· Split Leather Palms

Kevlar® Sewn

Cut-Resistant Palm-Coated Superior Touch Gloves made with Dyneema®







SUGS13SXGNT

Dyneema® is 15-times stronger than steel on an equal-weight basis and twice as strong as Kevlar®. It is also a lint-free, continuous-filament yarn. With their high coefficient of friction polyurethane palm coating and Dyneema glove body, these gloves give an unparalleled cut resistance for a glove of such high dexterity and flexibility.

- Cut Resistant
- · Grey Glove with Dyneema®

Glove

Kevlar® Cut-&-Slash-Resistant









Size SUGSKLP XS-XL

Superior-Touch™ Extreme **Cut-Resistant Foamed Nitrile** Gloves made with Dyneema®







Part # SUGS13FGFNT When high-tech fibres are added to composite yarns, the results are impressive. Fibreglass on its own is brittle, and while it scores well in some aspects of cut-resistance, does not in itself stand up well to direct cut. However, when combined with Dyneema®, brittleness is no longer an issue. The air bubbles in the nitrile palm-coating work to increase grip in oily conditions by displacing the oil on the surface of materials like metal and glass.


- Foamed Nitrile Palm Coat on a 13 Guage Shell
- · Made from a blend of Nylon, Fibreglass and Dyneema®

Emerald CX Series









Introducing the newest additions to our Emerald CX Line, using our own Kevlar®-stainless-Steel composite yarn blended with polyester to achieve great cut resistance, while at the same time improving comfort and reducing price. These gloves are an ideal glove for moderate cut applications.

- Leather Palm
- · Wraparound Pattern
- CX Blend of Stainless Steel
- · Kevlar® Stainless Steel Composite Yarn Blended with Polyester
- ASTM Cut Level 3

Superior Touch, Extreme **Cut-Resistant Fibreglass/Nylon** Glove made with Dyneem® and Polyurethane Palm-Coated







Part # SUGS13FGPU

Size 7-10

When high-tech fibres are added to composite yarns, the results are impressive. Fibreglass on its own is brittle, and while it scores well in some aspects of cut-resistance, does not in itself stand up well to direct cut. However, when combined with Dyneema®, brittleness is no longer an issue, as the fibreglass is now strengthened and supported by the surrounding material.

- Superior Touch Polyurethane Palm Coated
- 13 GaugeFiberglass/Nylon String Knit Glove with Dyneema®

Black Widow Grip, Micropore Keylar® Palm-Coated







Part # SUGS13KPNT Size

7-11

Our design utilizes the latest developments in 'micropore' technology by infusing the nitrile coating with millions of tiny pores. In simple terms, these pores displace oils and liquids when pressed against smooth surfaces, and create a kind of suction tha further increases grip. Best of all, the pores do not allow oil to saturate the nitrile coating as with a foamednitrile glove, keeping hands dry.

- Dexterity™Series
- 13 Gauge Kevlar® Glove with Micropore Nitrile Grip Palm Caoting



















Emerald CX Kevlar®/Stainless Steel Composite Glove with **U** Coating







Emerald CX gloves are knit with an engineered blend of Kevlar® and stainless steel, because two super-strong materials are definitely better than one! They reach an impressive CE Cutlevel 5/ASTM Level 4. And, the comfort and dexterity of these gloves is surprising, considering the fact that you're wearing a quarter mile of steel on your hands.

SUGS13CXPU

Iron Wolf Welding Gloves





IRON WOLF welding gloves and mitts offer great value. Features include select cowhide splits for comfortable wear, yet rugged enough for tough service. Leather welting in all vulnerable seams and full semi-sock thermal knit cotton lining for comfort and added heat protection. Generous sizing to reduce hand fatigue.

- Deluxe Royal Blue
- · Welding Glover
- Kevlar® Sewn

Part # Size SUG505BU Men's Large

Precision Arc™ Deerskin TIG Welders Gloves





TIG welding demands a fine sense of touch, and our PrecisionArc™ deerskin welding gloves deliver. Available in four styles, the 1.1 mil.-thick, split- or full-grain leather gloves come lined or unlined. All models come with 4" cowhide gauntlet cuffs, Kevlar® sewing throughout, and strapped thumbs for extended life of the glove.

- Split Deerskin TIG Glove
- Cowhide back patch protects back seams from Burnout
- Kevlar® Sewn

Part # Size SUG335DBP M-XL

Precision Arc™ Deerskin TIG **Welders Gloves**





These deluxe gunn-cut welding gloves combine exceptional dexterity with protection and durability. Deerskin palms provide a fine sense of touch while backs are one piece split cowhide. Gloves are sewn throughout using Kevlar® thread, providing seam strength and spark resistance. Cowhide 5 inch gauntlet cuffs protect wrists.

- Precision Arc™ Deerskin
- TIG Welding Gloves

Part # Size SUG305GDSB M-XXL

Precision Arc™ Deerskin TIG **Welders Gloves**





TIG welding demands a fine sense of touch, and our PrecisionArc™ deerskin welding gloves deliver. Available in four styles, the 1.1 mil.-thick, split- or full-grain leather gloves come lined or unlined. All models come with 4" cowhide gauntlet cuffs, Kevlar® sewing throughout, and strapped thumbs for extended life of the glove.

- Split Deerskin TIG Glove
- 1.1mm Thick
- · Kevlar® Sewn

Part # Size SUG335DTIG

Premium Deerskin TIG and Side-Split Welding Gloves with **Temperbloc Palms**





The palms are made of a revolutionary new high-heat resistant material called Temperbloc, which is a Silicone coated Kevlar®. Temperbloc, has heat-resistance properties far higher than leather. Plus excellent wet and dry grip, great dexterity and flexibility, as well as longwearing durability.

- Deerskin TIG Welding Glove with Temperbloc Palm
- Kevlar® Sewn

Part #	Size
SUG335TBDTIG	M-XL

















Keep Kleen® Nitrile Gloves







Keep Kleen®100% nitrile gloves deliver superior snag and puncture resistance, plus excellent flexibility and protection from a broad range of chemicals. The textured surface gives an enhanced wet/dry grip without compromising tactile sensitivity. Contains no natural rubber proteins that may cause allergies. Specifications and physical properties comply with ASTM D3578-95, EN455-1, EN455-2. Our Keep Kleen® Nitrile gloves are a Class 2 Medical Grade, and are Agriculture Canada (CFIA) Approved for Food Handling.

Part #	Description	Size
SUGRDN	Lightly Powdered, 4 mil, Blue Nitrile, Medical	S - XL
	Exam Grade, CFIA Approved for food handling	
SUGRDNPF	Powder-free, 4 mil, Blue Nitrile, Medical Exam	S - XL
	Grade, CFIA Approved for food handling	
SUGRD8NPF	Powder-free, 8 mil, Increased tear resistance,	S - XL
	Blue Nitrile, Medical Exam Grade	

Keep Kleen® Vinyl Gloves







Keep Kleen® disposable vinyl gloves offer dexterity and touch sensitivity. Our RDV vinyl gloves are available in two thicknesses, 3 mil for more touch sensitivity, and a 5 mil for higher resistance to tearing. Ambidextrous pattern. Lightly powdered for easy on and off. We also offer a new extrasoft and stretchy premium vinyl. These gloves have the feel of a latex glove. All of our Keep Kleen® Vinyl gloves are Agriculture Canada approved (CFIA) for food handling.

gloves are available in two thicknesses, 3 mil

for more touch sensitivity, and a 5 mil for higher

resistance to tearing. Ambidextrous pattern.

Lightly powdered for easy on and off. We also offer a new extrasoft and stretchy premium vinyl. These gloves have the feel of a latex glove. All of our Keep Kleen® Vinyl gloves are Agriculture

Part #	Description	Size
SUGRDV	Disposable 5 mil, 9.5" length vinyl glove,	XS - XL
	CFIA Approved for food handling	
SUGRDVPF	Disposable 5 mil, 9.5" length vinyl glove,	XS - XL
	Powder-free, CFIA Approved for food handling	

Keep Kleen® Latex Gloves

Approved for food handling







	Canada approved (CFIA) for for		
Part #	Description	Size	
SUGRDL	Disposable 5 mil, 9.5" length latex glove, Medical	XS - XL	
	Exam Grade, CFIA Approved for food handling		
SUGRDLPF	Disposable 5 mil, 9.5" length latex glove,	XS - XL	
	Powdorfroe Medical Evam Grade CEIA		

Knit Kevlar® Sleeves







Kevlar® knit stockinette, snug fitting and double folded. Add a 'TH' for thumb hole.

Part #	Size	Description
SUGKKWC9	9"	w/o thumb hole
SUGKKWC10	10"	w/o thumb hole
SUGKKWC12	12"	w/o thumb hole
SUGKKWC14	14"	w/o thumb hole
SUGKKWC16	16"	w/o thumb hole
SUGKKWC18	18"	w/o thumb hole
SUGKKWC22	22"	w/o thumb hole
SUGKKWC10TH	10"	w/ thumb hole
SUGKKWC12TH	12"	w/ thumb hole
SUGKKWC16TH	16"	w/ thumb hole
SUGKKWC18TH	18"	w/ thumb hole
SUGKKWC22TH	22"	w/ thumb hole

Protective Dyneema® Sleeves





Our Protective Dyneema® sleeves provide unparalleled cut resistance, an excellent choice for handling sharp glass or steel, in situations where heat or spark are not involved. (Dyneema® has a low melt point). They are plated with cotton on the inside for comfort and absorption. The plating also provides more structure so sleeves don't fall down the arm.

Part #	Description	Size (in.)
SUGKDY/C12TH	Dyneema® sleeve, with thumb hole, cotton	12"
	on the inside, 12" length	
SUGKDY/C14TH	Dyneema® sleeve, with thumb hole, cotton	14"
	on the inside, 14" length	
SUGKDY/C16TH	Dyneema® sleeve, with thumb hole, cotton	16"
	on the inside, 16" length	
SUGKDYN/C16	Dyneema® blended with filament nylon on	16"
	outside surface, plated cotton on inside,	



















491 Frost Free





- Double dipped PVC for durability and extra protection
- Extra warm heavy acrylic lining
- · Resin finish for excellent wet/dry grip
- · Developed for extreme cold conditions

Part #	Size
WAT491	L-XL

12" Gauntlet

353 Dynamo!





- Foam nitrile coated palm provides protection from abrasion and punctures, superior wet grip

 • Aramid fiber shell with level 3 cut resistance
- Ergonomically formed to minimize hand fatigue
- Snug and secure fit, seamless knit wrist keeps out dirt and debris

Part #	Size
WAT353	S-XXI



320I Red Hots





- Textured, black rubber coated palm for flexibility and excellent grip
- Breathable seamless red knit
- Napped thermal lining for added warmth

Part #	Size
WAT320I	M-X

320 Blue Chip





- · Blue latex coated palm provides protection from abrasion and punctures
- Ergonomically formed to minimize hand fatigue
- · Snug and secure fit, seamless knit wrist keeps out dirt and debris

Part #	Size
WAT320	S-XI

390 Stealth



- Nitrile coating with textured sure-grip surface, excellent abrasion and puncture resistance
- · Ergonomically designed breathable seamless knit helps to reduce hand fatigue
- · Excellent for small parts handling and wiring operations

Part #	Size
WAT390	S-XL

















2757 Fabulous Fabricator





- Durable and strong, full grain cowhide palm, split cowhide back
- · Gunn cut pattern, wing thumb for a comfortable fit
- Pulse protector reinforcement
- · Cotton fleece palm lining for comfort

Part # Size WAT2757 M & L


2755 Tigger





- Soft split deerskin maintains suppleness after drying from wetness
- · Traditional clute cut design with straight thumb
- Thumb strap and pulse protector reinforces key contact areas
- Kevlar® stitched for lasting wear
- · Stiff retan, gauntlet style cuff with expandable leather gore
- Unlined

Part # Size WAT2755 S-XL







- Nitrile coated gauntlet style glove
- · Non-woven felt insulation, added rear heat insulation
- Intermittent handling of medium hot objects of up to 400°F

Part # Size WAT42-474 9-10

2735 Reversed Cowhide





- Durable and rugged reversed grain cowhide
- Traditional clute cut with straight thumb
- Reinforced back patch on both hands for added protection
- · Kevlar® stitched for lasting wear
- Stiff retan, gauntlet style cuff with expandable leather gore
- Unlined

Part # Size WAT2735 S-XL

9238 Firebrand



- · Premium split cowhide leather
- · Gunn cut design with natural fitting wing thumb
- · Reinforced welted seams in key contact areas
- · Kevlar® stitched for lasting wear
- · Gauntlet style cuff for forearm protection
- Cotton fleece lining for added protection from heat

Part # Size WAT9238 O/S Men's





















PowerCoat® PVC

Honeywell



- · Super flexible PVC coating resists caustics, bases, alcohols, and many acids
- Superior grip and dexterity, flexibility reduces hand fatigue, and promotes increased produc-
- Supple as natural latex, but has the chemical resistance of PVC
- · Ideal alternative for workers with latex allergies

Part #	Description	Size
PFTKV660	12" Triple-Dipped with 100% DuPont Kevlar Line	L-XL

Perfect Fit® (Coated)

Honeywell



- · PVC or nitrile coatings available in various
- Unique coating process is durable, flexible and long lasting
- Coatings provide added abrasion resistance and sure grip
- Standard coatings are available in dots, lines
- Coating pattern can be applied on one or both sides of the glove
- · Custom design coatings are also available

Part #	Description	Size
PFTKVD18A-100	Single Side PVC Dot	Men's
PFTKVD18AR-100	Double Side PVC Dot	Men's

GuardDog®

Honeywell



- 100% Kevlar fiber lining for superior hand protection in hazardous applications
- Double-lock Kevlar fiber stitched construction for added reinforcement
- Premium grade leather for added durability and improved grip in oily applications
- Safety cuff for easy on-off and increased wrist protection

Part #	Description
PFTKV224D	Premium, Heavy Duty Glove w/Kevlar Seamless Liner Men's

DuPont® Kevlar®





- 100% DuPont® Kevlar® brand fiber provides excellent protection from cut, slash and abrasion hazards
- Kevlar can withstand temperatures up to 900°F (480°C) without breaking down
- Kevlar will not support a flame, providing excellent flame resistance
- 2-ply sleeves are comfortable, and conform to all sizes of arms
- Styles with thumb hole hold sleeve in place, offering increased protection in the palm

Part #	Description	Size
PFTKVS-2-(length)	Standard Weight, 100% Kevlar	10, 14, 18, 24
PFTKVS-2-(length)TH	Standard Weight, 100% Kevlar	10, 14, 16, 18, 22, 24
	with Thumb Hole	

Honeywell

















IMPACTO® Anti-vibration Mechanic Style Air Glove®





Used with vibration power tools. Patented Air technology in the palm, thumb and fingers. Adjustable wrist tab with hook and loop closure. Synthetic Ultra Suede leather provides excellent wear and flexibility. Textured patches on the palm and finger tips ensure superior gripping. Mesh back allows hand ventilation.

- Individual air chambers ensure long wear
- · Consistent protection where padded
- Durable urethane bladder construction
- Air bladder won't bottom out
- · Mechanic's glove style designed for maximum comfort and dexterity
- · Meets Anti-Vibration Standard ANSI

Part #

IMPBG408 Small - XXLarge Sold per pair

IMPACTO® Mechanic's Style Impact Glove





Visco-Elastic Polymer (VEP) palm pad absorbs impact and dissipates shock. Full finger design for complete hand abrasion protection. Synthetic Ultra Suede leather provides excellent wear and flexibility. Anti-slip material on the palm and fingertips ensure superior gripping. Spandex back ensures maximum dexterity. Optimum dexterity and comfort. Machine washable.

Part	#	Size

IMPAV408 Small - XXLarge Sold per pair

IMPACTO® Anti-Impact Glove Liner





Fingerless four way stretch polycotton glove liner has full VEP palm padding (wear under work glove). Visco-Elastic Polymer (VEP) pad absorbs impact and dissipates shock. Used for material handling, light assembly with pneumatic and electric hand tools.

Part # Description Size S-XL IMP501-00 Sold as eaches, left or right hand

IMPACTO® Impact Glove with Wrist Support





Industrial use, impact and pneumatic tools. Fingerless nylon glove with grain leather and impact absorbing Visco-Elastic polymer padding in the palm and between thumb and index finger. Detachable grain leather wrist support protects wrist from repetitive strain.

Part #	Description	Size
IMP704-20	Sold as eaches, left or right hand	XS - XL

IMPACTO® Metatarsal Protector





Size

IMPMETGUARD™ One Size Only Sold per pair

boots.

IMPACTO® Foam Kneepad





Form fitting, durable molded Co-polymer padding with breathable CoolMax® lining. Ribbed kneeling surface helps prevent slipping. Elastic strap with hook and loop closure. Made with PVC-Free materials.

Part #

IMP840-00 One size only Sold per pair



















PROTECTIVE CLOTHING



















KLEENGUARD* G60 PURPLE NITRILE* Cut Resistant Gloves

- · White & Black
- · Level 3 cut resistant glove
- DYNEEMA® fabric for comfortable cut protection
- 1 pair/pack 12 pair/case

Part #	KIM97430 Size 7	
	KIM97431 Size 8	
	KIM97432 Size 9	
	KIM97433 Size 10	
	KIM97434 Size 11	

KLEENGUARD* G40 Polyurethane Coated Gloves

- Has the feel of a thinner glove with the added protection of a coating, providing abrasion and tear resistance
- 5 bags/case -12 pair/bag

Part #	KIM98220 Size 7
	KIM98221 Size 8
	KIM98222 Size 9
	KIM98223 Size 10
	KIM98224 Size 11

KLEENGUARD* G40 Latex† Coated Gloves

- · Grey & Black
- Excellent durability
- · Breathable cotton back
- 5 bags/case 12 pair/bag

Part #	KIM97270	Size 7		
	KIM97271	Size 8		
	KIM97272	Size 9		
	KIM97273	Size 10		
	KIM97274	Size 11		

KLEENGUARD* G40 BLUE NITRILE* Foam Coated Gloves

- Blue & Black
- 25% better productivity than leather
- Excellent dexterity
- 5 bags/case 12 pair/bag

Part #	KIM40225 Size 7
	1411440000 0: 0
	KIM40226 Size 8
	KIM40227 Size 9
	KINAUZZI SIZE 9
	KIM40228 Size 10
	KINI-0220 GIZE 10
	KIM40229 Size 11

KLEENGUARD* G10 BLUE NITRILE* Gloves

- Blue
- · 6.0 mil thickness
- · Latex and powder free
- 100/box 10 boxes/case

Part # KIM57370 Size X-Small KIM57371 Size Small KIM57372 Size Medium KIM57373 Size Large KIM57374 Size X-Large (90/box - 10 boxes/case)



HYFLEX®





- Foam Nitrile Coated, Knit Nylon Liner, Light Duty
- Excellent grip in light oil applications by channeling the oil away from the glove surface
- · Foam coating is resistant to snags and abrasions
- · Highest level of comfort and protection

Part #	Size
ANS11-800	6-11

POWERFLEX®







- Superior wet and dry grip
 Combination of cut, abrasion and puncture resistance
- · Fully coated thumb provides added protection in this high-risk area
- · Ergonomically designed, unbelievable comfort

Part #	Size
ANS80-100	6-10

CHEMI-PRO®





- · Cotton flock lining absorbs perspiration and increases worker comfort
- · Added grip on wet or dry surfaces
- Protection against a wide range of chemicals
- Longer than most standard gloves for added forearm protection
- Extra ruggedness and durability

Part #	Size
ANS224	7-10

GOLDKNIT®





- 100% Kevlar® String Knit
- · Protection from sharp edges of metals, ceramics, glass and other materials
- Reversible
- Launderable
- · Blue PVC dots on 2 sides

Part #	Size
ANS70-330	6-9

200 SERIES





- · Natural Latex, Unsupported, Cotton Flock Lined, Medium-Duty
- · Improved grip on wet or dry objects
- · High degree of tensile strength
- Excellent sensitivity
- · Added wrist and forearm protection

Part #	Size
NS297	7-10

BARRIER®





















N-Dex Original





- 100% nitrile
- · Lightly powdered
- Patented low-modulus formulation
- · 4 mil thick
- 9.5" long
- Rolled cuff
- · Blue color
- · Smooth finish
- · CFIA approved

Part #	Size
BEST7005	YS _ YI

N-Dex NightHawk





- · Powder free
- · Patented low-modulus formulation
- · Patented 100% accelerator-free nitrile formulation
- 4 mil thick
- 9.5" long
- Rolled cuff
- · Black color
- Textured fingertips
- CFIA approved
- NFPA approved

Size BEST7700PFT S - XL

N-Dex Plus





Part # Size BEST8005PF S-XL

- 100% nitrile
- · Powder free
- · Patented low-modulus formulation
- 8 mil thick
- 9.5" long
- · Rolled cuff
- · Blue color
- · Smooth finish
- Class 2 medical device
- CFIA approved
- NFPA approved

Best Latex 5005 and 5005PF





- Silicone free (5005 Only)
- lightly powdered, 5005PF is powder free

SAFETY EQUIPMENT PROTECTIVE CLOTHING

- 5 mil thick
- 9.5" long
- Rolled cuff
- · Natural color
- · Textured fingertips · Class 2 medical device
- · CFIA approved

Part #	Size
BEST5005	XS – XL

BEST5005PF XS - XL Powder Free

Showa Atlas Fit





- Natural rubber palm coating
- 10 gauge seamless knitted liner
- · Ergonomic shape
- Machine washable
- · Yellow liner with green coating
- Wrinkle finish

Part #	Size
BEST310	XS - XI

Showa Atlas Thermafit





- · Natural rubber palm coated
- 10 gauge insulated seamless knitted liner
- Machine washable
- · Gray color
- · Wrinkle finish

Part # Size BEST3812 XS - XL BEST451 Coming Soon



Nitri-Flex Lite





- · Palm coated nitrile
- · Breathable, seamless nylon liner
- · Machine washable
- · Green color
- · CFIA approved

Part #	Size
RESTASON	YS _ YI

Nitri-Pro





- · Fully coated nitrile, palm coated nitrile on 7066 only
- Cotton jersey linerReinforced safety cuff
- Machine washable
- Navy color
- Smooth finish
- · CFIA approved

Part #	Size
BEST7166	S – L
BEST7066	S - L Coated Palm Only

Zorb-IT





- Sponge nitrile palm coating
- Breathable, seamless nylon liner
- Machine washable
- · White liner with gray coating
- Sponge finish
- Sanitized
- · CFIA approved

Part #	Size
BEST4550	XS - XI

Best Chem Master





- Flock lined neoprene over natural rubber
- Wear indicator over-dip
- 26 mil
- 12" gauntlet
- Black with blue cuff
- Tractor tread drip
- CFIA approved

Part #	Size
RESTCHM	S – XI

Nitri-Solve



- · Flock lined nitrile • 100% nitrile
- 15 mil thick
- 13" gauntlet Chlorinated
- · Light green
- Bisque finish · CFIA approved
- NFPA approved

Part # Size BEST730 XS - XXL

NSK24



- Nitrile coated
- · Cotton interlock liner
- 14" gauntletRoyal blue color
- · Rough finish



















BUSHWACKER ERGONOMIC SAFETY WORK BOOT

"Brave The Elements"®





- New Ergonomic Snug Fit design for extra comfort and rollover protection
- CSA Green Tree CSA Z95-02
- · CSA Class #1 steel toe and plate
- · CSA Omega electric shock resistant
- · Chainsaw CE Class 3* resistant protection with layered construction of rubber, textile andn ballistic
- Handcrafted 100% waterproof, ozone resistant natural rubber
- Steel shank and air cushioned heel pockets

Part #	Description	Sizes
VIKVW58-1	Safety Work Boot	5 - 15

MINER 49ER PROFESSIONAL MINING BOOT







- · ANSI MT/75 metatarsal protection
- CSA class #1 steel toe cap and steel plate
- · CSA Omega electric shock resistant
- Achiles tendon and ankle protection
- · Handcrafted 100% waterproof ozone resistant natural rubber
- · Heavy duty cotton canvas lining
- · Removable comfort felt insole

ANSIZAT PT 99 MT / 75 EH

D 4 #	5	0:	
Part #	Description	Si	zes

VIKVW49 **Professional Mining Boot**

AMC SOCKS





6 - 14





boots

· Acrylic fleece inside layer insulates while drawing perspiration from your feet

· The dual thermal, acrylic/cotton, construction provides ventilation while wicking perspiration

Part # Description VIKVF22 4/5 - 14/15 Socks

BLACK TUSK BOOT

"Brave The Elements"®





- CSA class #1 steel toe cap and steel plate
- CSA Omega electric shock resistant
- · Handcrafted 100% waterproof, with full grain leather upper and natural rubber bottom
- Chaninsaw CE class 3* resistant protection built into tongue and front of the boot
- Oil, chemical and slip resistant nitrile lug sole adaptable for ice studs
 - Heavy duty 100% cotton canvas lining
 - · Achiles tendon and metatarsal prtection steel shank
 - Made in Canada

Sizes VIK78-1 Leather Upper/Rubber Bottom Boot 5 - 15

NITRI-DEX SAFETY PVC BOOT

"Brave The Elements"®





- · CSA/ANSI Class 1 Steel Toe & Plate
- 17.5% Nitrile/PVC compounding on sole and shaftprovicdes exceptional resistance to fuel, motor oil
- and a broad range of chemicals, prevents fuel, oil and chemicals from migrating into the boots.
- Excellent boots for use on oil rigs, factories construction and road work
- · Superior puncture, tear, abrasion and wear resistance
- Removable insole

Part #	Description	Sizes
VIKVW2-1	Safety PVC Boot	6 - 14

BEKINA THERMOLITE PU WINTER BOOT

"Brave The Elements"®





- · Rated to -40°C. Ultimate cold weather protection! No liner required!
- · Made of an extra thick microfam Polyurethane compound that's warmer, lighter & longer wearing
- · Resistant to mineral, animal, and vegetable oil and fats, blood, disinfectants, manure, solvents, motor oil, and petroleum based chemicals
- CSA Class #1 steel toe & plate
- 15" tall; Erbonomical sole design for easy walking
- · Anti-bacterial and abrasion resistant lining
- Shock resistance heel * anti-slip, self cleaning sole
- · Washable, moisture absorbing, cold insulating and slip-resistant insoles
- Advances Soft PU Compound

Part #	Description	Sizes	
VIKZ040	Thermolite Winter Boot		6 - 14

BEKINA STEPLITE PU BOOT

"Brave The Elements"®





- · CSA/ANSI Class 1 Steel Toe & Plate
- · Foamed PU waterproof construction
- More comfort; wider fitting and kick-off spur
- More safety: higher toecap
- · More slip resistance: improved sole profile
- · Shock absorbant heel
- · Cut-off line to make shorter boot
- · Long life, tough wearing PU remains flexible to -30°C
- · Washable, moisture absorbing, cold insulating insoles

Part #	Description	Sizes
VIKX040	Steplite PU Boot	4 - 14

















VIKING BUSHWACKER **ERGONOMIC SAFETY WORK BOOT**







CSA OMGA Electric Shock

Part # VIKVW58-1 5 - 15 · New Ergonomic Snug Fit design for extra comfort and rollover protection

New orthotic comfort insoles

Highest standard of resistances to ACIDS, ANIMAL FATS, FISH OILS, KETONES as well as a 97% retention of abrasive, tensile and chemical resistance strength after 70 HOURS of exposure to CEMENT

CSA Green Tree CSA Z95-02 Chainsaw protection Chainsaw CE Class 3* resistant protection with layered construction of rubber, textile and ballistic nylon

Handcrafted 100% waterproof, ozone resistant natural rubber

Achilles tendon and ankle protection

· Heavy duty cotton canvas lining

· Oil, chemical and slip resistant nitrile lug sole adaptable for ice studs

Steel shank and air cushioned heel pockets

Great for re-bar and concrete laying
420 Denier Nylon rip-stop collar with safety reflective stripe

"Brave The Elements"®

· Handcrafted 100% waterproof, with full grain

Chainsaw CE class 3* resistant protection built into

· Oil, chemical and slip resistant nitrile lug sole

· Achilles tendon and metatarsal protection steel

leather upper and natural rubber bottom

Heavy duty 100% cotton canvas lining

tongue and front of the boot

adaptable for ice studs

shank · Made in Canada

VIKING BLACK TUSK LEATHER UPPER/RUBBER BOTTOM BOOT









Class #1 Steel Toe & Plate

VIKVW78-1 5 - 15

Part # Size


"Brave The Elements"®

VIKING MINER 49ER PROFESSIONAL MINING BOOT





Part #



- · Ergonomic snug fit design for comfort and roll-over protection
- · Handcrafted 100% waterproof ozone resistant natural rubber
- · Heavy duty cotton canvas lining
- · Steel shank and air cushioned sole pockets
- Oil and chemical resistant nitrile lug sole
- · Removable comfort felt insole



CSA CSA OMGA Class #1 Electric Shoo el Toe & Plate Resistant ĒΗ

"Brave The Elements"® Size

VIKVW49 Sizes Available: 6 - 14

VIKING ARCTIC PU BOOT







Part # Size VIKVW89 6 - 14

- · Built for -50°C, rated to -40°C. Ultimate cold weather protection! No liner required!
- Made of an extra thick microfoam Polyurethane compound that's warmer, lighter & longer wearing
- · Extra wide toe, vamp and shaft for a more comfortable fit with or without socks
- Resistant to mineral, animal, and vegetable oil and fats, blood, disinfectants, manure, solvents, motor oil, and petroleum based chemicals
- 15" tall; Ergonomical sole design for easy walking
- · Anti-bacterial and abrasion resistant lining
- · Shock resistance heel * anti-slip, self cleaning sole
- · Washable, moisture absorbing, cold insulating and slipresistant insoles
- Advanced Soft PU Compound



VIKING JOURNEYMAN PVC BOOT



- · Scientifically formulated premium PVC compound
- · Heavy Duty polyflex compounded self cleaning sole
- · Superior tensile strength and tear resistance
- · Excellent durability and comfort
- · Generous wide fit
- Good safety work boot for use in excavation, construction, road and field work.



Part # Size VIKVW2-1 6 - 14 "Brave The Elements"®

VIKING NITRI-DEX SAFETY PVC BOOT









Part # Size VIKVW4-1 6 - 14 · CSA/ANSI Class 1 Steel Toe & Plate

• 17.5% Nitrile/PVC compounding on sole and shaft provides exceptional resistance to fuel, motor oil and a broad range of chemicals - prevents fuel, oil and chemicals from migrating into the boots.

· Excellent boots for use on oil rigs, factories, construction and road work

· Superior puncture, tear, abrasion and wear resistance

· Removable insole

"Brave The Elements"®

















Voyager™ and River Trekker™ Overshoe

Honeywell



- · Nylon fabrics
- Polyurethane laminated film membrane
- · Compact design
- · Compatible with orthopaedic and custom footwear
- · Extra large gusset
- Ankle strap
- Range of 7 foot sizes, from extra small to 3 extra large
- Velcro closure

All season



Sizing Conversions							
SIZE	XS	S	M	L	Χ	XXL	XXXL
Men	3.5-4	5.5-7	7.5-9	9.5-11	11.5-13	13.5-15	15.5-17
Women	5-6.5	7-8.5	9-10.5	11-12.5			
Insoles	10.3X4	11X4.3	11.8X4.4	12.4X4.5	12.8X4.6	13.5X4.8	14.5X5.5

Part #	Description	Size	
NTHVNN1BLK	11" Blk - Perma outsole 16E & 16ST	XS - 3XL	
NTHRTK7RRN	30" Mushroom Vihram® Ninia outsole	XS - 2XI	

NEOS STABILicers® outSole

Honeywell



NEOS STABILicers® line uses 32 replaceable studs per pair embedded in the sole to help maintain traction in the worst winter conditions and helps lower the risk for slips and falls on and off the job site. Comfortable for long wear, STABILicers® are a smart solution for warmth and traction control

Sizing Conversions							
SIZE	XS	S	M	L	Χ	XXL	XXXL
Men	3-4.5	5-6.5	7-8.5	9-10.5	11-12.5	13-14.5	15-16.5
Women	4.5-6	6.5-8	8.5-10	10.5-12			
Insoles	10.3X4	11X4.3	11.8X4.4	12.4X4.5	12.8X4.6	13.5X4.8	14.5X5.5

Voyager™ STABILicers® Overshoe

Honeywell



- · Nylon or polyester fabrics
- Polyurethane foam insulation
- · Polyurethane laminated film membrane
- NEOS® STABILicers® outsole
- · Compatible with orthopaedic and custom footwear
- · Extra large gusset
- · Ankle strap
- Range of 7 foot sizes, from extra small to 3 extra large
- Velcro closure
- · Cleat wrench included in each pair



Part #	Description	Size
NTHVNS1BLK	11" Black - STABILicers® outsole	XS - 3XL

Navigator 5[™] and Explorer[™] **Overshoe**

Honeywell



- · Nylon or polyester fabrics
- · Polyurethane foam insulation
- · Polyurethane laminated film membrane
- Compact design
- Compatible with orthopaedic and custom footwear
- · Extra large gusset
- Ankle strap
- Range of 7 foot sizes, from extra small to 3 extra large
- Velcro closure
- Winter



Part #	Description	Size
NTHN5P3GRY	15" Gray - Vibram® Ninja outsole	XS - 2XL
NTHEXPGBLK	11" Black - Perma outsole	XS - 3XL















Black Knee Boot





Part #	Description	Size
NTH75125C	15" "Safe-Toe" steel toe and "Safe-Step" steel midsoles	7-14

CT® Black Knee Boot

NTH18822C

NTH18821C





15" Plain Toe Trac10™ sole design

15" "Safe-Toe" steel toe

North Gen "FR" Series **Disposable Coverall**



Honeywell

The North Gen "FR" Coverall is made from a unique combination of nonwoven fabrics and meets with CE Type 5 & 6 protection which means that it is resistant to noxious dust, oil & chemical splashes and also antistatic to meet with EN1149-1. The North Gen "FR" Coverall is also now Flame Retardant to NFPA701 and EN533 Index 1. The fabric is breathable and therefore very comfortable to wear - even for long periods of time. The North Gen "FR" Coverall is ideal for a wide range of applications and has been designed to be both practical and comfortable with a 2-way zip, elastic waist and a generous cut.

Part #	Description	Size
NTH25596	Flame retardant coverall, green	S-4XL

North Gen "AIR" Series **Disposable Coverall**





The North Gen "AIR" coverall is made from a new revolutionary fabric which is soft and breathable. It offers superior resistance to noxious dust and splash in accordance with CE type 5 and 6. It is low lint and therefore ideal for use in a wide range of applications where the wearer needs protection and the environment must not be contaminated with fibers from the garment. North Gen "AIR" is vented and breathable therefore very comfortable to wear - even for long periods of

Part #	Description	Size
NTH85596	Vented disposable coverall, white	S-4XL

North Gen "PRO" Series **Disposable Coverall**

Honeywell



The North Gen "Pro" Coverall is made from a unique combination of nonwoven fabrics and meets with CE Type 5 & 6 protection which means that it is resistant to noxious dust and splash. The fabric is breathable and therefore very comfortable to wear - even for long periods of time. The North Gen "Pro" Coverall is ideal for a wide range of applications and has been designed to be both practical and comfortable with a 2-way zip, storm flap and a generous cut.

Part #	Description	Size
NTH35596	Disposable coverall, blue	S-4XL

3-15

3-15

















Indura Ultra Soft Coverall





- 12.4 ATPV / NFPA70E Hazard risk category 2
- 88% Cotton 12% High Tenacity Nylon
- Nomex thread on all stitching
- Guaranteed flame resistance for the life of the garment
- Telescopic back for more comfort
- Elastic back waist band
- Pencil pocket on left sleeve
- Bar tacked at all stress points
- · Made in Canada

Part #	Description	Size
TRD1625US9RY	Royal Blue	36R - 60R and 36T - 60T
TRD1625US9RD	Red	36R - 60R and 36T - 60T

Nomex IIIA Coverall





- 5.7 ATPV / NFPA70E Hazard risk category 1
- 93% Nomex 5% Kevlar 2% P-140 Carbon
- · Nomex thread on all stitching
- Guaranteed flame resistance for the life of the garment
- · Telescopic back for more comfort
- Elastic back waist band
- · Pencil pocket on left sleeve
- · Bar tacked at all stress points
- · Made in Canada

Part #	Description	Size
TRD1625N6RY	Royal Blue	36R - 60R and 36T - 60T
TDD1625N6DD	Pod	36D 60D and 36T 60T

Indura Ultra Soft Parka



• 37.2 ATPV / NFPA70E Hazard risk category 3

TRADEMARK workwear estima

- 88% cotton 12% high tenacity nylonGuaranteed flame resistance for the life of the garment
- Bar tacked at all stress points
- Made in Canada
- Snap on hood available CAPUS7

Description Size TRDM305US7RY Royal Blue SM - 4XL and SMT - 4XLT TRDM305US7RD SM - 4XL and SMT - 4XLT Red

Nomex IIIA Parka



- · NFPA70E Hazard risk category 4
- 93% Nomex 5% Kevlar 2% P-140 Carbon
- · Guaranteed flame resistance for the life of the garment
- · Bar tacked at all stress points
- · Made in Canada
- Snap on hood available CAPN6

Part #	Description	Size
TRDV305N5RY	Royal Blue	SM – 4XL and SMT – 4XLT
TRDV305N5RD	Red	SM - 4XL and SMT - 4XLT

Indura Ultra Soft Bib Pant





- 37.2 ATPV / NFPA70E Hazard risk category 3
- 88% cotton 12% high tenacity nylon · Guaranteed flame resistance for the life of the garment
- · Bar tacked at all stress points
- · Made in Canada

Coverall Not Exactly as Shown

	Part #	Description	Size
	TRDM905US7RY	Royal Blue	SM – 4XL
	TRDM905US7RD	Red	SM – 4XL

Nomex IIIA Bib Pant





- · NFPA70E Hazard risk category 4
- 93% Nomex 5% Kevlar 2% P-140 Carbon
- · Guaranteed flame resistance for the life of the garment
- · Bar tacked at all stress points
- · Made in Canada

Coverall Not Exactly as Shown

Part #	Description	Size
TRDV905N5RY	Royal Blue	SM – 4XL
TRDV905N5RD	Red	SM – 4XL



















- 100% Cotton canvas
- 3M Scotchlite[™] reflective tape
- · Snap Front Closure
- Radio pocket on right chest
- 1" black banding around arm holes bottom and neck

2 large pockets with Velcro closure on front

TRADEMARK

workwear estim

- 9 Large pockets on the front
- 4 Large inside pockets
- 3 Large back pockets

Part #	Size
TRD433RD	SM – 5XL

Four Pocket Hi Vis Vest

Part #

TRD431OR

Size

Med - 3XL

Carhartt Bib Pant





- Heavy Duty 12 oz cotton duck
- · Adjustable front elastic suspenders
- Multi compartment bib pocket
- 2 large lower front pockets
- Left leg hammer loopDouble knees with cleanout bottoms
- · Triple stitched seams

Part #	Colour	Size
TRDR01BR	Brown	28 – 54
TRDR01BK	Black	28 – 54

Carhartt Double Front Work Dungaree





- Heavy Weight 12 oz ring spun cotton
- · Chap style double front panels
- · Double knees with cleanout bottoms
- · Multiple tool and utility pockets
- Left leg hammer loop

 80% Polyester 20% Cotton 3M Scotchlite™ reflective tape Radio pocket on right side 1" black banding around arm holes bottom and neck 2 large patch pockets on front

Part #	Colour	Size
TRDB136BR	Brown	28 - 50
TRDB136BK	Black	28 - 50

















Nomex FR Toque





- 100% Nomex Knit Toque
- · Available in Black
- · One size
- · Balaclava also available

WTBNOMTOQ

Indura Ultrasoft Hard Hat Liner





- · 100% FR hard hat liner
- · Available in Royal Blue or Red
- One size with long neck for warmth
- · Hydrocarbon Flash Fire Standard CGSB 155.20-2000
- Electrical Arc Standard NFPA 70E
- (ATPV 41) HRC 2

Colour WTBIUSRBHHL Royal Blue WTBIUSREDHHL Red

Hoodies FR

WTBFRHOODIE





- · Indura Ultrasoft Hoodie
- · Stocked in Navy Blue
- Also available with zipper and tear away hood
- Hydrocarbon Flash Fire Standard CGSB 155.20-2000
- Electrical Arc Standard NFPA 70E (ATPV 12.4)
- Large pouch pocket
- Nomex drawstring



Part # Size

S-5XL

Indura Ultrasoft FR Shirts





- 7oz Indura Ultrasoft FR work Shirt
- · Available in Khaki
- · 2 chest pockets with flaps, action back for comfort
- Hydrocarbon Flash Fire Standard CGSB 155.20-2000
- Electrical Arc Standard NFPA 70E
- (ATPV 8.2) HRC 2



Part #	Size
WTBSIUSKH	S - 3XL

Indura Ultrasoft FR Pants







- 9oz Indura Ultrasoft 4 pocket pants
- Available in Navy Blue
- · Hydrocarbon Flash Fire Standard CGSB 155.20-2000
- Electrical Arc Standard NFPA 70E
- (ATPV 12.4) HRC 2



















Nomex Coveralls



- · 6oz Nomex CXP Flame Retardant coveralls
- · CXP is more breathable and comfortable than Traditional Nomex
- · Treated with VISA to resist stains
- · Available with and without reflective stripes
- · Stocked in Royal Blue
- · Sizes 36 to 62, regs and talls in stock
- Hydrocarbon Flash Fire Standard CGSB 155.20-2000
- Electrical Arc Standard NFPA 70E (ATPV 5.1)
- · 2 chest pockets with pencil pocket on the sleeve • 2 back pockets and 2 side pockets with pass thru
- · Action back for flexablity and comfort

Part #	Colour
WTBNOMRBS	Royal Blue Striped
WTBNOMRB	Royal Blue Not Striped





Indura Ultrasoft Coveralls



- 9oz & 7oz Indura Ultrasoft FR coveralls
- · Available with and without reflective stripes
- 9oz Stocked in Red, Royal, Grey & Black
- 7oz stocked in Red, Royal & Grey
- Sizes 36 to 62, regs and talls in stock
- Hydrocarbon Flash Fire Standard CGSB 155.20-2000
- Electrical Arc Standard NFPA 70E
- 9oz rating(ATPV 12.4) & 7oz rating (ATPV 8.2)
- 2 chest pockets with pencil pocket on the sleeve
- · 2 back pockets and 2 side pockets with pass thru
- · Action back for flexability and comfort
- For 7oz use a 7 in part number instead of 9

Part #	Colour
WTBIUSRED9S	Red
WTBIUSRB9S	Royal Blue
WTBIUSGY9S	Grey
WTBIUSBK9S	Black

Indura Ultrasoft Vests



- · Available in Red, Black, Royal Blue
- · Sizes S to 5XL
- Hydrocarbon Flash Fire Standard CGSB 155.20-2000
 Electrical Arc Standard NFPA 70E (ATPV 12.4)
- · 2 large lower pockets
- 2 upper pockets, 1 with mesh for radio
- · Chest tabs for radio microphone or gas monitor



White Bear

Work Wear

Part #	Colour
WTBFRVERED	Red
WTBFRVEBL	Black
WTBFRVERB	Royal Blue





































Breathable Splash & Particle Protection Apparel ZIPPER FRONT WITH 1" FLAP, ELASTIC BACK WRISTS, **ANKLES & HOOD**

- White
- Breathable, patented MICROFORCE
 barrier SMS fabric
- 25 times more breathable with comparable particle holdout to TYVEK®

Part#	KIM46112	Size Medium	25 per case	
	KIM46113	Size Large	25 per case	
		Size X-Large	25 per case	
	KIM46115	Size 2X-Large	25 per case	
	KIM46116	Size 3X-Large	21 per case	
	KIM46117	Size 4X-Large	21 ner case	

Liquid & Particle Protection Apparel ZIPPER FRONT, ELASTIC WRISTS, ANKLES & HOOD

- Better liquid barrier, better particulate barrier, lower in lint than TYVEK®
- Breathable, microporous film laminate

Part #	KIM44322	Size Medium	25 per case	
	KIM44323	Size Large	25 per case	
	KIM44324	Size X-Large	25 per case	
	KIM44325	Size 2X-Large	25 per case	
	KIM44326	Size 3X-Large	25 per case	
	KIM44327	Size 4X-Large	25 per case	

Breathable Splash & Particle Protection Apparel ZIPPER FRONT WITH STORM FLAP, ELASTIC BACK WRISTS, **ANKLES & HOOD**

- Blood borne pathogen rating ASTM 1670/1671

Part #	KIM45022	Size Medium	24 per case
	KIM45023	Size Large	24 per case
	KIM45024	Size X-Large	24 per case
	KIM45025	Size 2X-Large	24 per case
	KIM45026	Size 3X-Large	20 per case
	KIM45027	Size 4X-Large	20 per case

Breathable Splash & Particle Protection Apparel ZIPPER FRONT WITH STORM FLAP, ELASTIC WRISTS, **ANKLES & HOOD**

- Yellow
- Offers only taped and bound seams, not lesser quality serged seams as our competitors do

Part #	KIM09812	Size Medium	12 per case	
	KIM09813	Size Large	12 per case	
	KIM09814	Size X-Large	12 per case	
	KIM09815	Size 2X-Large	12 per case	
	KIM09816	Size 3X-Large	12 per case	
	KIM09817	Size 4X-Large	12 per case	

ACCESSORIES

Part #	KIM44491	Boot Cover, White	400 per case
	KIM44492	Shoe Cover, Vinyl Sole	400 per case
	KIM36885	Shoe Cover, White	300 per case
	KIM36811	Shoe Cover, Low Skid	300 per case

















ELEMENT FR® 3 Piece CSA Suit Style # R85





The ELEMENT FR™ rainsuit provides exceptional value when you need a suit to protect you from wet and dirty environments. Packed with features, this hi-viz garment is sized to fit over bulky work garments allowing you to perform with less stress on you and the garment. Packed conveniently in one package, the jacket, pant and hood can be easily dispensed on large job sites, allowing for easier inventory control.

- Hi-Viz Orange 13 oz/yd2 FR PVC/Polyester
- Oil resistant
- · Good tear and snag resistance
- · Extremely durable and comfortable
- · Remains flexible in cold conditions
- · Permanently welded seams
- · Unique "Wideweld" cuff design to increase wear
- · Generous styling fits over work clothes
- · Recommended for "Momentary Protection from Open Flame"

JACKET

- · Batwing sleeve design
- Features CSA Z96 striping package using 2" 3M™ Scotchlite™ silver & yellow reflective material
- · Stand up collar with durable snaps to attach hood
- · Concealed plastic snap front closure
- · Inner storm flap
- · Two snap adjustments at cuffs

PANT

- Single bib design, Double layer top for durability
- Elastic waist back
- · Adjustable elastic suspenders, Spreader bar at back
- Two snap adjustments at cuffs for best fit
- Features 2" 3M™ Scotchlite™ silver reflective band on each leg
- · Unique "Wideweld" cuff design to increase wear
- Roomy legs to easily put on boots

HOOD

- · Designed to easily fit over a hard hat
- · Attaches to jacket with plastic snaps
- Detachable hood a safety feature should it become entangled while working
- · Drawstring with cord locks for best fit. All 3 pieces sold as one suit.

Part #	Description	Size
RANR85	3 Piece CSA Suit w/Silver and Yellow Reflective	S - 4XL

CA-43® Chemical & Acid Protection



The CA-43® chemical & acid resistant fabric features a specially formulated Flame Retardant PVC coating on Polyester in an identifiable Kelly Green colour. This unique fabric is tough and durable while offering protection from most chemical and acid exposures.

- Kelly Green 10 oz/yd2 FR PVC/Polyester
- Electronically welded watertight seams
- Generous styling fits over work clothes
 - Recommended for "Momentary Protection from Open Flame"
 - · All styles available in sizes S-4XL
- Roomy raglan sleeves for added comfort, Inner tapered cuff on coat
- · Plastic snap front with inner storm flap

Part #	Description	Size
RANC43480	Coat	48" length
DVN 143332FH	lacket with attached hood	

Cont...



















401 Tornado Rainsuit/411 Tornado Fire Retardant Suit

This popular rainsuit is constructed from PVC/Polyester/PVC with a .35mm thickness, offering the user reliable quality and value. The jacket comes with storm flap, dome snaps, two patch pockets, corduroy collar, detachable hood with drawstrings, cape back and underarm vents, cuff take-up snaps, non-conductive fasteners, and ultrasonically reinforced welded seams. The pants feature non-conductive fasteners, fly front, adjustable suspenders, adjustable waist snaps, and ankle take-up snaps. Available in complete suit or separate jackets and pants in both hi-viz orange and yellow. The 401 Tornado is suitable for construction sites, farms, municipal workers, and most jobs in foul weather. Fire retardant suit is also available.

Part #	401 Yellow Suit	411 FR Yellow Suit	
AIDR401Y20	Small	AIDR411Y20	Small
AIDR401Y30	Medium	AIDR411Y30	Medium
AIDR401Y40	Large	AIDR411Y40	Large
AIDR401Y50	X-Large	AIDR411Y50	X-Large
AIDR401Y60	2X-Large	AIDR411Y60	2X-Large
AIDR401Y70	3X-Large	AIDR411Y70	3X-Large
AIDR401Y80	4X-Large	AIDR411Y80	4X-Large
AIDR401Y90	5X-Large	AIDR411Y90	5X-Large

401 Tornado Traffic Rainwear

This suit with 360° of reflective tape offers the same features as the 401 Tornado. Material is PVC/Polyester/PVC with a thickness of .35mm. It is specially designed to Material is PVC/Polyester/PVC with a thickness of .35mm. It is specially designed to meet the needs of those working on a traffic work site or construction site. Applications include security, police, municipal workers, airport workers, or any job application where increased visibility is a must for safety. The suit features a reflective "X" on the back, two vertical stripes on the chest, a 360° waist band on jacket, and bands around both arms and legs. Jacket features storm flaps, dome snaps, two patch pockets, corduroy collar, and detachable hood with drawstrings. Bib overall pants come with fly front, adjustable represented and distributed to the process of the state of the process of the state of the process of the state of the process of the suspenders, and adjustable waist snaps.

Part #	Hi-Viz Lime Suit	Hi-Viz Orange Suit	
AIDR401L21	Small	AIDR401021	Small
AIDR401L31	Medium	AIDR401O31	Medium
AIDR401L41	Large	AIDR401O41	Large
AIDR401L51	X-Large	AIDR401O51	X-Large
AIDR401L61	2X-Large	AIDR401O61	2X-Large
AIDR401L71	3X-Large	AIDR401071	3X-Large
AIDR401L81	4X-Large	AIDR401081	4X-Large
AIDR401L91	5X-Large	AIDR401O91	5X-Large



The jacket features a reflective tape pattern with two stripes down chest, reflective "X" on back, reflective waist band & reflective bands on both arms, concealed hood in collar, zipper front storm closure with rust proof snaps, adjustable wrist snaps, and a clear vinyl pocket for ID card. The pants feature a reflective band on each leg, double bib overall pants with inside pocket, heavy-duty adjustable suspenders, waist snap, wide pant leg for work boots, and an adjustable leg snap for boots.

- · High visibility traffic rainsuit
- Durable poly-oxford material with polyurethane coating for waterproof protection
 Complete suit offers 360° reflectability

Part #	Hi-Viz Lime Jacket	Hi-Viz Orange Jack	cet
AIDR982L21	Small	AIDR982O21	Small
AIDR982L31	Medium	AIDR982O31	Medium
AIDR982L41	Large	AIDR982O41	Large
AIDR982L51	X-Large	AIDR982051	X-Large
AIDR982L61	2X-Large	AIDR982061	2X-Large
AIDR982L71	3X-Large	AIDR982071	3X-Large
AIDR982L81	4X-Large	AIDR982081	4X-Large
AIDR982L91	5X-Large	AIDR982O91	5X-Large
Part #	Hi-Viz Lime Pants	Hi-Viz Orange Pant	ts
Part # AIDR983L21	Hi-Viz Lime Pants Small	Hi-Viz Orange Pant AIDR983O21	ts Small
	= =	_	
AIDR983L21	Small	AIDR983O21	Small
AIDR983L21 AIDR983L31	Small Medium	AIDR983O21 AIDR983O31	Small Medium
AIDR983L21 AIDR983L31 AIDR983L41	Small Medium Large	AIDR983O21 AIDR983O31 AIDR983O41	Small Medium Large
AIDR983L21 AIDR983L31 AIDR983L41 AIDR983L51	Small Medium Large X-Large	AIDR983O21 AIDR983O31 AIDR983O41 AIDR983O51	Small Medium Large X-Large
AIDR983L21 AIDR983L31 AIDR983L41 AIDR983L51 AIDR983L61	Small Medium Large X-Large 2X-Large	AIDR983O21 AIDR983O31 AIDR983O41 AIDR983O51 AIDR983O61	Small Medium Large X-Large 2X-Large















Traffic Parkas





These high intensity traffic parkas increase the visibility of workers on any job site. The water repellent outer shell makes this an excellent parka for inclement weather and cold winters. The parkas are made of 100% polyester and have a inner black lining with diamond-shaped quilting. Material is 300 denier and the lining is 200 grams. Jacket features front storm flap with 5 snaps and a two-way zipper, set-in long sleeves with an inner knitted wrist storm cuff, 2 flap waist pockets, inside left and right chest pockets with velcro closures, one lower mobile phone pocket with velcro closure, and a hood that rolls into the collar and features a drawstring with plastic bell knob stopper. Parka also features 360° reflectability, 2 stripes down the chest, an X on the back, 2 bands around the waist and a reflective band around the arms. Ideal wear for construction workers, police and traffic authorities, municipal or government workers, security personnel, airport workers, or any job site that requires high visibility clothing. Available for custom embroidery. Packaged 10/Case.

Part #	Lime Green	Part #	Hi-Viz Orange
AIDC23011402	Small	AIDC23010602	Small
AIDC23011403	Medium	AIDC23010603	Medium
AIDC23011404	Large	AIDC23010604	Large
AIDC23011405	X-Large	AIDC23010605	X-Large
AIDC23011406	2X-Large	AIDC23010606	2X-Large
AIDC23011407	3X-Large	AIDC23010607	3X-Large
AIDC23011408	4X-Large	AIDC23010608	4X-Large
AIDC23011409	5X-Large	AIDC23010609	5X-Large

3-in-1 Traffic Jackets





The best of all worlds - enjoy a winter jacket with a zip-in reversible traffic vest. These high intensity traffic jackets increase the visibility of workers on any job site. The water repellent outer shell makes this an excellent choice for inclement weather and cold winters. Material is 250 grams (10 oz. per square yard) and the lining is 220 grams (8.8 oz. per square yard). The 100% polyester jacket with mesh lining features a front storm flap with 6 snaps and a one-way zipper, set-in long sleeves with a knitted storm cuff inside, inside left and right chest pockets with velcro closures, lower mobile phone pockets with velcro closures on both sides, and a roll-up hood with draw cord and plastic bell knob stopper. Jacket also features 360° reflectability, 2 stripes down the chest, an X on the back, 2 bands around the waist and a reflective band around the arms. Inner vest features zip-in sleeves for improved insulation, 2 inside waist pockets with velcro closures and 2" wide silver reflective stripes on the front, an X on the back, and 2 bands around the body. Ideal wear for construction workers, police and traffic authorities, municipal or government workers, security personnel, airport workers, or any job site that requires high visibility clothing. Custom embroidery is available on upper left chest and neckline. Packaged 10/Case.

Part #	Lime Green	Part #	Hi-Viz Orange
AIDC24111402	Small	AIDC24110602	Small
AIDC24111403	Medium	AIDC24110603	Medium
AIDC24111404	Large	AIDC24110604	Large
AIDC24111405	X-Large	AIDC24110605	X-Large
AIDC24111406	2X-Large	AIDC24110606	2X-Large
AIDC24111407	3X-Large	AIDC24110607	3X-Large
AIDC24111408	4X-Large	AIDC24110608	4X-Large
AIDC24111409	5X-Large	AIDC24110609	5X-Large















Winter Parkas



Our 100% cotton woven canvas parkas will keep you warm in winter. They are generously sized and have reinforced seam work to allow for long-term durability. They are lined with 100% black cotton flannel with polyester filling and the nylon quilted lining on the bottom of inner parka allows for easy sitting. The canvas is 250grams (10 oz. per square yard) and the lining is 220grams (8.8oz). Our parkas also feature a full zippered front closure with top and bottom button down straps and storm flap, side pockets with 2-way zipper, allowing access to cell phone, keys, wallet, etc, inner left jacket pocket with storm flap, and 2 outside patch pockets with flap and snap with twoway access from top or side. Sleeves feature 4" inside knitted storm cuff with nylon lining to prevent build up from snow and a left sleeve storage pocket with flap and snap for pencils/ pens or cell phone. An extended 3.5" tab on neck of hood allows for extra room for hard

Part #	Tan	Part #	Tan
AIDC23010102	Small	AIDC23010105	X-Large
AIDC23010103	Medium	AIDC23010106	2X-Large
AIDC23010104	Large	AIDC23010107	3X-Large

hats. Packaged 10/Case.

Winter Overalls



Our 100% cotton woven canvas overalls will protect you in cold weather. They are generously sized and have reinforced seam work to allow for long-term durability. The canvas is 250grams (10 oz. per square yard) and the lining is 220grams (8.8oz). Lined with 100% black cotton flannel with polyester filling, our overalls also feature a 2-way full zippered front, zippered closures on the sides of the legs to allow room for work boots, action back for increased movement and comfort, 2 leg pockets with snap closures, reinforced knees, seat of pants and inner thigh, and hammer loop. They also have heavy-duty black nylon webbing suspenders with adjustable fasteners. Suitable for all outdoor construction work, municipality workers, mining industry, or any outdoor job site during colder weather. Packaged 10/Case.

Part #	Tan	Part #	Tan
AIDC12010102	Small	AIDC12010105	X-Large
AIDC12010103	Medium	AIDC12010106	2X-Large
AIDC12010104	Large	AIDC12010107	3X-Large

Black Canvas Traffic Winter Parka






This parka contains all of the features of the Tan Canvas Parkas with the addition of reflective striping for traffic safety.

Part #	Black	Part #	Black
AIDC23017302	Small	AIDC23017306	2X-Large
AIDC23017303	Medium	AIDC23017307	3X-Large
AIDC23017304	Large	AIDC23017308	4X-Large
AIDC23017305	X-Large	AIDC23017309	5X-Large

Black Canvas Traffic Overalls





Part #	Black	Part #	Black
AIDC12017302	Small	AIDC12017306	2X-Large
AIDC12017303	Medium	AIDC12017307	3X-Large
AIDC12017304	Large	AIDC12017308	4X-Large
AIDC12017305	X-Large	AIDC12017309	5X-Large















Denim Apron





The denim apron is designed for use in general industrial applications. The durable cotton material provides protection against abrasive surfaces and dirt. The lightweight material is comfortable for long-term wear during the work shift. The full apron features multiple utility pockets that allow for tools, gloves, cell phone, marking pens, etc. Half apron features 3 pockets.

PVC/Polyester Apron and Sleeves





This apron is an ideal choice for industrial applications and long-term wear. Apron is PVC/ Polyester/PVC with a material thickness of .35mm (fire retardant apron is .45mm thick). Features include rustproof, heat sealed grommets with ties and seamless edges that prevent build up of bacteria and residue. Suitable for lab work, industrial work, food processors, and janitorial work. Apron is 36" x 48". Sleeves are 18" and feature elastic cuffs.

Part #	Description
AID440060	PVC/Polyester Apron
AID440040	PVC/Polyester Sleeves
AID440070	PVC/Polyester Fire Retardant, Chemical
	Resistant Heavy-Duty Apron
AID440075	PVC/Polyester Fire Retardant, Chemical
	Resistant Heavy-Duty Apron with Reinforced Mid-Patch
AID440050	PVC/Polyester Fire Retardant,
	Chemical Resistant Heavy-Duty Sleeves

Part # Description AID440170 Full Apron AID440120 Half Apron

Blue Vinyl Apron and Sleeves





This vinyl apron provides low cost protection for light duty work, food processing services, and cleaning. Made of a premium grade vinyl, the material has a thickness of .20mm. Features include rustproof, heat sealed grommets with industrial strength ties and seamless edges that prevent build up of bacteria and residue. Apron is 45" x 36". Sleeves are 18" and feature elastic cuffs.

Nitrile Apron with Reinforced Mid-Patch





This apron is suitable for heavy-duty industrial applications and extremely abrasive environments and offers excellent protection against punctures. Apron is made of nitrile with a thickness of .50mm (+/- 0.02mm) for the apron and .80mm (+/_ 0.02mm) for the belly patch. Reinforced mid-patch is designed for food processors to offer increased durability. Apron is 35" x 48".

Part #	Description
AID440180	Nitrile with a reinforced mid-patch
AID440050	PVC/Polvester Sleeves

Part # Description AID440080 Apron AID440020 Sleeves

















Wilkuro Toe-Caps









Accept no imitations, look for the original Wilkuro® brand safety toes. Relied upon by Fortune 500 companies, Wilkuro's slip resistant safety overshoes have been continuously quality tested since 1985. Proudly made in North America.

Wilkuro Safety Toes provides excellent occasional toe protection at an affordable price. The Wilkuro Safety Toe is an alternative to steel toe shoes for:

- casual or temporary workers
- salespeople
- executives
- or any other person who enters an area where toe protection is required.

Where there is a potential for toe injury the desire for comfort and convenience of wearing regular footwear Wilkuro Safety Toes are the answer.

Wilkuro Safety Toes are a time-tested and proven steel toe shoe solution, which is ideal in any environment where there is risk of accidental toe damage or where steel toe shoe cap is required.

Designed to fit comfortably over soft-toed shoes, including runners and even low-heeled dress shoes*, Wilkuro Safety Toes are an excellent alternative to steel toe safety shoes.

Order them for casual or temporary workers, visitors to a plant, sales persons, executives or clerical staff.

Unlike standard steel-toed safety shoes, they can be passed from person to person without hygiene concerns.

The switch to PVC ultimately replaces the use of 100 per cent vulcanized rubber boots. Wilkuro has continuously and comprehensively tested its products to meet and exceed required international safety standards. Market and quality testing has shown the new PVC overshoe to provide a stronger, more durable and slip-resistant Wilkuro Safety Toe, which is also acid, oil and animal fat resistant.

According to Operations Manager, George Kuropas, "PVC is capable of coming into contact with a variety of chemicals without undergoing any significant changes in composition or properties. It remains strong and durable, even under changing temperatures and conditions. This resilience will allow Wilkuro Safety Toes to consistently function for extended periods of time." He added, "Out of 135 standard chemicals tested, the Wilkuro PVC overshoe consistently outperformed comparable rubber overshoes. PVC achieved excellent or good scores for chemical resistance in 92 instances compared to 48 instances for rubber—a 192 per cent improvement."

Part #	Size	Shoe Size
WLK001	XSmall	4-5
WLK002	Small	6-7
WLK003	Medium	8-9
WLK004	Large	10-11
WLK005	XLarge	12-13
WLK006	XXLarge	13+





















WELDING SAFETY

3M Occupational Health and **Environmental Safety Division** 3M[™] Speedglas[™] Powered & Supplied Air Protection L-Series SG







A leader in powered and supplied air and auto-darkening filter (ADF) technologies for over 30 years, 3M is excited to introduce a new line of Speedglas" combined systems and helmets. We've paired the legendary Speedglas" ADF technology with our best-in-class powered air purifying respirator and our L-Series hard hat to provide you with unparalleled comfort and protection in the most demanding welding environments.

3M continually strives to develop adaptable welding products that meet your changing needs. You wanted a hard hat with Adflo and we listened. We are pleased to provide new 3M Speedglas Welding Shields with Powered and Supplied Air Protection—including 3M Adflo—for hard hat required applications.



Use the Helmet/ADF Shield in the down position for welding applications.



Lift the ADF Shield for grinding applications.

Grinding



Lift the Wideview Faceshield for easy communication in non-hazardous environments

Speaking

















Speedglas™ 100 Welding Helmets with Variable Shade Filters













These new models are available with the Speedglas™ 100V filter, which features five user-selectable dark shades, from shade 8 to shade 12, and a light shade of 3. This filter has three sensitivity settings: a normal setting used for most types of welding (both indoors and outdoors), a setting for when other welders are working nearby, and a setting for low-current or stable arc (e.g. TIG)

Part #	Description
3MO07-0012-31BZ	Blazed
3MO07-0012-31AH	Aces High
3MO07-0012-31CH	Chrome (not shown)
3MO07-0012-31MS	Mechanical Skull
3MO07-0012-31TW	Trojan Warrior (not shown)
3MO07-0012-31TR	Tribal
3MO07-0012-31BI	Black (not shown)

Speedglas™ Helmet 9000 HWR with Adflo™ System





We've reinvented the powered air-purifying respirator (PAPR) for welders. The result is 3M™ Speedglas™ with Adflo™ System: a lightweight, compact, all-in-one system. Its exclusive "stackable" configuration means that the Adflo™ cartridge can be stacked onto the high efficiency (HE) particle filter for additional protection against organic, sulfur dioxide, chlorine and hydrogen chloride vapours.

Part # 3MO15-1101-00

Speedglas™ 9100 **Welding Helmets**









9100 Features

Refined stability and balance in a design that enhances comfort and protection.

- Four settings let you determine the distance between your face and the helmet
- Unique two-strap crown adjustment for increased stability and reduced pressure
- · Smooth ratchet mechanism lets you manually tighten the helmet to your personal preference
- · Lowered center of gravity helps make the helmet feel more balanced and stable in all positions, which lessens the need to over-tighten the headband
- Helmet offers a smoother up-and-down pivot action that gently "locks" in the up posi-
- · Three new auto-darkening filters (ADFs) of differing sizes are available (X, V, XX), with built-in mag plate holder
- Features seven user-selectable dark shades (5, 8-13), with the option to lock-in your shade for torch and plasma cutting
- Offers a tack welding comfort mode to help reduce eye fatigue, and a shade 3 grinding

Part #	Description
3MO06-0100-10	3M Speedglas Helmet 9100 w/ 9100V ADF, Shades 5, 8-13
3MO06-0100-20	3M Speedglas Helmet 9100 w/ 9100X ADF, Shades 5, 8-13
3MO06-0100-30	3M Speedglas Helmet 9100 w/ 9100XX ADF, Shades 5, 8-13

Speedglas™ Helmet FlexView with Adflo™ System





The new FlexView system combines full eye and face protection (for both welding and low light weld preparation) with a slim, lightweight, powered air purifying respirator. For chipping, grinding, or preparation, the user simply lifts the spring-mounted Speedglas™ filter assembly. the spring holds the auto-darkening filter securely on top of the helmet, giving the welder a big clear view through the clear polycarbonate faceshield.

Part # 3MO16-1101-00













Headgear





SAFETY EQUIPMENT

WELDING SAFETY


3M™ SPEEDGLAS™ WITH ADFLO™

14-0099-35










- . 15-1101-21 Adflo™ HE, HWR 9000, 9002X ADF
- . 15-1101-31 Adflo™ HE. HWR 9000, 9002V ADF
- 16-1101-21 Adflo™ FV. HWR 9000, 9002X ADF
- 16-1101-21SW Adflo™ FV with SW, 9002X ADF







15-5401-01

- · motor/blower/belt
- · battery and battery charger
- · breathing tube
- · particulate filter
- · prefilter
- · spark arrestor
- · flow indicator
- · carry bag



15-0009-99X02 15-0099-99X06 15-0099-99X12 15-0199-99X02 15-0199-99X06 15-0199-99X36 15-0399-99X02 15-0399-99X06 15-1101-99

Adflo™ Spark Arrestor pkg. 2 Adflo™ Prefilter pkg. 6 Adflo™ Prefilter pkg. 12 Adflo™ HE Particle Filter pkg. 2 Adflo™ HE Particle Filter pkg. 6 Adflo™ HE Particle Filter pkg. 36 Adflo™ OV/SD/CL/HC Cartridge pkg. 2 Adflo™ OV/SD/CL/HC Cartridge pkg. 6 Adflo™ HE Starter Kit

Popular Options and Accessories

HWR/FA II Face Seal
HWR/FA II Headband Assembly with Air Duct
Head cover
HWR FV Face Seal
HWR FV II Headband Assembly with Air Duct
Head Cover
Adflo™ Turbo
Adflo™ Battery
Adflo™ Charger
Breathing Tube
Turbo Cover

*Add "3MO" to beginning of each Part Number


















SAFETY EQUIPMENT

WELDING SAFETY

3MTM SPEEDGLASTM WITH SUPPLIED AIR RESPIRATOR



14-0099-35H 14-0099-35HSW



Headgear





Complete System (No ADF) 14-5701-00 14-5701-00SW

14-5801-00 14-5801-00SW





18-0099-47 Cool-air



18-0099-48 Temp-air

Air Supply Hoses





Breather Hose 18-0099-40 18-0099-41 100' 18-0099-42



NyCoil Hose* 25' 18-0099-43 18-0099-44 100' 18-0099-45

Air Filtration Panels and Air Pumps

For details contact our Sales Department

LIMD/EA II Enca Cool

Parts and Accessories	14-0099-20	HWR/FA II Face Seal
Tarta and Accessories	14-0099-29	HWR/FA II Headband Assembly with Air Duct
	14-0099-33	HWR/FA II Hard Hat Face Seal
	18-0099-55	Valve Shield
	10 0000 10	Constitut Ata Constant Ball

14 0000 20

*Add "3MO" to beginning of each Part Number

Supplied Air Comfort Belt 18-0099-16 18-0099-61 Hard Hat Head Cover 18-0099-63 Breathing Tube, Supplied Air

[&]quot; with cool-air valve only























Parts and Accessories	Part Number	Description
	L-113-2 L-116-2	Head suspension Head pad
	L-115-10	Sweat pad
	L-131-10	Wide-view lens
	L-124-5	Faceseal, flame retardant (L-505, L-705)
*Add "3MO" to beginning of each Part Number	L-125-2	Shroud, flame retardant (L-905)
	GVP-146	Spark arrest cover (all GVP filters/cartridges)
	GVP-119	Filter/cartridge cover (all GVP filters/cartridges)


















Powered Air-Purifying Respirator System (PAPR) Kit







Compact Air 200 Series PAPR for use with hoods, and 7600 and 5400 facepieces. Triple alarm system using vibration, series of beeps and an LED light alerts user to low flow and low battery. Kit inlcudes blower, lithium ion battery, backpad and PVC belt for easy "Decon", charger, flow meter and carrying case. Breathing tube, cartridges and headergear ordered separatley.

Part #	Description
NTHCA201D	Compact Air PAPR kit.
CA127	34" breathing tube for use with hoods
CA127L	40" breatrhing tube for use with hoods
CA220	34" V breathing tube for use with 7600 and 5400 facenieses

Accesories/Consumables



Part #	Description
NTHPA202	Replacement hood for PA231 series (white, 10/bx, w/Quick-On
NTHPA232	Replacement fire retardant cover for PA231 series.
NTHPA302	Replacement hood for PA331 series (white, 10/bx).
NTHPA332	Replacement fire retardant cover for PA331 series.
NTHCA113	Replacement tube dust cover for CA101 PAPR (white, 10/pk).
NTHCA115	Replacement fire retardant tube cover for CA101 PAPR.
NTHPA106	Peel-away lens cover for use with Primair series hoods
	(3 sheets/set, 5 sets/pk).



The North Primair FM™ 300 Series headgear integrates the Fibre-Metal 3-C headgear and connection for welding helmets and faceshields with the Primair 100 Series style headgear. The result is a complete system for welding, grinding and other applications where faceshields or welding helmets are required in addition to respiratory protection.

- · Welding or grinding in closed or confined space, or where ventilation is poor
- Welding or grinding exotic metals
- · Dip tank operations requiring face protection

Part #	Description
NTHPA231EO1*	includes hard hat w/Quick-Lok
NTHPA331*	includes 3-C style headgear
Wedling Helmet	not incuded.

















Fibre-Metal FMX Welding Helmets









- · Lifetime warranty on helmet and headgear
- Superior ADF lens with industry-leading 2-year warranty
- Lightest-weight full-size helmet available
- Proven "3-C" headgear for all day comfort
- Professional, full-wrap, heat and scratch resistant graphics
 Packaging reflecting FMX quality and performance

Part #	Description
FBR2999BV913X1	Flame
FBR2999BV913X2	Demon
FBR2999BV913X3	Wire Burner

Beanies





FBRFMBEANIE

Description

100% Cotton Beanie

Cooling Headband





Part #

Description

FBRFM-SCH-1

See instore for more colors

FMX Helmets Bag





The FMX Helmet Bag features two interior pockets for gloves and spare lens cover plates. Available in black.

Description **FBRFMXHELBAG** Black only

Three-In-One Headband





Provides relief from the heat at three levels. Use as a regular sweatband to absorb perspiration, soak in water for a few minutes for a cooling headband, or add water and refrigerate for extra cooling.

Description

FBRFM-SSH-1 See instore for more colors

















TIGERHOOD® Futura Thermo Plastic **Welding Helmets**





The Tigerhood® Futura represents the latest in welding helmet technology and performance. An innovative, streamlined design combined with an exceptionally high performance material help welders make more and better welds. Other colours also available.

Part #	Description
FBR2006SRCSA	Welding helmet with 2" x 4-1/4" flip front
	and 3-C ratchet headgear
FBR2090SRCSA	Welding helmet with 5-1/4" x 4-1/2" fixed
	front and 3-C ratchet headgear

TIGERHOOD® Classic Welding Helmets









The Primair FM Series is NIOSH approved for use with Fibre-Metal welding helmets bringing together the best in welding and respiratory protection.

- · Air circulates within helmet
- · Provides additional protection for the throat
- Select the right helmet to meet your workplace needs
- Lightweight and strong
- · More heat and chemical resistance than other materials
- Stronger bond eliminates chipping, peeling and fading
- Deflects sparks and spatter

Part #	Description	
FBR906GY-CSA	Welding helmet with headgear, grey.	
FBR4906GY-CSA	Welding helmet with Quick-Lok, grey.	
FBR5906GY-CSA	Welding helmet with Speedy Loop, grey	

Quick-Lok System






The Fibe-Metal unique Quick-Lok system provides for secure, long-term combination use. The Quick-Lok mounting blocks are screwed onto the protective cap. Welding helmets and faceshields equipped with Quick-Lok cups can be easily and securely mounted onto and removed from the cap, no tools required

Part #	Description
FBRP2AQRW	Ratchet fiberglass CSA Type 1 cap - blue,
	grey, yellow, red, brown, white, green, black.
FBRP2AQSW	Swingstrap fiberglass CSA Type 1 cap – blue,
	grey, yellow, red, white, green.
FBRE2QRW	Ratchet HDPE E2 NOT CSA approved Type 1 cap – blue,
	grey, yellow, orange, red, white, green.
FBRSE2QC	Ratchet HDPE CSA Type 2 cap – blue, grey.

Quick-Lok System







Part #	Description
FBR4000	Quick-Lok mounting system hardware set.
FBR5000	Speedy Loop – adjustable design fits Fibre-Metal
	caps and most competitive brands easily.
FBR3C	Replacement headgear suspension for Fibre-
	Metal welding helmets and faceshields.

Unique Quick-Lok and Speedy Loop Systems





Protective cap and faceshield mounting combinations. Unique Quick-Lok and Speedy Loop systems permit easy on/off mounting of faceshield crown protectors onto protective caps for both long-term and high activity applications.



art #	Description
BRF4400	4" crown protector complete with Quick-Lok.
BRF5400	4" crown protector complete with Speedy Loop.

Р FI

















Deluxe Welder's Jacket





TOP STAR jackets are the finest protective wear for welders. They combine safety, comfort, style and long wear. Special features include: Top grade Tri-tan sidesplit cowhide leather throughout, all Kevlar® thread construction, 8 button reinforced snap front, roomy inside pocket, soapstone pocket on sleeves, collar loop on inside collar, riveted stress points, all critical seams are leather welt protected and 3 position adjustable collar, wrist and waist.



Part

SUGWJ24	Sizes:(Jacket) 24" long, sizes S (36-38),
	M (38-40), L (40-42), XL (42-44),
	YYI (cmall extra charge)

Leather Apron





Superior's heavy duty aprons set the standard for protection and long wear. Leather is a top grade Tri-tan sidesplit cowhide. Ties are fastened to 4 brass grommets. TOP STAR waist straps feature a quick release snap for speedy removal. Applications: grinding, welding and abrasive work.

- Economy Bib Apron
- · Grey



Part # Size SUGAL3624i 36"x24"

Bib Overalls





Heavy duty protection. Features Superior's own Tri-tan sidesplit cowhide leather throughout, adjustable double leather shoulder straps, back pocket with flap, rod pocket and rod holder ring, critical seams are steel

- · Economy Bib Apron
- Grey



Part #	Size
SUGBO	S (40" waist, 30-1/2" leg inseam)
	M (41" waist, 31-1/2" leg inseam)
	L (44-1/2" waist, 34" leg inseam)
	XL (45" waist, 36" leg inseam)
	XXL (48" waist, 36" leg inseam)

Protective Leather Welding Sleeve





Full arm protection against hazards from cut, slash, heat, abrasion, dirt and sparks.

- Sleeve
- 18" Split Leather
- · Adjustable Bicep Closure

Part # Size SUGSLL18

