















3M™ Hook and Loop Fasteners





Stiff hooks on one side of the fastener mesh with pliable loops on the other side for secure closure; peel away one side for opening. Pressure sensitive adhesive version bond on contact to a variety of materials, or use plain back versions for sew on applications. Polyester options are excellent for humid outdoor conditions and have improved water resistance over nylon. Low profile versions are 75% thinner than standard products. There is even back to back version for bundling and wrapping persistence. applications. All come in a variety of colours to match your application.

3M™ Dual Lock™ Reclosable Fasteners





Mushroom-shaped stems on one side of the fastener interlock with identically shaped stems on mustriboni-shaped steins on one side of the fasterier interious with identically shaped steins on the other side for 5X greater closure strength than hook and loop; peel apart for opening Pressure sensitive adhesive-backed versions bond on contact to a variety of flexible and rigid materials; choice of specialized adhesive properties. Choice of stems per square inch:170, 250, 400 (higher the combined number, greater the closure strength)

3M™ Bumpon™ Protective Products





Pressure sensitive adhesive backed polyurethane products that can be used as feet, stops, spacers and protectors in many applications

Feet- On the bottom of small appliances, electronic equipment, phones, keyboards, speakers and

Stops- For cabinetry and woodworking.

Spacers/dampers- For automotive and board rigidity in printed circuit board assembly.

Protectors- For stacked glass and metal sheets.

















3M™ Masking Tape 203





General Purpose Masking Tape 203 has good adhesion, holding power, and provides good paint lines. Use for general purpose masking projects where surfaces are not easily damaged.

Catalog ID	Size	Catalog ID	Size
3MT2031255	1/2"	3MT2033655	1-1/2"
3MT2031855	3/4"	3MT2034855	2"
3MT2032455	1"	3MT2037255	3"

Scotch® Masking Tape 2308





Natural colored, 5.5 mil (0.14 mm) crepe paper tape with rubber adhesive. A medium temperature masking tape. Used for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure sensitive tape is needed.

Catalog ID)	Size	Catalog ID	Size
3MT23081	855	3/4"	3MT23083655	1-1/2"
3MT23082	455	1"	3MT23084855	2"

Tartan™ Packaging Tape 3690 Clear/Tan





A general purpose packaging tape for light duty storage and sealing applications. This economical yet reliable tape resists tearing, splitting, curling and moisture. For noncritical sealing applications.

Catalog ID	Size
3MT369CLEAR	2"
3MT3690TAN	2"

Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090





Scotch-Blue™ Painters' Masking Tape for Multi-Surfaces #2090 removes cleanly without adhesive transfer or surface damage for up to 14 days-even in direct sunlight. It's ideal for painted walls and trim, woodwork, glass and metal.

Catalog ID	Size	Catalog ID	Size
3MT20901855	3/4"	3MT20903655	1-1/2"
3MT20902455	1"	3MT20904855	2"

Scotch® Foil Tape 3311, Silver 2 in x 50 yd





Scotch® Foil Tape 3311 Silver, an aluminum alloy foil with a pressure-sensitive adhesive and paper liner.

Catalog ID	Size
3MT33114855	2"

3M[™] Duct Tape 3900 – 2" x 55m





3M™ Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.

Catalog ID

3MT39004855-BLK	3MT39004855-WHT	
3MT39004855-BLU	3MT39004855-YLW	
3MT39004855-OLV	3MT39394855-SLV	
3MT39004855-RFD		

3M™ Double Coated Polyethylene Foam Tape 4492





3M™ Double Coated Polyethylene Foam Tape 4492 is a polyethylene, conformable, double-coated, closed-cell foam tape. 1/32 in thick x 72 yds.

Catalog ID	Size	Colour	Catalog ID	Size	Colour
3MT44921272W	1/2"	White	3MT44921272B	1/2"	Black
3MT44923472W	3/4"	White	3MT44921872B	3/4"	Black
3MT44924872W	1"	White	3MT44922472B	1"	Black

















3M™ Outdoor Masking and Stucco Tape 5959 Red, 48 mm x 41.1 m



5959 is sunlight /UV resistant removes clean with little or no adhesive residue for up to 3 months and has 3 month outdoor weathering. It is designed for masking on windows and stucco applications. Protects a variety of substrates during construction.

Catalog ID	Size
3MT5959RED	2"

Tartan™ Filament Tape 8934 Clear





Tartan™ Filament Tape 8934 is a clear polypropylene backing reinforced with glass yam filaments with a synthetic rubber resin adhesive.

Catalog ID	Size	Catalog ID	Size
3MT8934955	3/8"	3MT89342455	1"
3MT89341255	1/2"	3MT89344855	2"
3MT89341855	3/4"		

3M™ Colourflex™ Tape 3/4" x 60'





Colourflex is a general use colour coding tape.

Catalog ID	Colour	Catalog ID	Colour
3MTCF	BLUE	3MTCF	RED
3MTCF	BROWN	3MTCF	WHITE
3MTCF	GREEN	3MTCF	YELLOW
3MTCE	OPANCE		

3M™ Construction Sheathing Tape 8088, 60 mm x 66 m



3M™ Construction Sheathing Tape 8088 is an excellent (printed) sheathing tape designed for use as a closure system and vapour seal on all interior and exterior sheathing materials. CCMC approved

Catalog ID	Size
3MT8088	2"

3M™ Double Coated Tape 9579 White





3M™ Double Coated Tape 9579 is a 9.0 mil double coated high density polyethylene with rubber adhesive 760 on a 62 lb white densified kraft liner

Catalog ID	Size	Catalog ID	Size
3MT95791236	1/2"	3MT957911236	1-1/2"
3MT95793436	3/4"	3MT9579236	2"
3MT9579136	1"		

Scotch® Super 88 Vinyl Electrical Tape, 3/4" x 66'



Scotch® Electrical Tapes are stretchy, comformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.

Catalog ID 3MTSUPER88