

C-Clamp - Light Duty





Great for wood working.

Part #	Description	Size (in.)
BESCM10	Malleable - Light Duty	10
BESCM13	Malleable - Light Duty	13
BESCM15	Malleable - Light Duty	15
BESCM20	Malleable - Light Duty	20
BESCM22	Malleable - Light Duty	22
BESCM25	Malleable - Light Duty	25
BESCM30	Malleable - Light Duty	30
BESCM40	Malleable - Light Duty	40
BESCM50	Malleable - Light Duty	50
BESCM60	Malleable - Light Duty	60
BESCM80	Malleable - Light Duty	80

C-Clamp - Heavy Duty





Simply b

Great for wood working.

Part #	Description	Size (in.)
BESCDF402C	Drop Forged - Heavy Duty	2
BESCDF403C	Drop Forged - Heavy Duty	3
BESCDF404C	Drop Forged - Heavy Duty	4
BESCDF406C	Drop Forged - Heavy Duty	6
BESCDF408C	Drop Forged - Heavy Duty	8
BESCDF410C	Drop Forged - Heavy Duty	10
BESCDF412C	Drop Forged - Heavy Duty	12

C-Clamp - Hi Viz (Heavy Duty)





Great for wood working.

Part #	Description	Size (in.)
BESCDF402CHV	Drop Forged - Heavy Duty	2
BESCDF403CHV	Drop Forged - Heavy Duty	3
BESCDF404CHV	Drop Forged - Heavy Duty	4
BESCDF406CHV	Drop Forged - Heavy Duty	6
BESCDF408CHV	Drop Forged - Heavy Duty	8
BESCDF410CHV	Drop Forged - Heavy Duty	10
BESCDF412CHV	Drop Forged - Heavy Duty	12

High Performance Bar Clamps Regular Duty





Steel and Metal Work Products for Welding and Fabrication.

Part #	Description	Size (in.)
BES2400S-8	Bar Clamp - Regular Duty	8
BES2400S-12	Bar Clamp - Regular Duty	12
BES2400S-16	Bar Clamp - Regular Duty	16
BES2400S-20	Bar Clamp - Regular Duty	20
BES2400S-24	Bar Clamp - Regular Duty	24
BES2400S-36	Bar Clamp - Regular Duty	36
BES2400S-48	Bar Clamp - Regular Duty	48
BES2400S-60	Bar Clamp - Regular Duty	60

High Performance Bar Clamps Heavy Duty





High Performance Bar Clamps -Welding/Fabrication (Best Options)

Part #	Description	Size (in.)
BES4800S-12	Bar Clamp - Heavy Duty	12
BES4800S-18	Bar Clamp - Heavy Duty	18
BES4800S-24	Bar Clamp - Heavy Duty	24
BES4800S-36	Bar Clamp - Heavy Duty	36
BES4800S-48	Bar Clamp - Heavy Duty	48
BES4800S-60	Bar Clamp - Heavy Duty	60.

High Performance Bar Clamps Extra High Pressure





High Performance Bar Clamps -Welding/Fabrication (Best Options)

Part #	Description	Size (in.)
BES7200S-12	Bar Clamp - Extra High Pressure	12
BES7200S-18	Bar Clamp - Extra High Pressure	18
BES7200S-36	Bar Clamp - Extra High Pressure	36



ClassiX - Medium Duty Pad



Part #	Description	Size (in.)
BESGS12-8K	Welding Clamp - Medium Duty	8 - 12
BESGS16K	Welding Clamp - Medium Duty	16
BESGS20K	Welding Clamp - Medium Duty	20
BESGS16-12K	Welding Clamp - Medium Duty	12 - 16
BESGS25K	Welding Clamp - Medium Duty	25
BESGS30K	Welding Clamp - Medium Duty	30
BESGS60K	Welding Clamp - Medium Duty	60

ClassiX - Regular Duty Pad



Part #	Description	Size (in.)
BESGSL30	Welding Clamp -Regular Duty	30
BESGSL60	Welding Clamp -Regular Duty	60
BESGSM20	Welding Clamp -Regular Duty	20
BESGSM25	Welding Clamp -Regular Duty	25
BESGSM30	Welding Clamp -Regular Duty	30
BESGSM40	Welding Clamp -Regular Duty	40
BESGSM50	Welding Clamp -Regular Duty	50
BESGSM60	Welding Clamp -Regular Duty	60

One-Handed Clamping



Part #	Description	Size (in.)
BESEZS15-8	One-Handed Clamp	15
BESEZS30-8	One-Handed Clamp	30
BESEZS45-8	One-Handed Clamp	45
BESEZS60-8	One-Handed Clamp	60
BESEZS90-8	One-Handed Clamp	90

K-Body REVO Parallel Clamps



WoodWorking clamps and Accessories

Part #	Description
BESKR3.512	Revo (fixed Jaw)
BESKR3.524	Revo (fixed Jaw)
BESKR3.531	Revo (fixed Jaw)
BESKR3.540	Revo (fixed Jaw)
BESKR3.550	Revo (fixed Jaw)
BESKR3.560	Revo (fixed Jaw)
BESKR3.582	Revo (fixed Jaw)
BESKR3.598	Revo (fixed Jaw)

K-Body REVO Jr. Parallel Clamps





WoodWorking clamps and Accessories

Part #	Description	Size (in.)
BESKRV-40	Revo (fixed Jaw)	40
BESKRV-60	Revo (fixed Jaw)	60
BESKRV-78	Revo (fixed Jaw)	78
BESKRV-98	Revo (fixed Jaw)	98

Lever Clamp





Part #	Description	Size (in.)
BESLC-4	Lever Clamp	4
BESLC-8	Lever Clamp	8
BESLC-12	Lever Clamp	12
BESLC-20	Lever Clamp	20

BESSEY Simply better.















Zinc Die Cast - Clamp





Part #	Description	Size (in.)
BESLMU2.004	Step Over Clamp	4
BESLMU2.006	Step Over Clamp	6
BESLMU2 008	Step Over Clamp	8

Horizontal Toggle Clamp - High





Part # Description Size (in.)

Zinc Die Cast - Clamp





BESSEY

Simply better.

Part #	Description	Size (in.)
BESLM2.004		4
BESLM2.006		6
BESLM2.008		8
BESLM2.012		12

Horizontal Toggle Clamp - Low





Part # Description Size (in.)

J Series - Clamp



	0		
Part #	Description		Size (in.)
BESTGJ2.50	06+2K		
BESTGJ2.5	12+2K		
BESTGJ2.5	18+2K		
BESTGJ2.52	24+2K	1	
BESTGJ2.53	30+2K		
BESTGJ2.53	36+2K		

Inline Toggle Clamp





Part # Description Size (in.)







BALLDRIVER® L-WRENCH SETS & SINGLES

- BONDHUS working to provide the strongest tools available anywhere
 BONDHUS tools include ProGuard™ finish delivering superior corrosion protection
 BONDHUS tools are available in a wide range of lengths and tip styles
- BONDHUS tools are made with custom heat treated Protanium® steel for more torque and longer life

Balldriver® L-Wrench Sets





Item #	Description
10932	8pc SAE Set (.050 - 5/32)
10936	12pc SAE Set (.050 - 5/16)
10937	13pc SAE Set (.050 - 3/8)
10946	6pc METRIC Set (1.5 - 5mm)
10995	15pc METRIC Set (1.5 - 10mm)
10999	9pc METRIC Set (1.5 -10mm)

Balldriver® L-Wrench Sets







Balldriver® Individual L-Keys



Item #	Description	Item #	Description
10902	.050 x 2.8"	10949	1.27mm x 2.8"
10903	1/16 x 3.0"	10950	1.5mm x 3.0"
10904	5/64 x 3.2"	10952	2mm x 3.2"
10905	3/32 x 3.4"	10954	2.5mm x 3.5"
10906	7/64 x 3.6"	10956	3mm x 3.9"
10907	1/8 x 3.8"	10960	4mm x 4.3"
10908	9/64 x 3.9"	10964	5mm x 4.7"
10909	5/32 x 4.1"	10968	6mm x 5.5"
10910	3/16 x 4.5"	10972	8mm x 6.4"
10911	7/32 x 4.9"	10974	9mm x 6.9"
10912	1/4 x 5.2"	10976	10mm x 7.4"
10913	5/16 x 6.0"	10978	11mm x 7.9"
10914	3/8 x 7.5"	10980	12mm x 8.7"
10915	7/16 x 7.7"	10984	14mm x 10.2"
10916	1/2 x 8.3"	10986	17mm x 11.0"
10917	9/16 x 9.0"	10988	19mm x 11.6"
10918	5/8 x 9.8"	10991	22mm x 13.0"
10919	3/4 x 11.3"	10993	24mm x 14.5"

ONDHUS


GorillaGrip® FOLD UPS

- Patented handle design makes every job faster & easier
 Durable GorillaGrip® handle is stronger than steel handles
- Tool User can adjust tool tension



GorillaGrip® Fold Ups





GorillaGrip® Fold Up Multi Packs





Item #	Description
12632	8pc STAR (T6, 8, 8, 10, 15, 20, 25)
12634	8pc STAR (T9.10.15.20.25.2730.40)
12522	Multi Pack 12587 + 12589
12544	Multi Pack 12587 + 12634
12533	Multi Pack 12587 + 12589 + 12634
12550	SAE & METRIC 5/64 - 5/32 1.5-5mm)



Ball End T-Handle Sets





- Cushioned, curved handle increases comfort
- Handle is welded directly to blade
- · Handles are designed to match blade torque capacity



Item #	Description	
13138	10pc SAE (3/3 - 3/8)	
13146	6pc SAE (5/32 - 3/8)	
13148	5pc METRIC (4 - 10mm)	
13187	8pc METRIC (2 - 10mm)	
13189	#13187 WITH STAND	
13190	#13138 WITH STAND	

Balldriver® Individual L-Keys





	Item #	Description	Item #	Description
	*13205	3/32 X 6.1"	*13252	2.0mm x 5.9"
	*13206	7/64 X 6.8"	*13254	2.5mm x 6.8"
	*13207	1/8 X 7.6"	*13256	3mm x 7.7"
	*13208	9/64 X 8.3"	13160	4mm x 8.7"
	13109	5/32 X 9.1"	13164	5mm x 9.7"
	13110	3/16 X 9.8"	13168	6mm x 10.5"
	13111	7/32 X 10.3"	13172	8mm x 11.2"
	13112	1/4 X 10.8"	13176	10mm x 12.1"
	13113	5/16 X 11.4"		
	13114	3/8 X 11.8"		
	13114	1/4 x 5.2"		
* 3/32, 7/64, 1/8, 9/64		*2, 2.5 and 3mm are		
are straight hex blades		straight hex blades to		
to prevent breakage		prevent breakage		



ProGuard™ FINISH DELIVERS SUPERIOR CORROSION PROTECTION.

HANDLES ARE COLOUR CODED FOR EASY RECOGNITION.



Hex End T-Handle Sets





- · Cushioned, curved handle increases comfort
- Handle is welded directly to blade
 Handles are designed to match blade torque capacity



Item #	Description	Made in USA
13332	8pc SAE (3/23 - 1/4) graduated length	
15232	8pc SAE (3/32 1/4) 6" length	
15332	8pc SAE (3/32 - 1/4) 9" length	
13338	10pc SAE (3/32 - 3/8) graduated lgth	
15238	10pc SAE (3/32 - 3/8) 6" length	
15338	10pc SAE (3/32 - 3/8) 9" length	
13390	#13338 SET WITH STAND	
15290	#15238 SET WITH STAND	
15390	#15338 SET WITH STAND	



Item #	Description
13348	6pc MM (2-6mm) graduated length
15248	6pc MM (2-6mm) 6" length
15348	6pc MM (2-6mm) 9" length
13387	8pc MM (2-10mm) graduated length
15287	8pc MM (2-10mm) 6" length
15387	8pc MM (2-10mm) 9" length
13389	#13387 WITH STAND
15289	#15287 WITH STAND
15389	#15387 WITH STAND

Star Tip T-Handle Sets



Item #	Description
33034	8nc T8 10 15 20 25 27 30 40 w/stand

Moulded T-Handle Stands





Item #	Description	
17934	STAR T9 - T40	
17935	METRIC 2 - 10mm	
17936	SAE 3/32 - 3/8	

CONTACT YOUR FASTENER GROUP BRANCH FOR HEX AND STAR T-HANDLE INDIVIDUAL PART #'S.























Ball end inserts into screw at 25° angle
 Ergonomic handle design
 Non-slip grip

BALLPOINT SCREWDRIVERS

- Two component handle with tough inner
 Core & cushioned rubber exterior

Ball End Screwdriver Sets





Item #	Description
10632	8pc SAE Set (.050 - 5/32)
10633	8pc SAE Set (7/64 - 5/16)
10637	13pc SAE Set (.050 - 3/8)
10645	7pc SAE Set (5/64 - 3/16)
10686	6pc METRIC Set (1.5 - 5mm)
10687	7pc METRIC Set (1.27 - 5mm)
10699	9pc METRIC Set (1.5 -10mm)
10733	8pc METRIC LONG (2 -10mm)
10737	13pc SAE LONG (.050 - 3/8)

Ball End Screwdriver Singles



			
Item #	Description	Item #	Description
10602	.050 X 2.4"	10649	1.27mm x 2.4"
10603	1/16 X 2.5"	10650	1.5mm x 2.6"
10604	5/64 X 2.6"	10652	2mm x 2.7"
10605	3/32 X 2.8"	10654	2.5mm x 2.7"
10606	7/64 X 2.9"	10656	3mm x 3.3"
10607	1/8 X 3.1"	10658	3.5mm x 3.7"
10608	9/64 X 3.3"	10660	4mm x 3.7"
10609	5/32 X 3.6"	10662	4.5mm x 4.3"
10610	3/16 X 3.7"	10664	5mm x 4.3"
10611	7/32 X 4.2"	10666	5.5mm x 5.0"
10612	1/4 X 5.0"	10668	6mm x 5.4"
10613	5/16 X 5.6"	10670	7mm x 5.7"
10614	3/8 X 6.5"	10672	8mm x 6.4"
10615	7/16 X 7.6"	10674	9mm x 6.9"
10616	1/2 X 8.6"	10676	10mm x 7.3"

ProHold® SOCKET BITS

- Bits fit any standard six point socket
 Bits for use with impact sockets
- · Bits seat firmly into socket
- Prohold[®] buttons hold bit securely





ProHold® Socket Bit Sets



Item #	Description
23299	9pc SAE 2" Hex Bits (5/32 - 5/8)
23296	9pc MM 2" Hex Bits (5 - 19mm)

9pc STAR 2" Hex Bits (T15 - T60)

ProHold® Individual 2" Hex Bits



Item #	Description	Item #	Description
33207	1/8 X 2"	33256	3mm x 2"
33209	5/32 X 2"	33260	4mm x 2"
33210	3/16 X 2"	33264	5mm x 2"
33211	7/32 X 2"	33268	6mm x 2"
33212	1/4 X 2"	33270	7mm x 2"
33213	5/16 X 2"	33272	8mm x 2"
33214	3/8 X 2"	33274	9mm x 2"
33216	1/2 X 2"	33276	10mm x 2"
33218	5/8 X 2"	33280	12mm x 2"
33219	3/4 X 2"	33284	14mm x 2"
33220	7/8 X 2.5"	33286	17mm x 2"
33221	1/2 X 2.5"	33288	19mm x 2"
33223	1 1/8 X 2.5"	33291	22mm x 2.5"
33225	1 1/4 X 2.5"	33293	24mm x 2.5"
33229	1 1/2 X 2.5"	33295	27mm x 2.5"
33231	1 3/4 X 2.5"	33297	32mm x 2.5"
33233	2 X 2.5"	33200	36mm x 2.5"

ProHold® Individual 2" Star Bits



Item #	Description	Item #	Description
32007	T7 X 2"	32040	T40 X 2"
32008	T8 X 2"	32045	T45 X 2"
32009	T9 X 2"	32047	T47 X 2"
32010	T10 X 2"	32050	T50 X 2"
32015	T15 X 2"	32055	T55 X 2"
32020	T20 X 2"	32060	T60 X 2"
32025	T25 X 2"	32070	T70 X 2"
32027	T27 X 2"	32080	T80 X 2"
32030	T30 X 2"	32090	T90 X 2.5"
		32000	T100 X 2.5"

BONDHUS HANDLES ARE DESIGNED AND SIZED TO MATCH THE TORQUE CAPACITY OF EACH BLADE TIP.



Computorg3 Digital Torque Wrench





The Electronic Dial torque wrench features solid state electronics for accurate torque application and measurement. There is no need to look directly at the digital readout as the wrench features 3 indicating lights and an audible buzzer. It features three units or torque, ft. lbs., in. lbs., and Nm.

Part #	Drive Size (in.)	Torque Range
CDI2401C13	1/4	24-240 In.Lb.
CDI1002CF3	3/8	10-100 Ft.Lb.
CDI2503CF3	1/2	25-250 Ft.Lb.

Computorq3 Digital Dial Type





The Electronic Dial torque wrench features solid state electronics for accurate torque application and measurement. There is no need to look directly at the digital readout as the wrench features 3 indicating lights and an audible buzzer. It features three units or torque, ft. lbs., in. lbs., and Nm

Part #	Drive Size (in.)	Torque Range
CDI501ED	1/4	5-50 In. Lb.
CDI2502ED	3/8	25-250 In. Lb.
CDI6002FD	3/8	60-600 In 1 b

Dial Type Dual Scale





Dial Torque Wrenches are designed for automotive, nuclear and industrial markets in addition to military installations throughout the world. This series features sturdy torsion beam design for dependable long life and accuracy.

Part #	Drive Size (in.)	Torque Range	
CDI751LDIN	1/4	75 In-Lbs	
CDI3002LDIN	3/8	300 In-Lbs	
CDI502LDFN	3/8	50 Ft Lbs	
CDI1003LDFN	1/2	0-100 Ft. Lb.	
CDI2503LDFN	1/2	0-250 Ft. Lb.	
CDI3504LDFN	3/4	0-350 Ft. Lb.	
CDI6004LDFN	3/4	0-600 Ft. Lb.	

Flex

Head Micro Adjustable SAF TORQUE



The metal handle series offers the user a rugged, industrial strength torque wrench able to withstand the rigors of professional use handles are lightly knurled for a tough, non-slip grip.

Part #	Drive Size (in.)	Torque Range
CDI802MFRFMHSS	3/8	10-80 Ft. Lb. Micro-Adjfl

Micro Adjustable Dual Scale Click Type





The metal handle series offers the user a rugged, industrial strength torque wrench able to withstand the rigors of professional use handles are lightly knurled for a tough, non-slip grip.

Part #	Drive Size (in.)	Torque Range
CDI2502MRMH	3/8	30-250 In. Lb.
CDI752MFRMH	3/8	5-75 Ft. Lb.
CDI2503MFRMH	1/2	30-250 Ft. Lb.
CDI6004MFRMH	3/4	100-600 Ft. Lb.
CDI10005MFRMH	1	200-1000 Ft. Lb.

Micro-Adjustable Metal Handle

Split Beam - SAE





Unique split beam measuring element provides consistently accurate readings and rugged,trouble-fee performance. Fast setting of desired torque is easily accomplished by rotating adjustment knob until required torque value is displayed in the torque window

Part #	Drive Size (in.)	Torque Range
CDIWSC-100CA	3/8	20-100 Ft. Lbs.
CDIWSC-250CA	1/2	40-250 Ft. Lbs.
CDIWSC-600CA	3/4	200-600 Ft. Lbs.

Pre-Set Interchangeable Head





Pre Set Torque wrenches are designed for use on production lines and other applications where a specific torque is required for repetitive operations.

Part #	Torque Range
CDI10T-I	30-250 In. Lb., Inchg Head
CDI50T-I	5-75 Ft. Lb., Inchg Head,
CDI200T-I	30-200 Ft. Lb., Inchg Head
CDI600T-I	100-600 Ft. Lb., Inchg Head

LARGE ASSORTMENT OF INTERCHANGEABLE HEAD STYLES & SIZES AVAILABLE, INCLUDING RATCHETING SQUARE DRIVE HEADS, FIXED SQUARE DRIVE HEADS, RATCHETING OPEN END HEADS, BOX END, FLARE NUT, OPEN END, ETC...

Digital Torque Tester





Designed to be a low cost torque tester that can be mounted on a wall or in a bench-top vise to allow operator to conveniently test torque wrenches and torque screwdrivers. ALL DTT torque testers are sold in a kit with the complete tester, hard carrying case, two socket driver reducer adapters and AC/DC power supply.

Part #	Drive Size (in.)	Torque Range
CDI1001-O-DTT	1/4	10-100 In. Oz.
CDI2502-I-DTT	3/8	25-250 In. Lbs.
CDI2503-F-DTT	1/2	25-250 Ft. Lbs.
CDI6004-F-DTT	3/4	60-600 Ft. Lbs.



CHAN NEL LOCK





Nutbuster® Plier





Part #

CHA148-10

CHA148-14

Size

10"

14"







TRUTCA35032



TRUTCA35032

 Axe 3.5 lb 32 inches. Perfect for felling, delimbing and brush clearing needs. o more loose heads thanks to Super Lock 5TM, the undetachable head to handle system that offers overstrike protection. Safe, comfortable and durable, this axe has a curved grip and non-slip rubber.

TRUTCA12514

Hachet 1.25 lb 14 inches. Essential tool for all leisure outings. Handy for prunig, triming and cutting shrubs. Integrated nail puller. No more loose heads thanks to Super Lock 5TM, the undetachable head to handle system that offers overstrike protection. Safe, comfortable and durable.

Part #	Length	Unit Weight
TRUTCA35032	32"	3.5 lbs.
TRUTCA12514	14"	1.25 lbs.

Wrecking Bars



Part #	Length	Unit Weight
TRUWB24T	24"	3.8 lbs.
TRUWB30T	30"	4.63lbs.
TRUWB36T	36"	4.9 lhs

Ice Scrapers





Ash handle TRU02143

Sidewalk scraper with tempered steel blade, hardwood straight handle.

TRU02143

Sidewalk scraper, industrial grade, forged and tempered steel blade, profiled premium ash

TRUYFSW7D

Sidewalk scraper, industrial grade, forged and tempered steel blade, premium ash handle, steel D-grip.

Part #	Length	Size	Unit Weight	Handle
TRUL9B	56-1/2"	9"	4.4 lbs.	I
TRULHSW7	47-1/2"	7"	2.57 lbs.	1
TRUYFSW4	59-1/2"	3.75"	4.24 lbs.	1
TRUYFSW7D	44-1/2"	6.5"	6.0 lbs.	D

Steel Snow Pushers



TRUNSP24D

 Snow pusher, stamped steel blade, steel D grip, stained ash handle.

TRUYSP30D

· Snow pusher, steel blade, steel D grip, varnished ash handle.

· Snow pusher, yellow poly blade with a steel wear

Snow Mountain Mover 18 in., poly blade, ergo-nomic lightweight aluminum handle.

Snow pusher, blue poly blade. Strong ergo-nomic lightweight aluminum handle designed

to minimize back strain. Extra-wide ergonomic poly grip. Extra support ribs on back of blade for added strength and stiffness. 24 inch blade for a

more effective scraping. NOT SHOWN

strip, stained ash handle.

TRUYPM18EAKD

TRUYPP24EAKD

TRUYSP24D

· Snow pusher, steel blade, steel D grip, varnished ash handle.

Part #	Length	Size	Unit Weight	Handle
TRUNSP24D	51"	24"	7.0 lbs.	D
TRUYSP24D	54"	24"	5.27 lbs.	D
TRUYSP30D	54"	30"	9.01 lbs.	D



TRUNPP21KD TRUNPP26KD TRUAPP21KDR TRUAPP26KDR TRUYPM18EAKD

TRUNPP21KD

• Snow pusher, dark orange poly blade, stained ash handle.

TRUNPP26KD• Snow pusher, dark orange poly blade, stained ash handle.

TRUAPP21KDR

• 21" kd

All-purpose snow pusher, yellow poly blade with a steel wear strip, stained ash handle.

TRUAPP26KDR

• 20 KU						
Part #	Length		Size	Unit Weight	Handle	
TRUNPP21KD	54-1/2"		20-3/4"	3.25 lbs.	D	
TRUNPP26KD	54-1/2"		26"	4.03 lbs.	D	
TRUAPP21KDR	54-1/2"		20-3/4"	3.97 lbs.	D	
TRUAPP26KDR	55"		26"	4.64 lbs.	D	
TRUYPM18EAKD	53"		18"	3.58 lbs.	D	
TRUYPP24EAKD	58-1/2"	NOT SHOWN	24"	4.64 lbs.	D	

The Fastener Group





TRUB15

- 15 tines.
- Heavy-duty bow rake, steel head, varnished ash handle. Great for spreading earth, clearing flower gardens, and loosening soil. Also useful for raking branches.

TRU02149

- Bow rake, baked enamel head finish, hardwood handle. Great for spreading earth, clearing flower gardens, and loosening soil. Also useful for raking branches.

14 tines.

Heavy-duty double back level rake, steel head, varnished ash handle. Very useful for leveling the ground when arranging flowerbeds or vegetable gardens. Excellent for adding the finishing

TRU02151

- 24 tines. 24 in. (60.96 cm) springback lawn rake, tempered steel tines, hardwood handle. Ideal for grooming lawns in the spring and raking cut grass. Back spring providing additional rigidity for deep-down grooming

TRUC14 Part #	Length	Tines	Unit Weight	Handle	
TRUB15	66-1/4"	15	3.23 lbs.	Î	
TRU02149	62"	14	2.6 lbs.	1	
TRUC14	61-1/4"	14	2.67 lbs.	1	
TRU02151	54-1/4"	24	2.5 lbs.	1	

Steel / Poly & Easy Pour Wheelbarrows











TRUTIFS600

· Heavy-duty industrial wheelbarrow, rolled edge seamless steel tray, yellow safety baked enamel finish. Welded tray clips, funnel tray with easy pouring lip. 4-ply 16 in. (40.6 cm) pneumatic tire with inner tube, roller bearings with zert fitting.

TRUC6

Contractor wheelbarrow, heavy gauge seamless steel tray, front tray braces, H-brace, 16 in. (40.6 cm) wheel assembly with pneumatic 2-ply tire with oilube bushing, 60 in. (152.4 cm) hardwood handles, 5/8 in. (1.6 cm) steel axle, 270 lb (122.5 la) congoity. kg) capacity.

TRUMP575T22BB

Heavy-duty industrial wheelbarrow, corrosionproof poly tray, steel front tray braces, H-brace, 16 in (40.6 cm) wheel assembly with pneumatic 2-ply tire with ball bearing, 5/8 in (1.6 cm) steel axle, leg stabilizers. 60 in (152.4 cm) hardwood handles, 368 lb

TRUM6PSP

• EZ Pour Wheelbarrow

Part #	Length	Cu.Ft.	Unit Weight
TRUTIFS600	64"	6	57.5 lbs.
TRUC6	61"	6	45.8 lbs.
TRUMP575T22BB	60"	5.75	45.0 lbs.
TRUM6PSP	59-1/4"	-	36.7 lbs.



TRUEAAL36

Asphalt rake, anodized aluminum handle 72 in, 36 in aluminum head and braces, delivered $\,$

TRUGRR14

TRUGRR14 Steel road rake for heavy work, gold baked enamel head finish, premium ash handle.

Part #	Length	Tines	Unit Weight	Handle
TRUEAAL36	84-1/2"	-	5.66 lbs.	1
TRUGRR14	66-3/4"	14	4.91 lbs.	I



TRUBD16L

 Level head rake, steel head, 16 tines, varnished ash handle. Very useful for leveling the ground when arranging flowerbeds or vegetable gardens. Excellent for adding the finishing touches.

TRUGALR36

· Landscaping level rake, anodized aluminum handle, aluminum head and braces, delivered

Excellent for adding the finishing touches. TRUSPFR30

Landscaping level rake, anodized aluminum handle, aluminum head and braces, delivered unassembled. Very useful for leveling the ground when arranging flowerbeds or vegetable gardens. Excellent for adding the finishing touches.

20.5 lbs.

unassembled. Very useful for leveling the ground when arranging flowerbeds or vegetable gardens.

Part #	Length	Tines	Unit Weight	Handle
TRUBD16L	66-3/4"	16	3.0 lbs.	Î
TRUGALR36	66"	-	5.5 lbs.	I
TRUSPFR30	71"	30	4.0 lbs.	I

Hose - Commercial Rubber



100 Feet



5/8"

The Fastener Group

TRU9960000



Drain Spade, Hollow Back - Fiberglass & Steel





TRUSFGDS16

 16 in. drain spade, hollow back tempered steel blade, industrial fiberglass handle. The perfect tool for installing irrigation and landscape lighting systems, and for digging shallow trenches around flowerbeds.

TRUBDDS14

 14 poheavy-duty industrial drain spade, premium varnished ash handle with steel D-Grip. The perfect tool for installing irrigation and landscape lighting systems, and for digging shallow trenches around flowerbeds.

Part #	Length	Unit Weight	Handle
TRUSFGDS16	49-1/2"	4.06 lbs.	Fiberglass
TRUBDDS14	43-1/2"	3 71 lbs	Steel

Point Shovel / Trenching Shovel





TRUGFR2L

 Round point shovel, solid shank and forged steel blade, premium ash handle. Perfect for digging holes, transporting earth, planting trees and shrubs, and digging up roots.

TRUBDT4

 Trenching shovel, tempered steel blade, 4 in., premium varnished ash handle.

TRUGFRZL	TRUBD14			
Part #	Length	Size	Unit Weight	Handle
TRUGFR2L	61"	-	5.5 lbs.	1
TDUDDTA	5A"		3 5 lbc	1

Poly - Grain Scoop





TRUGPG12D

 Grain scoop, heavy-duty grey poly blade, premium ash handle. Lightweight scoop perfect for moving and scooping grain, seed, feed, fertilizers, and other granulated materials.

Part #	Length	Size	Unit Weight	Handle	
RUGPG12D	47-1/2"	#12	4.08 lbs.	1	

Ultragrip Innov Fiberglass, SITESAFE - Fiberglass





TRUUFHS2FL

Square point shovel, fiberglass handle with a triangular ergonomic design that reduces hand fatigue.
 Steel collar for stronger blade-handle coupling.
 Perfect for transporting small or large quantities of earth, sand, and other bulk materials.

TRUSFGLR

Round point shovel, hollow back tempered steel blade, industrial fiberglass handle. Perfect for digging holes, transporting earth, planting trees and shrubs, and digging up roots.

Part #	Length	Size	Unit Weight	Handle
TRUUFHS2FL	56-1/2"		4.47 lbs.	1
TRUSFGLR	59-1/2"		4.24 lbs	1

Excavator Shovels





TRUEXHR10BFD

 Excavator shovel, steel blade, hardwood handle, dh. New innovative angled grip, sharpened blade and extra large step.

TRUEXHR10BFL

 Excavator shovel, steel blade, hardwood handle, lh. New innovative shaped grip, sharpened blade and extra large step.



Replacement Handles





TRUC4512809

YD grip (steel/wood) shovel handle with 2 rivets.

TRUC4565409

· Long shovel handle (with 2 rivets).

TRUC4564809

Varnished long ash handle.

Part #	Length	Grip	Unit Weight	Handle
TRUC4512809	28"	Steel	1.5 lbs.	D
TRUC4565409	54"	Wood	1.8 lbs.	1
TRUC4564809	48"	Wood	1.6 lbs.	1



Square & Round Point Shovel, Hollow Back



Square point shovel, hollow back tempered steel blade, forward turned steps, hardwood handle. Great for transporting large quantities of earth, sand, and other bulk materials.

TRU02141 TRU02142

Square point shovel, hollow back tempered steel blade, forward turned steps, hardwood handle. Ideal for transporting small quantities of earth,

sand, top soil, dirt, and bulk materials.				
Part #	Length			
TRU02143	61-1/2"			
TPI I02144	40"			

61"

Round point shovel, hollow back tempered steel blade, forward turned steps, hardwood handle. Perfect for digging holes, transporting earth, planting trees and shrubs, and digging up roots.

Round point shovel, hollow back tempered steel blade, forward turned steps, hardwood handle. Ideal for digging holes, planting trees and shrubs, digging up roots, and dividing pe-

renniais. Size	Unit Weight	Handle	
	3.71 lbs.	1	
	5.0 lbs	D	
	4.25 lbs.	1	
	3.62 lbs	D	

Aluminum Grain Scoops





TRUBCCG8



TRUSPG12D



Grain scoop, aluminum blade, natural finish,

varnished ash handle. Lightweight scoop, per-

fect for moving and scooping grain, seed, feed, fertilizers, and other granulated materials.

Grain scoop, poly blade, black ribbed D-grip, hardwood handle. Lightweight scoop perfect for

moving and scooping grain, seed, feed, fertilizers, and other granulated materials.

Steel grain scoop, stamped and tempered steel blade, varnished premium ash handle. Light-weight scoop, perfect for scooping grain, seed, feed, fertilizers, and granulated materials.

TRUBCCG8

Steel grain scoop, stamped and tempered steel blade, varnished premium ash handle. Light-weight scoop, perfect for scooping grain, seed, feed, fertilizers, and granulated materials.

DUDAC10				
RUBAG10 Part #	Length	Size	Unit Weight	Handle
TRUBCCG6	43-1/4"	#6	5.78 lbs.	D
TRUBCCG8	42-3/4"	#8	6.32 lbs.	D
TRUBAG10	48-1/2"	10#	3.28 lbs.	D
TRUSPG12D	46"	12#	4.00 lbs.	D

Garden Spade, Garden Spade Flat, Square Point



TRUBDLR2 TRUBDLGS2 TRUBDLR

TRUBDI R

· Round point hollow back industrial shovel. Premium varnished ash handle. Perfect for digging holes, transporting earth, planting trees and shrubs, and digging up roots.

TRUBDLR2

· Forged round point shovel, solid shank and tempered steel blade, varnished premium ash handle. Perfect for digging holes, transporting earth, planting trees and shrubs, and digging up roots.

Garden spade, solid shank and tempered steel blade, forward turned steps, premium ash handle. The narrower blade makes it perfect for the garden. Very practical for digging and turning earth.

TRUBDGS2

Garden spade, solid shank and tempered steel blade, forward turned steps, premium ash handle. The narrower blade makes it perfect for the garden. Very practical for digging and turning earth

HAND TOOLS

 Forged square point shovel, solid shank and tem-pered steel blade, varnished premium ash handle. Perfect for transporting small or large quantities of earth, sand, and other bulk materials.

 Forged square point shovel, solid shank and tempered steel blade, varnished premium ash handle. Perfect for transporting small or large quantities of earth, sand, and other bulk materials

Part #	Length	Size	Unit Weight	Handle
TRUBDLR	61-3/4"		4.63 lbs.	1
TRUBDLR2	61-1/4"		3.62 lbs	1
TRUBDLGS2	49-1/2"		4.06 lbs.	1
TRUBDGS2	40-1/4"		5.25 lbs.	D
TRUBDLS2	61-3/2"		5.68 lbs.	1
TRUBDS2	30"		5 5 lhs	D

Roofer's Spade & Garden Spades



TRUBDRSS

Roofer's spade, notched tempered steel blade, fulcrum welded to back of blade for leverage.

TRU02147

Garden spade, solid shank and tempered steel blade, forward turned steps, hardwood handle. The narrower blade makes it perfect for the garden. Very practical for digging and turning

earth, and for preparing soil, compost, and peat moss mixtures

Garden spade forward-turned steps, tempered steel blade, varnished hardwood handle. The narrower blade makes it perfect for the garden. Very practical for digging and turning earth, and for preparing soil, compost, and peat moss mixtures.

Part #	Length	Unit Weight
TRUBDRSS	44-1/4"	5.0 lbs.
TRU02147	42"	3.41 lbs.
TRUTDGS	41-1/2"	2.97 lbs.

TRU02147



















Pro Series Features & Benefits

GRAY TOOLS

- Full extension friction slides on all drawers.

- Flush to front construction provides up to 14% more storage space.
 Heavy duty casters with cross tread brakes 5" x 2" 1,250 lb. load rating.
 Baked enamel finish for superior scratch and chemical resistance.
 "C" Channel reinforced bottom for heavy loads.
- · Unique double wall construction for extra strength.
- · Full length piano hinges on top chests.
- · Lid activated rear locking bars on top chests prevent accidental opening of drawers.
- Welded heavy duty side handles with 90° stop for easy lifting of top chests.
- Chrome plated cast drawer handles.

Pro Series Roller Cabinets

GRAY TOOLS



GRA97211 (shown)

Part#	No.Drawers	Width (in.)	Depth (in.)	Height (in.)
GRA97204	4	26-1/2	18	34-1/2
GRA97250	5	26-1/2	18	34-1/2
GRA97270	7	26-1/2	18	42-1/2
GRA97290	9	26-1/2	18	42-1/2
GRA97211 show	n 11	26-1/2	18	42-1/2
GRA97216	15	26-1/2	18	42-1/2
GRA97204	4	26-1/2	18	34-1/2
GRA97250	5	26-1/2	18	34-1/2
GRA97270	7	26-1/2	18	42-1/2

Pro Series Top Chests

GRAY TOOLS



GRA97109 (shown)

Part#	No.Drawers	Width (in.)	Depth (in.)	Height (in.)
GRA97166	6	26-1/8	13-1/4	16-1/8
GRA97106	6	26-1/8	13-1/4	16-1/8
GRA97109 show	vn 9	26-1/8	17-1/2	21
GRA97120	12	26-1/8	17-1/2	21
GRA97503	3	26-1/2	18	12
GRA97509	9	26-1/2	18	19-3/8

Marquis® Series Features & Benefits

GRAY TOOLS

- Heavy gauge construction.
 Safety latch drawer system prevents drawers from accidently opening.
- · Industrial black wrinkle finish offers superior scratch and fade resistance.
- Heavy gauge steel drawers for greater load ratings and storage capacities.
- Premium quality casters with greater load ratings allow easier movement on all surfaces.
- · Heavy-duty roller bearing slides allow heavily loaded drawers to open & close with ease.
- · Oval handles on roller cabinets allow comfortable gripping.
- Pre-cut oil and moisture resistant drawer liners included.
- Heavy-duty lifting handles with 90° stop for easy lifting of top chests excludes 99508SB.
- Gas shocks assist in opening and closing lids on top chests. 33", 42" and 53" wide models only.

Marquis® Series Roller Cabinets

GRAY TOOLS



GRA99507SB (shown)

Part#	No.Drawers	Width	(in.) Dep	th (in.) Heigl	ht (in.)
GRA99509SB	9	26-1/2	18	39-1/	8
GRA99507SB s	hown 7	26-1/2	18	39-1/	8
GRA99206SB	6	34	19-1	/2 39-1/	8
GRA99208SB	8	34	19-1	/2 39-1/	8
GRA99210SB	10	42	19	40	
GRA99213SB	13	42	19	40	
GRA99209SB	9	53-3/8	24	39-1/	2
GRA99113SB	13	53-3/8	24	39-1/	2

Marquis® Series Top Chests

GRAY TOOLS



GRA99808SB (shown)

Part#	No.Draw	ers	Width (in.)	Depth (in.)	Height (in.)	
GRA99608SB	6		26	16	19	
GRA99808SB s	hown 8		26	16	19-1/4	
GRA99105SB	5		33-1/2	19-1/8	19-1/4	
GRA99108SB	8		41-1/2	18-1/2	20-1/2	
GRA99107SB	7		41-1/2	18-1/2	23-3/4	
GRA99508SB	8		53-3/8	24	19-3/4	



















Metric Eye Bolts

GRAY TOOLS

Dimensions in Millimeters

WARNING:

RATED CAPACITY LIMIT IS DRASTICALLY REDUCED WHEN LOADING AT ANY ANGLE. LOADING MUST NEVER BE MADE AT AN ANGLE GREATER THAN 45° FROM BOLT CEN-TERLINE. AT AN ANGLE OF 45° RATED CAPAC-ITY IS REDUCED TO 1/4 OF THE TABULATED VALUE.

Proof tested in accordance with ASTM A489 and Federal Spec. ANSI B18.15.

Traceability and Mechanical test values are available with each shipment upon request.

Part#	Thread	Shank	I.D.Eye	Length	Capacity Lbs.
GRABS8M	M8x1.25	31.7	25	82.5	500/1110
GRABS10M	M10x1.5	35.0	27	90.5	740/1628
GRABS14M	M14x2.0	44.5	35	120.7	1600/3520
GRABS20M	M20x2.5	57.0	41	152.4	2860/6292
GRABS36M	M36x4.0	89.0	63	240.5	8970/19734

Punch & Chisel Set - 10 Pieces





GRAC10LRA (shown)

Part#	Description	Size
GRAC10LRA	Entire Set (seen above)	
GRAC2	Flat Chisel	1/2"
GRAC3	Flat Chisel	5/8"
GRAC4	Flat Chisel	3/4"
GRAC22	Taper Punch	3/32"
GRAC23A	Taper Punch	5/32"
GRAC24	Taper Punch	3/16"
GRAC28A	Pin Punch	5/32"
GRAC28B	Pin Punch	3/32"
GRAC29	Pin Punch	3/16"
GRAC34	Centre Punch	3/8"

Structural Adjustable Wrench





Part# **Jaw Opening** Length **GRA900** 1-9/16" 15"

Shoulder Eye Bolts

GRAY TOOLS



GRADE - C1030

WARNING:

RATED CAPACITY LIMIT IS DRASTICALLY REDUCED WHEN LOADING AT ANY ANGLE. LOADING MUST NEVER BE MADE AT AN ANGLE GREATER THAN 45° FROM BOLT CEN-TERLINE. AT AN ANGLE OF 45° RATED CAPAC-ITY IS REDUCED TO 1/4 OF THE TABULATED VALUE.

Proof tested in accordance with ASTM A489 and Federal Spec. ANSI B18.15.

Traceability and Mechanical test values are available with each shipment upon request.

Part#	Thread	Shank	I.D.Eye	Length	Capacity Lbs.
GRABS08	1/4-20	1"	3/4"	2-3/8"	650
GRABS10	5/16-18	1-1/8"	7/8"	2-13/16"	1200
GRABS12	3/8-16	1-1/4"	1"	3-9/32"	1550
GRABS14	7/16-14	1-3/8"	1-1/16"	3-9/16"	2000
GRABS16	1/2-13	1-1/2"	1-3/16"	3-31/32"	2600
GRABS20	5/8-11	1-3/4"	1-3/8"	4-3/4"	5200
GRABS28	7/8-9	2-1/4"	1-11/16"	5-31/32"	10,600
GRABS32	1-8	2-1/2"	1-13/16"	6-5/8"	13,300
GRABS40	1-1/4-7	3"	2-3/16"	8-7/32"	21,000
GRABS64	2-4-1/2	4"	3-3/8"	11-7/8"	40,000

Long Shank Eye Bolts

GRAY TOOLS



WARNING:

RATED CAPACITY LIMIT IS DRASTICALLY REDUCED WHEN LOADING AT ANY ANGLE. LOADING MUST NEVER BE MADE AT AN ANGLE GREATER THAN 45° FROM BOLT CEN-TERLINE. AT AN ANGLE OF 45° RATED CAPAC-ITY IS REDUCED TO 1/4 OF THE TABULATED VALUE.

- Forged.
- Carbon Steel.
- · Zinc Plated.
- Includes Assembled Galvanized Hex Nut.

Part#	Thread	Shank	I.D.Eye	Length	Capacity (lbs.)
GRABS08L	1/4-20	2"	3/4"	3-3/8"	650
GRABS08XL	1/4-20	4"	3/4"	5-3/8"	650
GRABS12L	3/8-16	2.50"	1"	4-17/32"	1550
GRABS12XL	3/8-16	4.50"	1"	6-1/32"	1550
GRABS16L	1/2-13	3.25"	1-3/16"	5-23/32"	2600
GRABS16XL	1/2-13	6"	1-3/16"	8-15/32"	2600
GRABS24L	3/4-10	4.50"	1-1/2"	7-3/4"	7200
GRABS24XL	3/4-10	6"	1-1/2"	9-1/4"	7200

SEE YOUR SALES REP FOR MORE SIZES















Adjustable Wrenches



Part#	Length	Max. Opening
GRA65304	4"	.55"
GRA65306A	6"	1.00"
GRA65308A	8"	1.08"
GRA65310A	10"	1.35"
GRA65312A	12"	1.50"
GRA65315A	15"	1.87"
GRA65318	18"	2.30"
GRA65324	24"	2.75"

Pinch Bars - Round Shank - Nickel Plate Finish





Structural Wrenches Offset Head

1-5/16"

1-7/16"

1-1/2"

1-5/8"

GRA908A

GRA909

GRA909A

GRA910



19/32"

23/32"

23/32

23/32"



16"

18"

18"

20

SEE YOUR SALES REP FOR MORE SIZES

2-1/2"

3-1/16

3-1/16

3-5/8"

Sledge Hammer Fiberglass - Super Grip





- Optimum strength-to-weight design reduces user fatigue and offer improved striking control
- Smooth, resin rich handle surfaces protect from splinters and resist UV deterioration
 Handles are flame resistant up to 800°F and heat resistant up to 250°F
- Head made of industrial grade steel for highest durability
- All sledge hammers exceed ANSI standards by up to 5 times
- · Lifetime warranty

Part#	Weight (lbs.)	Length (in.)
GRAPHF25	2	13-1/2
GRAPHF41	4	13-1/2
GRAPHF42	6	31
GRAPHF43	8	31
GRAPHF44	10	31
GRAPHF45	12	31
GRAPHF46	16	31

Compartment Box With 12 Adjustable Dividers



GRAY TOOLS


- Industrial red wrinkle finish.
- Heavy gauge steel construction.
- Removable plastic dividers allow for customized storage.
- Robust full length piano hinge for years of trouble free use.
- All steel pull down lock and large carry handle make transporting the compartment box easy.
- Ideal for use with compartment rack #90004C.

Part#	Width	Depth	Height	Weight (lbs.)
GRA90012C	18-1/8"	12-1/8"	3"	7
GRA90012C-D	IV	Plastic divid	lers (12/pkg.)	









Centre Punches





Think Safety:Punches that have "mushroomed" on striking end should be ground or filed to original shape to avoid chipping.


Specs: CGSB 39-GP-44a. ANSI/HTI B209.1-1991.

Part#	Tip Dia.	Body	Length	Weight (lbs.)
GRAC33A	3/32"	1/4"	4"	.07
GRAC33	1/8"	5/16"	5"	.09
GRAC34	1/8"	3/8"	5-1/4"	.15
GRAC35	3/16"	1/2"	6"	.28
GRAC35A	3/16"	1/2"	7"	.33









G GREENLEE

- · Enhanced lid bolster for added support and durability.
- · Finger-groove lid handle for easy opening.
- · Convenient storage tray on back wall for small items (except Models 1332, 1636 and 2142).
- Steel support arm(s) to hold lid in open position.
- Heavy-duty piano hinges with non-removable pin.
- · Patented, ergonomically designed fold-down recessed handles.
- New angled 3-1/2" high support skids feature threaded holes for easy caster installation.
- · Recommend #1 and #5 Masterlock padlocks or equivalent.

Part #	Size (in.)	Weight (lbs.)
GRE2448	16 FT ³ , 24 x 48 x 24	156
GRE2460	20 FT ³ , 24 x 60 x 24	182
GRE3048	25 FT ³ , 30 x 48 x 30	183

7 Pp 4 7 Pr MCP

Slant-Top Boxes



· Large capacity storage with traditional slant-top design.

G GREENLEE

- Recessed and concealed lock protectors provide maximum security against drilling and cutting
- · Channel reinforcements on lid, lock side panels into lid for added security when closed.
- · Hinged lower shelf enables storage of larger items. · Hemmed (reinforced) high-strength shelves.
- · Continuous, non-removable hinge pins help prevent theft.
- Strategically located, easily accessible, durable gas-shocks provide for ease in opening lid (except Model 2260)
- New angled 3-1/2" high support skids feature threaded holes for easy caster installation.
- Angled handle recess prevents pinch points.
- Features two reinforced steel shelves with large lip to prevent items from rolling off (Model 2260, one shelf only).
- Double-hinged cover on Models 3648 and 3660 folds up and out of the way.
- Model 2260 comes with lid support to form waisthigh, flat work area.
- · Patented, ergonomically designed fold-down recessed handles.
- Recommend #1 and #5 Masterlock padlocks or

Part #	Size (in.)	equivalent.	Weight (lbs.)
GRE3660	44 FT ³ , 36 x 60 x 30		282

Casters



- · Caster bolt pattern 2-7/8" x 3-1/4".
- · Polyolefin-injected molded hard casters: stainresistant, chemical-resistant, and non-marking.


G GREENLEE

Caster height is 5-5/8".

Part #	Size (in.)	Weight (lbs.)
GRE603	2 Ridgid, 2 Swivel, 6" Dia. 2" Wide	20

Flat-Top Boxes





- Channel reinforcements on lid, lock side panels into lid for added security when closed.
- · Hinged lower shelf allows for easy storage of
- larger objects (except Model 3360).
- · Angled handle recess prevents pinch points.
- · Hemmed (reinforced) high-strength shelves.
- Continuous, non-removable hinge pins help prevent theft.
- Side-wall storage (except Model 3360).
- · Strategically located, easily accessible, durable gas springs provide for ease in opening lid.
- · Double hinge cover folds up and out of the way.
- · New angled 3-1/2" high support skids feature threaded holes for easy caster installation.
- Recommend #1 and #5 Masterlock padlocks or equivalent.

Part #	Size (in.)	Weight (lbs.)
GRE4872	60 FT ³ , 48 x 72 x 30	360

Bi-Fold Cabinet






- · Maximum storage capacity with minimum floor space requirements.
- Four (4) individual 15" d. x 14-1/2" h. x 60" w. (381 x 368 x 1524 mm) storage compartments on each side.
- · Reinforced steel shelves welded in place for added strength and durability.
- All shelves feature large front lip to keep small items from rolling off.
- Each bi-fold section is mounted on four casters for easy opening and closing. • Six (6) swivel and two (2) rigid 6" (152 mm) casters included for easy mobility
- (Models 503 and 603) · Recommend #1 and #5 Masterlock padlocks or equivalent.

Part #	Size (in.)	Weight (lbs.)
GRE5860	60.4 FT ³ , 58 x 60 x 30	548

Welder's Boxes





G GREENLEE

- hasp for use with padlock. Compact side handles for easy portability.
- · Heavy-duty hinges, plus chain connector to hold lid in open position.
- · Recommend #1 and #5 Masterlock padlocks or equivalent.

Part #	Size (in.)	Weight (lbs.)
GRE1230	3.3 FT ³ , 12 x 30 x 16	48
GRE1531	4.3 FT ³ , 4.5 x 15 x 31	51



Mesh Cabinet





- · High-visibility mesh screen on (3) sides.
- Forty-eight smaller, individual compartments, enabling storage of smaller tools and accessories.
- · Platform for shovels, picks, brooms and other long-handle tools.
- Supplied with (2) swivel casters and (2) rigid 4" (102 mm) casters for easy mobility (Model 696).
- Recommend #1 and #5 Masterlock padlocks or equivalent.

Part #	Size (in.)	Weight (lbs.)
GRE5060MESH	37.3 FT ³ , 52 x 48 x 28	401

Mobile Workbench





- Tough composition board work surface on top with built-in chain vise and telescoping wrench stop.
 Removable self-stored shelf enables storage of larger items.
- Supplied with two (2) locking swivel casters and two (2) rigid 6" (152 mm) casters for easy mobility (Model 703)
- Flush-mounted doors. Finger-groove door handles. Front door storage.
- Hemmed (reinforced) high-strength shelves. Large lower storage areas for bigger items.
- Continuous, non-removable hinge pins to prevent theft. Handles recess to prevent pinch points.
- Patented, ergonomically designed fold-down recessed handles.

Part #	Size (in.)	Weight (lbs.)
GRE3548	23 FT ³ , 30 x 48 x 24	257

Utility Cabinets





G GREENLEE

- Recessed and concealed lock protector inhibits forced entry and corrosion to lock.
- Flush-mounted doors. Finger-groove door handles.
- Front-door storage. (Rear-door storage also available on Model 5760 only.)
- Hemmed (reinforced) high-strength shelves. Large, lower storage areas for bigger items.
- Continuous, non-removable hinge pins to prevent theft.
- New angled 3-1/2" high support skids feature threaded holes for easy caster installation.
- Patented, ergonomically designed fold-down recessed handles.

Part #	Size (in.)	Weight (lbs.)
GRE5660L	46 FT ³ , 56 x 60 x 24	401
GRE5660LH	46 FT ³ , 56 x 60 x 24	408

Field Office





Tamper-proof lock protectors (for upper and lower doors).



Door grooves provide a gripping surface for convenient opening.



Slanted work surface with lockable, concealed storage area.



Top door opens with a gas spring and is supported by a locking arm.

- Slanted work surface with lockable, concealed storage area.
- · Concealed lock protectors protect locks from drilling and cutting.
- Weather stripping on doors to help protect documents and tools from the elements.
- Lid with heavy-duty gas spring and a locking arm for ease of opening and safety.
- Shelving throughout, for organizing and storing jobsite tools and supplies.
- Grooved front doors for ease of opening and storage compartment access.
- · Patented, ergonomically designed fold-down recessed handles.
- · Continuous, non-removable pin hinges.
- Overlapping corners, rolled edges, and strategically placed reinforcements for added strength.
- Recommend #1 and #5 Masterlock padlocks or equivalent.
- Welded 16-gauge steel construction for durability.

Part #	Size (in.)	Weight (lbs.)
GRE8060DLX	116.5 FT ³ , 80 x 41.6 x 55.6	632

















GREENLEE

G GREENLEE

HAND TOOLS

Cable Cutter






- · Easily cuts heavier copper and aluminum cables up to 2/0 (70 mm²)
- · Precision-ground, shear-action, curved cutting blades
- · 727 has PVC-covered, high-leverage handles for
- · 727M has cushion grip, high-leverage handles for added comfort.
- · Heat-treated for long life.
- · Made of heavy-duty forged steel.
- · Rust-resistant black oxide finish.

Part #	Size (in.)	Weight (lbs.)
GRE727	Cable Cutter, 9-1/4", capacity #1 AWG	1
GRE727M	Cable Cutter, 9-1/4", capacity #1 AWG	1

1000A AC/DC True RMS Clamp Meter





- AC/DC amperage, AC/DC voltage,
- requency and resistance measuring capability. Dual Hall sensor for the most accurate
- measurements. · Easy-to-read backlit display for use in low light
- conditions. • Peak and data hold to capture measurement.
- MIN/MAX feature for added versatility.
- · Analog bar graph to view quick changes.
- · Audible continuity test.
- · Selectable Auto Off for longer battery life.
- · Accessories included: (1) 9V battery, test leads, carrying case.

LIFETIME LIMITED WARRANTY

Part #

Description

GRECM-1550 True RMS clamp meter , AMP Measurement 400.0 - 1000A

AC Clamp-on Meter



• Measures to 600 volts AC and DC, and 400 amps

G GREENLEE

- Data hold to capture important readings.
- · Audible continuity test.
- · Auto power off for longer battery life.
- · Accessories included: (1) 1.5V AAA battery, test leads, carrying case.

LIFETIME LIMITED WARRANTY

Part # Description

GRECM-410 AC Clamp-0n Meter, 400A, AMP Measurement 200.0 - 400A AC

600A AC/DC True RMS Clamp Meter



G GREENLEE



• True RMS for the most accurate measurement when harmonics are present • AC/DC amperage, AC/DC voltage, frequency and

resistance measuring capability. • Dual Hall sensor for DC amperage accuracy.

- Easy-to-read backlit display for use in low light conditions.
- Peak and data hold to capture measurement.
- · MIN/MAX feature for added versatility.
- · Analog bar graph to view quick changes.
- Auto zero for DCA measurement.
- · Selectable Auto Off for longer battery life.
- · Accessories included: (1) 9V battery, test leads, carrying case.


LIFETIME LIMITED WARRANTY

Part # Description

GRECM-950 AC/DC True RMS Clamp Meter, AMP Measurement 400.0 - 600A

Breaker Finder





- · Compact receiver accurately locates AC breakers.
- · Receiver belt clip for easy transport.
- · Accessories included: (1) 9V battery.

LIFETIME LIMITED WARRANTY

Part # Description GRECS-2072 Breaker Finder

Polarity Cubes





LIFETIME LIMITED WARRANTY

G GREENLEE

- Use to troubleshoot 120 V AC grounded outlets.
- · Light sequence indicates correct/incorrect wiring.

GT-10GFI

- Use to troubleshoot 120 V AC grounded outlets and test GFCI receptacles
- · Light sequence indicates correct/incorrect

Part # Description GREGT-10 Cube, Polarity GREGT10GFI Tester, Circuit GFI

SEE YOUR SALES REP FOR MORE SIZES

















Adjustable Non-Contact Voltage Detector





- Adjustable to safely detect power and low voltage.
- · Safely detects AC voltage without touching the bare conductor.
- · Adjustable for use on power wiring plus lighting, thermostats and other low voltage circuits.
- Use to detect voltage in outlets, lighting fixtures, wires and cables.
- Finds breaks in wires.
- · Identifies hot and neutral conductors.
- · Low battery indication.
- Accessories included: (1) 1.5V AAA battery.

Part # Description

GREGT-16 Adjustable Non-Contact Voltage Detector, AC V 5-1000

GT-95 Voltage Tester





- · AC/DC voltage and polarity measurement.
- LCD and dual color LEDs for convenience.
- · Selectable SHAKER feature when measuring AC voltage.
- Overvoltage warning gives user visual notification that voltage levels have exceeded 1000V AC/ 380V DC
- · Auto-hold automatically activates when tester is removed from voltage reading.
- Continuity test and single probe detection of live conductors for added flexibility.
- Safe, non-contact voltage detection.
- · GFCI test capability eliminates the need for additional testers.
- · Visual and audible continuity.
- · Accessories included: (2) 1.5V AAA batteries, test leads and carrying case

Description

WARRANTY

Voltage Tester, LCD & GFCI, 19 - 1000 AC, 5 - 1000V DC GREGT-95

DM-200A Digital Multimeter - 1000V AC/DC





The 200A and 500A Series were designed to provide all of the critical day-to-day features of hand-held multimeters in a smaller, ergonomic design. Look to this series for CAT IV 300V, CAT III 600V and CAT II 1000V applications and take advantage of AutoCHECK™, EF-Detection, audible and visible alerts and a back-lit LCD display. Use the chart below to choose the model in this series that suits your needs the best.

Backed by Greenlee's lifetime limited warranty, the 200A and 500A Series multimeters offer the professional electrician superior value when compared to the competition. If tracking, organizing and storing jobsite data is necessary for you, then add the optional PC interface software.

Part

Description

GREDM-200A

Beep-Jack™, Voltage Detection, Display backlight, Analog bar graph, Computer Interface capability, Auto Power Off, Auto and manual ranging, Data Hold, Relative offset mode, Continuity and beeper, Diode test, Frequency

CS-8000 Circuit Seeker™ Circuit Tracer





- · Superior sensitivity and functionality providing for accurate tracing and locating.
- · Ergonomic receiver with informationrich full-color graphical LCD.
- Graphics and audible signal provide quick and easy to understand tracing feedback.
- · Traces concealed wiring, locates junction boxes, and finds breakers for live or open circuits.
- Locates and identifies blown fuses.
- Finds shorts and breaks in conductors.
- · Low pitch, high volume audible indicator.
- · User-selectable automatic or manual gain capability for fast, convenient use.
- · Power saving features promote extended battery life (Auto Power Off).
- Can be used on GFCI protected circuits.
- Supports transmitter-to-receiver distances up to 4 miles for closed circuit tracing.
- · Does not affect sensitive electronic equipment on the circuit.
- Auto backlight on receiver maximizes battery life.

LIFETIME LIMITED WARRANTY Part # Description GRECS-8000 Temp, Altitude, Pollution Degree, 0-750 V AC/DC, 15.15 kHz

Multi-purpose Meter





Multi-purpose meter for most electrical needs. Includes elastomer boot to protect meter from damage. AC/DC voltage, DC amperage measurement. Temperature measurement. Audible continuity and diode tests. Tests 1.5V and 9V batteries. Lifetime Limited Warranty.

Part # Description GREDM-40 Manual Ranging Multimeter

DM-510A Digital Multimeter



Critical functions in a streamlined design for CAT IV 300V, CAT III 600V and

The 200A and 500A Series were

designed to provide all of the critical day-

to-day features of hand-held multimeters in a smaller, ergonomic design. Look

to this series for CAT IV 300V, CAT III

600V and CAT II 1000V applications

and take advantage of AutoCHECK™,

EF-Detection, audible and visible alerts

and a back-lit LCD display. Use the chart

below to choose the model in this series

that suits your needs the best.



LIFETIME LIMITED

Description

GREDM-510A Covers a wide variety of tasks

SEE YOUR SALES REP FOR MORE SIZES

more

















DM-820A Digital Multimeter



The most robust hand-held devices on the market for CAT IV 1000V.

The DML-430A, our top-of-the-line dualdisplay logging meter, heads up Greenlee's 800A Series multimeters. However, each is packed with functions you can rely on to get the job done, such as AutoCHECK™, NCV EF-Detection, Ghost-Voltage Elimination, audible and visible alerts and a high-resolution display. With standard features like these, you can be sure there is a Greenlee multimeter that meets the needs of any job. Use the chart below to select the model that meets the needs of your jobs.

GREDM-820A 600mA to 10A AC/DC, 60mV to 1,000V AC/DC,

GREDM-820A_kit Comes with bag and accessories

M3-M10 6 Piece Drill/Tap Set





- · Complete hole drilling, tapping and deburring/countersinking in one operation with power drill saves labor and time.
- · Back tapered beyond tap to prevent thread damage from over-drilling.
- Deburr/countersink also provided on bit beyond back taper.
- Made from hardened high-speed steel vs. carbon steel for longer life.
- · High quality hex shank to ensure strong connection to drill chuck.
- Designed to tap up to 10-gauge metal.
- · Quick change adaptor included in both metric and standard kits.

Part # Description **GREDTAPKITM**

Material thickness Up to 10 gauge, Material type Mild steel, copper, brass, aluminum, Shank 1/4" guick change hex, Drill Material High-speed steel, Drill point Split point with web thinning

Crimp Tool





The EK1240L accepts all industry "U" style crimping dies. With a throat opening of 1.65", it is easy to get around and remove from connectors. The crimping head rotates 350° to easily get into tight locations. The EK1240CL has a PVC covered crimping head.

The EK1240KL is similar to the EK1240L except that the EK1240KL crimping head accepts only Kearney® type PH2 crimpina dies

Part # Description

GREEK1240L 24,000 lbs. crimping force, will work with a variety of materials

Magnum Pro Fiberglass Fish Tape





- · Non-conductive fiberglass tape with patented low-friction coating for faster and easier fishing
- · Perfect for fishing in conduit with wire or cable present
- Available in 50'(15.2m), 100'(30.5m), 200'(61m) and 250'(76.2m) lengths
- · Replaceable tips
- · Advanced comfort grip and rugged case design (Patent Pending)
- Superior rapid grip tape payout and rewind (Patent Pending)
- Viewing ports to see amount of tape in case and allow quick debris removal

Part # Description

GREFTF540-100 Fiberglass Fish Tape - 11/64" x 100', Weight: 3.4 lbs.

Magnum Pro Nylon Fish Tape





Used in proximity to energized lines & more flexible than steel

- · Non-conductive, curl-resistant nylon tape for fast, clean fishing
- · Good for fishing in conduit with wire or cable present
- · Available in 50'(15.2m) and 100'(30.5m) lengths
- · Replaceable tip
- · Advanced comfort grip and rugged case design (Patent Pending)
- · Superior rapid grip tape payout and rewind (Patent Pending)
- · Viewing ports to see amount of tape in case and allow quick debris removal

Part # Description GREFTN536-100 Nylon Fish Tape - 3/16" x 100', Weight: 3.6 lbs

Magnum Pro Steel Fish Tape





Used for general fishing in conduit

- Maximum durability
- · Improved low profile tip for easy fishing through all sizes of conduit
- Available in 50'(15.2m), 65'(19.8m), 125'(38.1m) and 240'(73.2m) lengths
- 1/8", 1/4" and flat steel profiles to accommodate different fishing situations
- · Advanced comfort grip and rugged case design (Patent Pending)
- Superior rapid grip tape payout and rewind (Patent Pending)
- · Viewing ports to see amount of tape in case and allow quick debris removal

GREFTS438-125 Steel Fish Tape - 1/8" x 125', Weight: 5.5 lbs

SEE YOUR SALES REP FOR MORE OPTIONS

















Magnum Pro Steel Fish Tape





Used for general fishing in conduit

- · Maximum durability
- · Improved low profile tip for easy fishing through all sizes of conduit
- Available in 50'(15.2m), 65'(19.8m), 125'(38.1m) and 240'(73.2m) lengths • 1/8", 1/4" and flat steel profiles to ac-
- commodate different fishing situations
- · Advanced comfort grip and rugged case design (Patent Pending)
- · Superior rapid grip tape payout and rewind (Patent Pending)
- Viewing ports to see amount of tape in case and allow quick debris removal

i dit#	Description
GREFTS438-65	Steel Fish Ta

ape - 1/8" x 65', Weight: 3.1 lbs GREFTS438W-100 Steel Fish Tape - 1/4" x 100', Weight: 7.2 lbs GREFTS438200 Steel Fish Tape - 1/4" x 200', Weight: 14.5 lbs

12-Ton Manual Hydraulic Crimping Tools

Description





- Three crimping head choices: HK1230 for industry "U" type dies with 1.20" (30 mm) opening, HK1240 for industry "U" type dies with 1.65" (42 mm) opening, and HK1240K for Kearney PH2 type
- · New head designs result in lower weight and improved durability -tested to 50,000 crimp cycles.
- Two-speed pump to reduce cycle time.
- Ram automatically retracts when crimp Part # Description
- GREHK1240

cycle is complete -a Greenlee exclu-

- Crimping heads rotate 360°.
- Smaller and lighter than competitive
- Covered head models have two layers of PVC that total approximately 3/16" (4.8 mm) thick.
- The outer layer is black and the inner laver is red.
- Includes steel carrying case.

Capacity: HK1240K - ASCR terminals 1033 kcmil, MCM), ASCR tension fittings 477 kcmil (MCM), Crimping Force: 24,000 lbs (106 kN), Length: HK1230 - 20-3/8' (518 mm); HK1240 - 21-1/2" (546 mm); HK1240K -22" (557 mm), Weight: HK1230 - 12.2 lbs (5.5 kg); K1240 & HK1240K - 13.2 lbs. (6.0 kg)

Heavy-Duty Bolt Cutters





GREENLEE

- Unique cam bolt blade adjustment for easy cutter alignment.
- Forged steel blades for long life.
- · Clevis-mounted blades for greater strength.
- Custom rubber grips for maximum power.

Part # **GREHDFBC18** Description

Heavy-Duty Bolt Cutters w/Fiberglass Handles 18 in. long

TK-30GFI Electrical Kit





- · Use to detect voltage in outlets, lighting fixtures, circuit breakers, wires and cables or to find a break in a wire.
- · Safe, non-contact voltage detection.
- Bright LED and audible alarm sound if voltage is present.
- · On/Off switch for longer battery life.
- Convenient pen-size device easily fits into pockets or tool pouches.
- · Lifetime Limited Warranty. Contents/Accessories-
- (2) 1.5 V AAA batteries

Part

Description

GRETK-30GFI

Voltage measurement: AC V: 200.0, 300 DC V: 200.0 m;

2.000, 20.00, 200.0, 300

Amperage measurement: DC A: 2000 m; 20.00, 200.0 m Resistance measurement: 200.0, 2000 Ω ; 20.00, 200.0, 2K k Ω Measurement category: CAT II, 300 V

Test Lead Kit





Kit Contains (1) 48 in. (1.2 m) longinsulated test leads (TTL-3), (2) modular Measurement Category: Cat III, 1000V;

Cat IV, 600V pre UL 61010. Maximum current 10 amps.

> LIFETIME LIMITED WARRANTY

Part # **GRETLK-1** Description

Standard Bolt Cutter - 18 in.





- · Feature unique cam bolt blade adjustment for easy cutter alignment.
- Forged steel blades for long life.
- · Clevis-mounted blades for greater strength.
- Custom rubber grips for maximum

GREBC18

Capacity

Weight (lbs.)

Rb85* 3/8" (9.5 mm) Rc40* 5/16" (7.9 mm) 5.8

Mechanical Benders for IMC and Rigid Conduit





· Ratchet action for increased lever-

Bypass the ratchet for fast, direct bending on smaller sizes.

Heavy-duty welded construction for long, reliable service.

Built-in bending degree indicator and easy to use bending charts for accurate, consistent bends

Weight (lbs.) Part # Capacity **GRE1800** 1/2", 3/4" and 1" IMC and Rigid 81.00















Little Kicker® Offset Bender (1/2 in.)





- Bends offsets in one easy operation. Insert conduit, depress handle, release and remove conduit.
- Depress handle to create offset that matches the knockout in box.
- Maximum offset of .56" (9/16).
- · Makes identical offsets every time for wall mounted boxes with exposed con-

Part #	Description	Weight (lbs.)
GRE1810	1/2" EMT	8.75
GRE18110P	3/4" EMT	8.75

Wire Strippers/Cutters & Crimpers











GRE1923 **GRE1927** GRE1955

- Precision ground blades ensure consistent stripping and cutting.
- Heat-treated for long life.
- Cushioned-grip vinyl handle for comfortable use.
- · Serrated nose grip for wire pulling and straightening.
- Stamped from high-carbon tool steel.
- · Pivot joints have hardened steel bushings.
- · Rust-resistant black oxide finish.
- Crimp, strip and cut wire with a single tool, also cut and rethread screws.
- · Up-front cutter for snipping hard-to-reach wires.

Part #	Capacity	Weight (lbs.)
GRE1916	Basic wire cutter and stripper	
GRE1921	Basic crimper, cutter and stripper	
GRE1923	Crimping/Stripping Combination Tool	
GRE1927	Plier Style Crimp, strip and cut	
GRE1955	Ergonomically Designed Plier Style Cr	imp, strip and cut

Kwik Stepper Step Bits - KIT





Unique split tip design penetrates through steel faster. Resists walking or skidding, even on round surfaces. Balanced, double-flute construction requires less pressure, does the work for you. Designed and manufactured

Part # Capacity

GRE35884 From 1/8" through 1-3/8" (3.2 - 34.9 mm) Capacity: Cut up through 3/8" (9.5 mm) mild steel, copper, brass, aluminum, wood, plastic and laminates.

Kwik Stepper Step Bits





 Unique split tip design penetrates through steel faster. Resists walking or skidding, even on round surfaces.
Balanced, double-flute construction
requires less pressure, does the work for you. Designed and manufactured in






GRE34401





GRE1800









Part #	Capacity
GRE30008	1/8" through 1-3/8" - Cut up through 3/8" mild steel,
	copper, brass, aluminum, wood, plastic and laminates
GRE34401	1/8" through 1-3/8" - Cut up through 3/8" mild steel,
	copper, brass, aluminum, wood, plastic and laminates
GRE34403	1/8" through 1-3/8" - Cut up through 3/8" mild steel,
	copper, brass, aluminum, wood, plastic and laminates
GRE36414	1/2" through 1-7/32" - Cut up through 3/8" mild steel,
	copper brass aluminum wood plastic and laminates

430 Pull String





- · Ready-to-use, pre-punched hole in lid with resealable cap. · Use with power fishing systems di-
- rectly from the container.
- Resists tangling when dispensing.
 Rot and mildew resistant.
- · Handy reusable plastic dispenser pail with handle keeps the line dry.

 • Use to pull rope through conduit.

Part # 6500 FT. 210 lbs. avarege breaking strength GRE430



















7/8 (in.) Diameter Stud Punch







Punch up through 20 gauge (0.9 mm) steel studs in one stroke. Aluminum head provides strength with minimum weight, reducing operator fatigue. Contoured handle design gives better operator leverage and makes it possible to punch in tight places. Self-stripping design eliminates punch hang-ups. Automatically centers holes on standard studs. Conversion kit available to upgrade early models from 24 gauge to 20 gauge maximum capacity.

Dowt #	Consoite
Part #	Capacity
GRE709	1-5/8" and wider studs. 20 gauge (0.9 mm) steel studs. 710 - 2-1/2" (63.4 mm) and wider studs. 20 gauge (0.9 mm) steel studs.
GRE710	709 - 1-7/32 and wider studs.

Bushings for Metal Stud Punches









Triple lock design holds bushing securely. Locks securely into metal studs from 24 gauge to 12 gauge (0.6 mm to 2.5 mm). Helps protect wire insulation from sharp edges of metal studs. Makes pulling smooth and easy by preventing hang-ups of cable on raw metal edges.

Part # GRE712A100 Capacity

100 Bushings for pre-punched hole or 1-11/32" (34.1 mm) diameter hole punched by 710

Master Electricians Tool Kit (28 pc)

18" Heavy-Duty Multi-pocket Bag, Heavy-Duty, 8-Pocket Leather Pouch, 2' Heavy-Duty, 8-Pocket Leatner Pouch, 2 Leather Tool Belt, 9" Side-Cutting, Pliers, 8" Diagonal Cutting Pliers, 8" Long Nose Pliers, 10" Pump Pliers, Pro Plus Wire Stripper 10-18 AWG, NM Cable, Ripper, Stripping/Crimping Combination Tool, Cable Cutter, Utility Knife, 12" Hacksaw, Keystone Tip Square Shank, 1/4" x 4" Flat Blade Screwdriver, Keystone Tip Square Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 3/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 3/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 5/16" x 6" Flat Blade Screwdriver, 5/16 3/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank, 1/4" x 6" Flat Blade Screwdriver, Phillips Tip #1 - 3/16" x 3", Screwdriver, Phillips Tip #2 - 1/4" x 4", Screwdriver, Screwholding, screwdriver, 3/16" x 6", 3" Scratch Awl, 10" Adjustable, Wrench, 9-Piece Folding Hex-Key Set, 25' Tape Measure, Torpedo Level, 18 oz. Electricians Hammer, High dexterity, gloves (L) and GT-11 Voltage tester.





All-inclusive tool kit designed with the master electrician in mind.

Part # Description Weight (lbs.) GRE0159-11 28 pc Master Electricians Tool Kit 19.7

Electricians Tool Kit (16 pc)

ncludes:
High Leverage Side-cutting Pliers 9in.
molded grip, High Leverage Diagonal
Cutting Pliers 8in. molded grip, High
Leverage Long Nose Pliers/Side Cutting 8in. molded grip, Pump Pliers 10in.
molded grip, Heavy Duty Keystone Tip,
Square Shank 1/4in X 4in. Flat Blade
Screwdriver, Heavy Duty Cabinet Tip,
Round Shank 3/16in. X 6in. flat Blade Screwdriver, Heavy Duty Phillips Tip, 1 - 3/16in. X 3in. Screwdriver, Heavy Duty Phillips Tip #2 - 1/4in. X 4in Screwdriver, Tape Measure, 7.5m, Heavy Duty 8 Pocket Leather Pouch, Heavy Duty Leather Tool Belt, Pro Plus Wire Stripper 10-18 AWG, 4 pc. Squaredrive (Robertson) Set, Square Tip Driver #0x4in., Square Tip Driver #3x4in., Square Tip Driver #3x4in., Sequare Tip Driver #3x4in. information for specifications.





· Perfect kit for the journeyman elec-

Part # Description Weight (lbs.) GRE0159-24 16 pc Metric Electricians Tool Kit 16.5

Journeyman Electricians Tool Kit (21 pc)

Includes:

High Leverage Side-cutting pliers 9" molded grip, High Leverage, Diagonal Cutting Pliers 8" molded grip, High Leverage Long Nose Pliers/Side, Cutting 8" molded grip, Pump Pliers 10" molded grip, Dual NM Cable Ripper, Heavy Duty Keystone Tip, Square Shank 1/4" x 4" Flat Blade Screwdriver, Heavy Duty Cabinet Tip, Round Shank 3/16" x 6" Flat Blade Screwdriver, Heavy Duty Phillips Tip #1 - 3/16" x 3/16" x 6" Hat Blade Screwdriver, Heavy Duty Phillips Tip #1 - 3/16" x 3" Screwdriver, Heavy Duty Phillips, Tip #2 - 1/4" x 4" Screwdriver, Tape measure, 7.5m, 18 oz. Electricians, Hammer, 20 Pocket Tool Caddy, Volt-age tester (for kits only), Pro Plus Wire Stripper 10-18 AWG, Stripping/Crimp-ting Combination, Tool, Cable Cutter. ing Combination Tool, Cable Cutter, Torpedo Level, 4 pc Squaredrive (Robertson) Set, Square Tip Driver #0X4", Square Tip Driver #1X4", Square Tip Driver #2X4", Square Tip Driver #3X4"





· Perfect kit for the journeyman electrician.

Weight (lbs.) GRE0159-23 21 pc Journeyman Electricians Tool Kit 13.7



TOVE Bars - Made in Sweden

HjükStorm



- · An exceptionally strong bar in relation to its length and weight.
- Made of highly tempered alloy spring steel.
 Chisel end is finely tapered to allow easy wedging.
 A professional tool for construction industry.
- Designed to require less than 90 degree angle for claw end to be used for lifting.

Part #	Length (in.)	Weight (lbs.)	
HJU25-25	25	3	
HJU25-25	25	3	
HJU25-25	25	3	

Crow Bars - Chisel Point

HjükStorm

- Point tapered on one side.
 Carbon steel.

Part #	Length (in.)	Weight (lbs.)	
HJUCP-12	51	12	
HJUCP-18	60	18	

Sledge Hammer - American Hickory Handle





- Assembled in our warehouse.Standard & soft faced heads available.

Part #	Head Weight (lbs.)	Length (in.)	Repl.Handle
HJU1060-041	4	18	224-55
HJU1060-042	4	28	226
HJU1060-06	6	32	227-SE
HJU1060-08	8	36	229
HJU1060-10	10	36	229
HJU1060-12	12	36	229
HJU1060-16	16	36	232
HJU1060-20	20	36	232

Sledge Hammer - Fiberglass Handle



HjükStorm

- 10 times stronger than Hickory.
- Unaffected by moisture and temperature will not shrink or swell.
 Will not conduct electricity.
 Will not be harmed by chemicals.

	Part #	Head Weight (lbs.)	Length (in.)	Repl.Handle
	HJU1062-041	4	14 1/2	224-FG
	HJU1062-06	6	36	228-FG
	HJU1062-08	8	36	229-FG
ļ	HJU1062-10	10	36	229-FG
	HJU1062-12	12	36	229-FG
	HJU1062-16	16	36	229-FG
	HJU1062-20	20	36	229-FG

Pick - (Head Only)

HjükStorm



Part #	Head Weight (lbs.)	Repl.Handle
HJU2004-600	6 lb. Clay Pick	242

Twist Drills

HjükStorm



- Fine heat treated cutting edge.
- Excellent cutting performance and high durability.
 Minimum order 10 drills per size.

Part #	Size (in.)	Part #	Size (in.)
HJU800-01	1/16	HJU800-08	11/64
HJU800-02	5/64	HJU800-09	3/16
HJU800-03	3/32	HJU800-10	13/64
HJU800-04	7/64	HJU800-11	7/32
HJU800-05	1/8	HJU800-12	15/64
HJU800-06	9/64	HJU800-13	1/4
HJU800-07	5/32	HJU800-14	17/64

Ball Pain Machinist's Hammers

HjükStorm



- Complete with UNEX hickory handles.
 Polished sides.

Part #	Length (in.)	Weight (lbs.)
HJUHJ-3032	16	2

Blacksmith Hammer - Professional



- · Head of high quality steel.
- Repl.Handle Part # Weight (lbs.) HJU3500-3 224-53 HJU3500-4 224-53

Club Hammer

· Quality steel head.

HjükStorm

HjükStorm

Length (in.)



















International Job Site Boxes



International®

- · Heavy duty 16 gauge steel construction

- Fully welded seams
 Theft resistant locking areas
 4 Way legs, predrilled for casters
- Available in Black



Catalog ID	Size
JSB-3220BK	32"x19"x17"
JSB-4824BK	48"x24"x 28'

International V Series





- Designed for the Professional at a Value Price
- Ball bearing drawer slides
 Gas struts on larger sized chests
 Drawer liners included

- Available in Black, Red, Blue. Orange available in 42" and 56" models





Catalog ID	Size
VRT-2704	27" 4 drawer chest
VRT-2706	27" 6 drawer deep chest
VRT-4210	42" 10 drawer chest
VRT-5606	56" 6 drawer chest
VRB-2705	27" 5 drawer cabinet
VRB-2707	27" 7 drawer cabinet
VRA-4220	42" 20 drawer Tower
VRB-4211	42" 11 drawer cabinet
VRB-5610	56" 10 drawer cabinet
VRB-7515	75" 15 drawer cabinet

International Job Site Boxes





· Super heavy duty construction with triple channel construction for rugged work environments



Catalog ID	Size
SRT-2704	27" 4 drawer chest
SRT-3505	35" 5 drawer top chest
SRB-4205	42" 5 drawer Cabinet
SRT-5400	54" Canopy Top
SRB-2706	27" 6 drawer Cabinet
SRB-3506	35" 6 drawer Cabinet
SRT-4200	42" Canopy Top
SRB-5412	54" 12 drawer Cabinet
SRB-7321	73" 21 drawer Cabinet

International Hand Boxes





· Made of all steel construction with sturdy hasps and handles



Catalog ID	Size
HBB-1900RD	19" Hand box
HBB-2100RD	21" Hand Box
HBH-2000RD	20" Hip Roof Hand Box
HBC-2100RD	21" Cantilever Box
HBB-2600RD	26" Hand Box

International Classic Series





- Heavy duty double wall construction
- Full extension compound action drawer slides
 Available in Red only



Catalog ID	Size
CFD-2710RD	26"x18" 10 drawer drop front chest
CFD-2606RD	26"x12" 6 drawer drop front chest
CFT-2710RD	26"x18" 10 drawer chest
CFT-2712RD	26"x18" 12 drawer chest
CFT-2606RD	26"x12" 6 drawer chest
CFB-2703RD	27" 3 drawer cabinet
CFB-2705RD	27" 5 drawer cabinet
CFB-2711RD	27" 11 drawer cabinet

International Professional Series





- Heavy duty U Channel Wall construction, with full extension ball bearing slides, designed for Professional use
 Heavy duty gas struts on all top chests
 Protective corner posts on all units



Catalog ID	Size	
PRT-2704	27" x 18" 4 drawer chest	
PRT-2705	27"x18" 5 drawer chest	
PRT-4206	42" x 18" 6 drawer chest	
PRT-5409	54" x 18" 9 drawer chest	
PRB-2705	27" 5 drawer cabinet	
PRB-2707	27" 7 drawer cabinet	
PRB-4214	42" 14 drawer cabinet	
PRB-5413	54" 13 drawer cabinet	

















IRWIN IRW10R



Catalog ID	Capacity	Size	JAW
IRW10R	1 3/4"	10"	Straight
IRW10CR	1 7/8"	10"	Curved
IRW10WR	1 7/8"	10"	Curved/Wire cutter
IRW7R	1 1/2"	7"	Straight
IRW7CR	1 1/2"	7"	Curved
IRW7WR	1 1/2"	7"	Curved/Wire cutter
IRW5WR	1 1/8"	5"	Curved/Wire cutter
IRW4WR	1"	4"	Curved/Wire cutter

IRWIN IRW11R



Catalog ID	Capacity	Size	TIP
IRW24R	10"	24"	Regular
IRW24SP	10"	24"	Swivel Pads
IRW18R	8"	18"	Regular
IRW18SP	8"	18"	Swivel Pads
IRW11R	2 5/8"	11"	Regular
IRW11SP	2 5/8"	11"	Swivel Pads
IRW6R	2"	6"	Regular
IRW6SP	2"	6"	Swivel Pads
IRW4SP	1 5/8"	4"	Swivel Pads

IRWIN IRW9LN





Catalog ID	Capacity	Size	JAW
IRW9LN	2 3/4"	9"	
IRW6LN	2"	6"	
IRWALN	1 5/8"	4"	

IRWIN IRW8R



Catalog ID	Capacity	Size	JAW WIDTH
IRW8R	1/2"	8"	3 1/8"
IRW9R	2 3/4"	9"	2 3/4"

IRWIN IRW20R



IRWIN IRW12LC





















IRWIN Quick-Grip XP600 One Handed Bar Clamps / Spreaders



- Patented POWER LOCKS™ hold more pressure, longer. Provides 600 lbs of one-handed force
 Double Locking Swivel Jaws to allow even distribution of clamping forces
 3-3/4* Throat Depth
 Permental Lettle Fore Pede.

- Removable Full Face Pads
 I-Beam Bar for reduced flexing and bowing
- Quick Change Screw to allow for easy conversion to spreader

Catalog ID	Clamping Capacity	Spreading Capacity	Throat Depth
IRW2021406N	6"	9-1/8" - 14-5/8"	3-3/4"
IRW2021412N	12"	9-1/8" - 20-7/8"	3-3/4"
IRW2021418N	18"	9-1/8" - 26-7/8"	3-3/4"
IRW2021424N	24"	9-1/8" - 32-1/2"	3-3/4"
IRW2021436N	36"	9-1/8" - 44-1/2"	3-3/4"
IRW2021450N	50"	9-1/8" - 58-3/8"	3-3/4"

IRWIN SL300 One Handed Bar Clamps / Spreaders





- Quick Change Screw
- I-Beam Bar reduces flexing and bowing

Catalog ID	Clamping Capacity	Spreading Capacity	Throat Depth
IRW506QCN	6"	7-1/2" - 13-3/8"	3-1/4"
IRW512QCN	12"	7-1/2" - 19-1/4"	3-1/4"
IRW518QCN	18"	7-1/2" - 25-1/4"	3-1/4"
IRW524QCN	24"	7-1/2" - 31-1/4"	3-1/4"
IRW536QCN	36"	7-1/2" - 43-1/4"	3-1/4"

IRWIN Mechanics' Vices





Rigid and robust, the body and sliding jaw are cast from close grained grey iron which is CNC manufactured on all fricton surfaces for a smooth reliable action. The jaws, handle and main screw are steel, the latter having a two-start rolled acme thread to speed the jaws from fully closed to fully open with a minimum of winding.

Catalog ID	Jaw Width		
RCR#3	4"		
RCR#5	5"	A.	
RCR#6	6"		
RCR#8	8"		

IRWIN Woodworkers Vise





HAND TOOLS

- Toe-in toward top jaws helps ensure firm grip on work piece
- Square body seating for easy under-bench
- mounting
 Provision for installing wooden cheeks to protect work pieces

Catalog ID	Jaw Width
IRW226361	6 ½"

IRWIN Drill Press Vises





Heavy-duty vises designed for the professional woodworker

Catalog ID	Jaw Width
IDW226240	4"

IRWIN C-Clamp





- · Double-rolled thread for faster clamping and increased durability
- Larger swivel pad reduces marring on work surface and increases stability
- · Larger handle for greater clamping pressure with less effort and reduced hand fatigue

Catalog ID	Clamping Capacity	Throat Depth
225101	1"	1 3/16"
225102	2"	1 5/16"
225103	3"	2 1/4"
225104	4"	3"
225106	6"	3 1/2"
225108	8"	4"
225123	2"	3 1/2"
225134	3"	4 1/2"



IRWIN Marples Woodworking Chisel





- · Slim, contoured handle for added control, precision and comfort
- Design for use with a wooden mallet or the palm of the hand
 High quality hardened steel blade for superior
- performance and edge retention

Catalog ID	Description	Blade Width
M44418N	Woodworking Chisel	1/8"
M44414N	Woodworking Chisel	1/4"
M44438N	Woodworking Chisel	3/8"
M44412N	Woodworking Chisel	5/8"
M44434N	Woodworking Chisel	3/4"
M4441N	Woodworking Chisel	1"
M444114N	Woodworking Chisel	1-1/4"
M444112N	Woodworking Chisel	1-1/2"
M4442N	Woodworking Chisel	2"
M444S4N	Woodworking Chisel	4pc Set, 1/4", 1/2", 3/4", 1"

IRWIN Adjustable Wrenches





- Durable chrome vanadium construction
 ProTouch™ grips provide extra comfort and reduces hand fatigue
 English and metric scales

- Extra wide capacity
 Hang hole for easy wall storage
 Meets or exceeds ANSI specifications

Catalog ID	Description	Jaw Capacity	Handle
2078606	6" Adjustable	1"	ProTouch™ Grip
2078608	8" Adjustable	1-1/8"	ProTouch™ Grip
2078610	10" Adjustable	1-1/4"	ProTouch™ Grip
2078612	12" Adjustable	1-1/2"	ProTouch™ Grip

IRWIN Screwdriver Bit Set





ription
SET
SET

IRWIN GrooveLock Pliers





- Simple push of innovative press-n-slide button adjusts lower jaw 2X faster than traditional groove
- joint pliers.
 Multi-Groove Ratcheting System has twice the groove positions than any other groove joint pliers

Catalog ID	Description	Jaw Capacity	Groove Positions
2078108	8" GrooveLock	1-3/4"	13
2078110	10" GrooveLock	2-1/4"	16
2078112	12" GrooveLock	2-3/4"	19

IRWIN Lock-n-Load Quick Change Extensions





- Carbon steel construction sleeve and body for durability and life
- · Lock-n-Load® system for one-handed quick

Catalog ID	Description
4935703	1/4" Quick Change Bit Holder - 2" OAL
4935704	1/4" Quick Change Bit Holder - 6" OAL
4935705	1/4" Quick Change Bit Holder - 12" OAL

IRWIN Speedbor MAX Speed Bits





- · Carbon steel construction sleeve and body for durability and life

 • Lock-n-Load® system for one-handed quick
- release

Catalog ID	Size	Description
3041001	1/2"	1/2" x 6" SPEEDBOR MAX Speed Drill Bit
3041002	5/8"	5/8" x 6" SPEEDBOR MAX Speed Drill Bit
3041005	7/8"	7/8" x 6" SPEEDBOR MAX Speed Drill Bit
3041007	1"	1" x 6" SPEEDBOR MAX Speed Drill Bit
3041009	1-1/4"	1-1/4" x 6" SPEEDBOR MAX Speed Drill Bit
3041006	1/2", 5/8", 3/4"	6pc Set SPEEDBOR MAX Speed
	7/8" 1" & 1-1/4"	



IRWIN Unibit Cobalt Step Drill



- 6X Longer life vs. the competition 35 grade Cobalt HSS
- Radial concave flute
 Speedpoint™ tip
- Laser marked sizes

Catalog ID	Desc.	Hole Sizes	# of Holes	Increments
10231	#1	1/8" - 1/2"	13 steps	1/32" Increments
10232	#2	3/16" - 1/2"	6 steps	1/16" Increments
10233	#3	1/4" - 3/4	9 steps	1/16" Increments
10234	#4	3/16" - 7/8"	12 steps	1/16" Increments
10239	#9	7/8" and 1-1/8"	2 steps	for 1/2" and 3/4 KO

IRWIN Tap & Hex Die Set



	Tools
000,000	
900	
00000000	

Catalog ID	Desc.	Hole Sizes	# of Holes	Increments
24606	41-pc s	et in plastic case	e fractional	
	4-40 - 1	/2" NC / NF		
26319	41-pc s	et in plastic case	e fractional/metri	ic
	6-32-1	½-13 4mm – 12	2mm	

IRWIN Spiral Extractor & Drill Bit -537 Series - Combo Packs






Aggressive left hand spiral design for extra gripping

Catalog ID	Description
53701	EX-1 + 5/654" Drill Bit
53702	EX-2 + 7/64" Drill Bit
53703	EX-3 + 5/32" Drill Bit
53704	EX-4 + 1/4" Drill Bit
53705	EX-5 + 19/64" Drill Bit
53706	EX-6 + 13/32" Drill Bit

IRWIN 1500 / 1550 I-Beam Levels



IRWIN 2000 / 2050 Series Box Beam Levels





- Continuous Edge increases level durability ensuring accuracy over time, protects center vial, and allows for continuous scribing
- Plumb Site® offers dual-sided, undistorted viewing in the plumb position and easy, more accurate plumb readings

 Retractable end caps allow for scribing into and the statement is a second to the scribe and the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement in the statement is a second to the statement is a
- through corners, increasing work efficiency

Catalog ID	Description
1794075	24"
1794076	24" MAG
1794077	48"
1794078	48" MAG
1794079	72"
1794080	72" MAG
1794104	78" & 32" MAG DOOR JAMB KIT

IRWIN 150T Magnetic Toolbox Level







IRWIN 2500 / 2550 Series Heavy Duty Box Beam Levels






- Thick-walled high-grade aluminum frame provides extreme durability and resists jobsite wear and tear Continuous Edge increases level durability ensuring accuracy over time, protects center vial, and allows for continuous scribing
 Plumb Site® offers dual-sided, undistorted viewing in the plumb position and easy, more accurate plumb readings
- plumb readings

 Over-molded rubber end caps provide shock-absorption, protecting the level's accuracy upon impact, and are removable foraccurate leveling into corners
- Rare earth magnets are 5X stronger than strip magnets and allow for easy, hands-free steel construction work (2550 Series)

Catalog ID	Description
1794063	24"
1794064	24 MAG
1794065	32"
1794067	48"
1794068	48" MAG
1794069	72"
1794070	72" MAG
1794071	96"
1794072	96" MAG
1794073	78" & 32" DOOR JAMB KIT
1794074	78" & 32" MAG DOOR JAMB KIT

IRWIN 1500W Mason Levels



Catalog ID	Description	Length
1801104	1500W Mason's Level	24"
1801105	1500W Mason's Level	48"

IRWIN 150 Magnetic Torpedo Level



IRWIN Levels Cases



78"

48" 72"

IRWIN Framing Squares

Steel Framing Square

SOFT

HARD

HARD

1804139

1804140

1804221



16" x 24"

1794449



IRWIN Rafter Squares



Catalog ID	Description	Length
1794463	Hi-Contrast Aluminum	7"
1794466	Hi-Vis Rafter Square	8"
1794467	Hi-Vis Rafter Square	12"
1794464	Aluminum Rafter Square	7"
1794465	Aluminum Rafter Square	12"

IRWIN Combination Squares



Catalog ID	Description	Length
1794468	Metal Combination Square	6"
1794469	Metal Combination Square	12"
1794471	Metal Combination Square	16"
1794470	Combination Square	12"

IRWIN Tri Squares

1794472

Hardwood Tri Square



8"

IRWIN Mach6 Chalk Reel & Chalk Combos



IRWIN Classic Series Circular Saw Blades



Catalog ID	Diameter	Teeth	Arbor	Kerf	Hook Angle
15120	6-1/2"	24	5/8"	2.2 mm	22°
25130	7-1/4"	24	5/8"	2.7 mm	18°
25230	7-1/4"	40	5/8"	2.7 mm	12°
25530	7-1/4"	60	5/8"	2.7 mm	15°
15270	10"	40	5/8"	2.2 mm	16°
15370	10"	60	5/8"	2.2 mm	12°



16 Piece S.A.E. Raised Panel **Combination Wrench Set**





- JET raised panel combination wrenches are made. with industrial quality S.A.E. 6140 Chrome Vanadium steel (up to 1-1/4" or 32mm sizes) • 1-5/16" – 2-1/2" made with special S45C alloy steel • All wrenches feature Torque-Drive® box ends for increased torque • Wrench size stamped on head for easy identification
- · Sets are supplied with industrial strength terylene pouches • All sets meet ASME B107.6 and ASME B107.9M A.N.S.I. specifications

Includes:

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4", Terylene Pouch

Part #	Description	Pcs.
JET700121	Variety of sizes	16

Standard Duty Adjustable Wrench





· All components made of quality chrome vanadium steel • Superb quality • Traditional handle design

Part #	Size (in.)		•	Ü
JET7711112	6			
JET7711113	8			
JET7711114	10			
JET7711115	12			
JET7711117	18			
JET7711118	24			

Raised Panel Combination Wrench





- · JET raised panel combination wrenches are made with industrial quality S.A.E. 6140 Chrome Vanadium steel (up to 1-1/4" or 32mm sizes) • 1-5/16" - 2-1/2" made with special S45C alloy steel • All wrenches feature Torque-Drive® box ends for increased torque • Wrench size stamped on head for easy identification • Sets are supplied with industrial strength terylene pouches • All sets meet ASME B107.6 and ASME B107.9M A.N.S.I. specifications
- S.A.E. 6140 CrV Steel

Part #	Size (in.)	Part #	Size (mm)
JET700501	1/4	JET700553	8
JET700502	5/16	JET700554	9
JET700503	3/8	JET700555	10
JET700504	7/16	JET700556	11
JET700505	1/2	JET700557	12
JET700506	9/16	JET700558	13
JET700507	5/8	JET700559	14
JET700508	11/16	JET700560	15
JET700509	3/4	JET700561	16
JET700511	7/8	JET700562	17
JET700512	15/16	JET700563	18
JET700515	1-1/8	JET700564	19
JET700517	1-1/4	JET700565	20
JET700520	1-7/16	JET700566	21
JET700521	1-1/2	JET700567	22
		JET700568	23
		JET700569	24

Long Nose Pliers





- · Made of high quality Chrome Vanadium steel
- Cutting edges induction hardened to HRC58-62
- Double-dipped cushion grip handles offer superior
- comfort, sure gripping action and long life
 Meets A.N.S.I. specifications ASME B107.20, ASME, B107.11M and ASME B107.13M

Part #	Length (in.)	Туре
JET730423	6-1/2	Long Nose - Chrome Vanadium

Diagonal Cutter





- · Made of high quality Chrome Vanadium steel
- Cutting edges induction hardened to HRC58-62
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- Meets A.N.S.I. specifications ASME B107.20, ASME, B107.11M and ASME B107.13M

Part #	Length (in.)	Туре
JET730433	6-1/2	Diagonal Cutter - Chrome Vanadium

12" Hacksaw - Heavy Duty





- · Cast aluminum frames combine high strength with light weight
- TPR grip on handle for comfort and secure grip
- · Blade can be angle mounted for special applica-
- · Powder coated for added resistance to corrosion

Part #	Specifications
JET775306	12 in.

Unbreakable Sledge Hammer





- Spring steel rods encased in vulcanized rubber provide the ultimate striking tool handle Will not break, bend, or split even after repeated
- overstrikes · Handle absorbs impact and vibration, reducing user fatigue
- Provides unparalled grip in all conditions and is resistant to most industrial chemicals
- Patented locking plate makes head separation impossible

Part #	Length (in.)	Weight (lbs.)
JET740582	16	4



Professional Duty Oval Head Ratchet





- All components are forged from superior quality Chrome Vanadium steel,
- New increased tooth configurations offer finer ratcheting mechanisms
- · Available in regular and extra long models
- Push button quick release feature holds sockets on securely until ready to release
- Convenient reversing switch can be operated with one hand
- Comfortable handle style
- Mirror polish finish
- Repair kits available All ratchets are designed for use by professionals
- Meets or exceeds A.N.S.I. specifications

Part#	Drive	Length(overall)	Teeth
670926	1/4	5 ½"	48
671926	3/8	8"	48
672926	1/2	10"	48

External Torx Socket Set





- All components forged from high quality Chrome Vanadium steel
- · Chamfered edges
- TORX® is a registered trademark of CAMCAR Division of TEXTRON INC.
- WARNING: Do not use chrome sockets on electric or air impact wrenches

Part #	Drive (in.)	Pcs.
JET601232	3/8	12

Regular Chrome Socket





- All items meet U.S. Federal Specifications: GGG-W-641e, Canadian Government Specification CDA39-GP-12b and A.N.S.I. B107.1
- WARNING: Do not use chrome sockets on electric or air impact wrenches

Part #	Size	Drive (in.)	Point
JET671116	1/2	3/8	6
JET671118	9/16	3/8	6
JET671124	3/4	3/8	6

Deep Chrome Socket



- All items meet U.S. Federal Specifications: GGG-W-641e, Canadian Government Specification CDA39-GP-12b and A.N.S.I. B107.1
- WARNING: Do not use chrome sockets on electric or air impact wrenches

Part #	Size	Drive (in.)	Point	
JET671316	1/2	3/8	6	
JET671318	9/16	3/8	6	
JET671324	3/4	3/8	6	

S.A.E./Metric Socket Wrench Set





- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5
- Warning: Do not use chrome sockets on impact wrenches

Includes:

72 tooth high torque ratchet (671928), 3" (671905) and 6" (671907) extensions, 8" flex handle (671902), 1-7/8" universal joint (671910), Blow mould case

Part #	Drive (in.)	Pcs.	Point
JET600241	3/8	45	6
JET600341	1/2	55	6

S.A.E. Socket Wrench Set





- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5
- Warning: Do not use chrome sockets on impact wrenches

Includes

24 tooth heavy duty reversible ratchet head (674901), 8" (674905) and 16" (674903) extensions, 22" universal handle (included with 674901), Sliding T- head, Metal case

Part #	Drive (in.)	Pcs.	Point
JET601802	1	21	12

Wide Face Flat Chisel - Standard duty





 Fits AH150M, AH150L, AH150SD, RH954 and other .401 hammers

Part # Specifications

JET672926 Shank Size: .401, Overall Length: 6-1/4", Type: Wide Chisel,

















5 Ton Heavy Duty Mechanical Screw Jack





- Professional contractor quality mechanical screw jack for all-purpose lifts and supports
- Holds loads indefinitely will not creep
- · Heavy-duty bell shaped cast base adds stability
- · Head pivots to provide maximum contact
- Corrugated steel swivel head turns easily under load
- Acme type thread
- · Easy to carry and position with built-in handle
- · Turning bar sold separately
- · Compliance: ANSI / ASMÉ B30.1 standards
- · Ideal for construction, structural moving, supporting machinery, automotive, trucks, industrial, agriculture and general maintenance

Part #	Tons	Min. Height (in.)	Max. Height (in.)
JET141503	5	9.45	13.39

10 Ton Heavy Duty Mechanical Screw Jack





- Professional contractor quality mechanical screw jack for all-purpose lifts and supports
- Holds loads indefinitely will not creep
- Heavy-duty bell shaped cast base adds stability
- · Head pivots to provide maximum contact
- Corrugated steel swivel head turns easily under load
- · Acme type thread
- · Easy to carry and position with built-in handle
- Turning bar sold separately
- · Compliance: ANSI / ASMÉ B30.1 standards
- · Ideal for construction, structural moving, supporting machinery, automotive, trucks, industrial, agriculture and general maintenance

Part #	Tons	Min. Height (in.)	Max. Height (in.)
JET141505	10	11.5	17.83

15 Ton Heavy Duty Mechanical Screw Jack





- Professional contractor quality mechanical screw iack for all-purpose lifts and supports
- · Holds loads indefinitely will not creep
- · Heavy-duty bell shaped cast base adds stability
- Head pivots to provide maximum contact
- · Corrugated steel swivel head turns easily under load
- · Acme type thread
- · Easy to carry and position with built-in handle
- · Turning bar sold separately
- Compliance: ANSI / ASME B30.1 standards
- · Ideal for construction, structural moving, supporting
- machinery, automotive, trucks, industrial, agriculture and general maintenance

Part #	Tons	Min. Height (in.)	Max. Height (in.)
JET141508	15	13.86	21.38

20 Ton Heavy Duty Mechanical Screw Jack





- Professional contractor quality mechanical screw jack for all-purpose lifts and supports
- · Holds loads indefinitely will not creep
- Heavy-duty bell shaped cast base adds stability
- · Head pivots to provide maximum contact
- · Corrugated steel swivel head turns easily under load
- · Acme type thread
- · Easy to carry and position with built-in handle
- · Turning bar sold separately
- Compliance: ANSI / ASME B30.1 standards
- · Ideal for construction, structural moving, supporting machinery, automotive, trucks, industrial, agriculture and general maintenance

Part #	Tons	Min. Height (in.)	Max. Height (in.)
JET141512	20	15.83	24.88

25 Ton Heavy Duty Mechanical Screw Jack





· Holds loads indefinitely - will not creep

· Heavy-duty bell shaped cast base adds stability

Head pivots to provide maximum contact

· Corrugated steel swivel head turns easily under load

Acme type thread

• Easy to carry and position with built-in handle

Turning bar sold separately

• Compliance: ANSI / ASME B30.1 standards

• Ideal for construction, structural moving, supporting machinery, automotive, trucks, industrial, agriculture and general maintenance

Part #	Tons	Min. Height (in.)	Max. Height (in.)
JET141516	25	16.61 26.34	





















10' Lift Super Heavy Duty Chain Hoist





- The strongest chain hoist available!
- · Exclusive Class V+ load chain is the world's strongest
- · Provides unparalleled safety for the most demanding applications
- Chrome Molybdenum load gears for maximum strength and resistance to shock
- Load sheave is designed for long wear with uniform pockets for correct chain contact
- · Drop forged hooks are designed to bend slowly to warn of overloads
- · Rolled edge on hand wheel cover acts as a chain guide and allows smooth operation even when pulling the hand chain at an angle
- Positive ratchet, screw and disc are completely enclosed to protect the brake mechanism
- Non-asbestos wet friction brake discs will not slip even when oil is presen
- Capacity unaffected by temperatures up to -40°C with suitable winter lubrication
- Tested to 150% of rated capacity
- Meets OSHA and ANSI B30.16 standards (certificate
- · NOTE: Custom Lifts are available in any length desired. Ask your local JET distributor for details!

Part #	Tons	(lbs.)	Standard Lift (ft.)
JET101212	1	2200	10
JET101222	1-1/2	3520	10
JET101232	2	4400	10
JET101252	3	6820	10
JET101262	5	11,000	10

Other lengths available - see in store

KLP Series Heavy Duty Lever Chain Hoist





- · High impact gear case and brake cover for heavy
- Grade 100 load chain for greater strength
- · Caged ball bearings on load sprocket for the ultimate in smooth, easy operation
- Dual pawl Weston style brake features extra heavy pawl springs for reliable and safe operation
- Exclusive premium grade, non-asbestos brake discs for longest life
- · Top and bottom safety hooks bend to warn of over-
- · Cast steel safety latches exceed industry standards
- · Deformation indicators on hooks allow accurate measurement for easy maintenance
- Load tested to 150% of rated capacity with certificate
- Meets ASME B30.21 standards
- · ISO 9001-2000 certified factory
- · NOTE: Custom Lifts are available in any length desired. Ask your local JET distributor for details!

Part#	Tons	Standard Lift (ft.)
JET110406	3/4	10
JET110407	1 ½	10
JET110408	3	10

10' Lift Super Heavy Duty Chain Hoist (Overload Protection)





- The strongest chain hoist available!
- Exclusive Class V+ load chain is the world's strongest
- · Provides unparalleled safety for the most demanding applications
- Chrome Molybdenum load gears for maximum strength and resistance to shock
- · Load sheave is designed for long wear with uniform pockets for correct chain contact
- Drop forged hooks are designed to bend slowly to
- · Rolled edge on hand wheel cover acts as a chain guide and allows smooth operation even when pulling the hand chain at an angle
- Positive ratchet, screw and disc are completely enclosed to protect the brake mechanism
- · Non-asbestos wet friction brake discs will not slip even when oil is present
- Capacity unaffected by temperatures up to -40°C with suitable winter lubrication
- Tested to 150% of rated capacity
- Meets OSHA and ANSI B30.16 standards (certificate
- · NOTE: Custom Lifts are available in any length desired. Ask your local JET distributor for details!

Part #	Tons	(lbs.)	Standard Lift (ft.)
JET101412	1	2200	10
JET101422	1-1/2	2200	10
JET101432	2	4400	10
JET101452	3	6820	10
JET101462	5	11,000	10

Other lengths available - see in store

Super Heavy Duty Hand Winch



- · Chain hoist type dual pawl Weston brake for ultimate load control
- All braking components are plated with a rust resistant finish
- · Non-asbestos brake discs use high quality low abrasion aramid fibre material for a safer and healthier environment
- Free wheeling feature enables the operator to pay out cable fast
- · Will not free wheel under load

Part #	Gear Ratio	(lbs.)	Drum Capacity
JET113263	4.33:1	882	1/4" x 98'

Super Heavy Duty Hand Winch



- · Chain hoist type dual pawl Weston brake for ultimate load control
- · All braking components are plated with a rust resistant
- · Non-asbestos brake discs use high quality low abrasion aramid fibre material for a safer and healthier environment
- Free wheeling feature enables the operator to pay out cable fast
- · Will not free wheel under load

Part #	Gear Ratio	(lbs.)	Drum Capacity
JET113264	12.2:1	1653	5/16" x 98'



















JOBMASTER® Chest





JOBMASTER® Chests offer secure and durable tool storage solutions that are easy to handle, and can be moved around the jobsite or into a work vehicle with minimal effort. As the strongest single deadbolt-style locking mechanism, the WATCHMAN® IV Lock System keeps all your tools safely protected.

- New 3-point latch with WATCHMAN® IV Lock System
- New Power PassTM Electrical Pass-Thru Easy, weatherproof power cord access
- Additional reinforcement between the lock and the side housing
- Stronger protection against pry-ins bigger, better hinges

Part #	Size (in.)	Weight (lbs.)
KNA32	32 x 19 x 34.5 ln.	84 lbs.
KNA36	32 x 19 x 13 ln.	97 lbs.
KNA42	42 x 19 x 18 ln.	114 lbs.
KNA4824	48 x 24 x 23 ln.	158 lbs.
KNA4830	48 x 30 x 29 ln.	194 lbs.
KNA60	60 x 24 x 23 ln.	190 lbs.
KNA2472	72 x 24 x 23 ln.	216 lbs.

JOBMASTER® Cabinets







- · Load Capacity 1200 lbs. Evenly Distributed
- Includes Seven 6
- · Vertical storage area features a bracket for hanging extension cords, clothing, or tool belts.
- Ideal for the electrician or plumber who needs his tools and parts handy.

	Part #	Size (in.)	Weight (lbs.)
	KNA99	60 x 30 x 60 ln.	519 lbs.
	KNA109	60 x 24 x 60 ln.	394 lbs.
7	KNA111	60 x 24 x 60 ln.	385 lbs.
	KNA112	60 x 30 x 60 ln.	670 lbs.
	KNA129	72 x 24 x 51 ln.	452 lbs.
	KNA139	60 x 30 x 60 ln.	445 lbs.

STORAGEMASTER® Chest







- New 3-point latch with WATCHMAN® IV Lock System
- New Power PassTM Electrical Pass-Thru Easy, weatherproof power cord access
- · Additional reinforcement between the lock and the side housing
- · Stronger protection against pry-ins bigger, better hinges
- Improved ball stud bracket added strength reduces the potential for breakage and improves durability

Part #	Size (in.)	Weight (lbs.)	
KNA69	60 x 30 x 34 ln.	282 lbs.	
KNA79	48 x 30 x 46 ln.	287 lbs.	
KNA89	60 x 30 x 46 ln.	337 lbs.	
KNA90	72 x 30 x 46 ln.	380 lbs.	
KNA91	72 x 30 x 46 ln.	409 lbc.	

CLASSIC® Storage Chest





3068 Classic Storage Chest

KNAACK CLASSIC Storage Chests provide versatile storage options for all applications and industrial needs. The one-time lock install and recessed lock housing keep your lock in place and protected from bolt cutters. KNAACK CLASSIC Storage Chests also feature 16-gauge steel body construction and fully arc-welded seams for added strength. The built-in tool tray, 12-gauge casterready skids and recessed side handles make KNAACK CLASSIC Storage Chests convenient and easy to use for any job or jobsite.

Part #	Size (in.)	Weight (Ib	s.)
28	28 x 12 x 12 ln.	32 lbs.	Storage Box
30	28 x 16 x 12 ln.	38 lbs.	Welders Box
33	30 x 16 x12 ln.	38 lbs.	Wall Cabinet
2032	32 x 19 x 13 ln.	77 lbs.	Storage Chest
2048	48 x 24 x 23 ln.	145 lbs.	Storage Chest
2060	60 x 24 x 23 ln.	180 lbs.	Storage Chest
3068	60 x 30 x 37 ln.	225 lbs.	Storage Chest
40	40-3/4 x 25 x 33-1/2 ln.	210 lbs.	Rolling Work Bench
44	40-3/4 x 25 x 37-1/2 ln.	240 lbs.	Rolling Work Bench



















Field Station



- WATCHMAN® 5 Lock System features heavy-gauge double latches and a vertically mounted recessed lock that resists drill-outs, prying and cutting for superior tamper and weather-resistance.
- Thicker 14-gauge steel bottom provides enhanced structural rigidity, durability and strength, minimizing the possibility of fork lift damage during transport.
- Four-way skids allow access from any side, making it easier and faster to transport.
- Dual gas springs for smooth, one-handed lift. One spring locks securely in place.
- Adjustable and removable split shelves let you organize your storage down below.

Part #	Size (in.)	Weight (lbs.)
KNA119-01	60 x 44 x 82-1/2 In.	678 lbs. Field Station
KNA492	18 x 53/4 x 3 In.	4.5 lbs. Heavy Duty Metal
KNA482	43/4 x 31/2 x 23/4 ln.	3 lbs. Storage Bins
KNA485	101/4 x 33/8 x 33/4 ln.	4 lbs. Storage Bins
KNA498	20 x 5x 5 ln.	5 lbs. LED Light Kit
KNA488	40 x 1x 14.7 ln.	23 lbs. Lockable Shelf Door
KNA497	3.5 x 3 x 7 ln.	16.6 lbs. Crane-Lift Kit
KNA500	7.5 x 7 x 5.5 ln.	3 lbs. PowerCrew®
KNA7763		1 lb Heavy-Duty Casters

Accessories











	Part #	Size (in.)	Weight (lbs	s.)	
	KNA977-2pk	17 x 1/2 ln.	4 lbs.	Replacement Gas Spring	
	KNA7286-1pk	2 x 2 x 2 ln.	1 lb.	WATCHMAN IV® Lock System	
	KNA21	21-5/8 x 8 x 4 ln.	9 lbs.	Tool Tray	
	KNA31	27-5/8 x 8 x 4 ln.	11 lbs.	Tool Tray	
	KNA41	16-5/8 x 8 x 4 ln.	7 lbs.	Tool Tray	
	KNA51	27-5/8 x 11 x 3 ln.	11 lbs.	Tool Tray	
	KNA495	2 x 4 ln.	17 lbs.	Caster Set w/ brakes	
7	KNA505	7 x 3.8 x 6.1 ln.	14 lbs.	Caster Set w/o brakes	
	KNA516	7 x 3.8 x 6.1 ln.	18 lbs.	Caster Set w/ brakes	
	KNA600	7 x 3.8 x 7.5 ln.	25 lbs.	Caster Set w/ brakes	
	KNA695	2 x 6 ln.	20 lbs.	Caster Set w/ brakes	

MONSTER BOX®



The new Monster Box™ series – piano box, chest and cabinet – is the product of an evolution and a revolution. Offering over-the-top durability, security and productivity, it's the most significant development in jobsite storage equipment in 25 years. From its revolutionary framing, to unparalleled lift system and integrated locking and three-point latching, this Monster is a different animal. One that's changing jobsite security forever.

- Two recessed handles for safe closing, even with gloves on Gas spring guards protect springs from shifting load damage
- Two shelves for extra storage and organization
- Interior storage grid for hanging safety gear and other items

Part #	Size (in.)	Weight (lbs.)	
KNA1000	66 x 30 x 54-1/2 ln.	405 lbs.	
KNA1010	66 x 30 x 36 ln.	400 lbs.	
KNA1020	66 x 30 x 54-1/2 ln.	400 lbs.	

STORAGEMASTER® Rolling Work Bench



- Designed for those individuals who need a strong and durable bench with basic storage needs.
- WATCHMAN® IV Lock System saves you time and money with a one-time install.
- · Heavy duty drawers are rated for 50 lbs and operate on ball bearing slides.
- · Load Capacity 800 lbs.
- · Includes 4" casters set (2 swivel & 2 rigid)

Part #	Size (in.)	Weight (lbs.)	
KNA45	46-1/4 x 25 x 37-1/2 ln.	296 lbs.	
KNA47	46-1/4 x 25 x 37-1/2 ln.	229 lbs.	
KNA49	46-1/4 x 25 x 37-1/2 ln.	352 lbs.	
KNA57	46-1/4 x 26 x 37-1/8 ln.	434 lbs.	
KNA58	54-1/4 x 26 x 37-1/8 ln.	591 lbs.	
KNA59	i	641 lbs.	

WAR WAGON® Rolling Work Bench



- Load Capacity 3,400 lbs Includes 8" caster set (2 swivel & 2 rigid)
- Features a large 13 sq ft work surface that is wider and longer than any of the other models.
- The lower working height more conveniently positions your equipment when you attach a vise or
- There are six doors, three in the front and three in the back for accessibility.

Part #	Size (in.)	Weight (lbs.)
KNA62	62 x 32 x 34 ln.	597 lbs.
KNA63	46-1/4 x 25 x 37-1/2 in.	352 lbs.

















HEAVY DUTY FRAMER'S COMFORTLIFT™ SYSTEM





- · Made of polyester fabric and ballistic
- binding.
 Metal hook to carry cordless drill, nail
- guns or other power tools.

 Cell phone holder on upper part of suspenders for easy access.
- Bottoms of main pockets are reinforced with PVC material for better resistance to abrasion.
- 5" Wide padded comfort belt with double tongue steel roller buckle.
- Fits waist sizes 29"- 46".

MEDIUM ZIPTOP™ UTILITY POUCH

Part #

Part #

KNYSW1528

KNYEL1524





- Double-pull zipper cover secures parts and tools in pouch while able to accommodate long-handled tools.
- · Snap-back feature helps keep cover out of the way.
- · Additional large front panel pocket.
- · 'J'-clip, tape strap, and measuring tape
- · Clip on or fits belts to 2" wide.

Part #

KNYAP3714

43 POCKET ELECTRICAL & MAINTENANCE TOOL CARRIER





- 7" x 5 1/2" Multi-compartment plastic tray included.
- 2 Window pockets for easy view of pocket contents, one removable and one stationary.
- Box-shaped design prevents tipping
- Pockets for drill bits and tips, cell phone, electrical tester, electrical tape strap, etc.
- 23"L x 12"W x 15"H.

23 POCKET LARGE ELECTRICAL & MAINTENANCE TOOL CARRIER





- 11" x 6" Multi-compartment plastic tray included that slides securely into bottom of tool carrier to organize small parts.
- 16 Multi-use outside pockets and 7 inside to organize a wide range of tools and accessories.
- · Extra padded carrying handle and adjustable shoulder strap.
- Electrical tape strap
 11"L x 10"W x 19"H.

Part #

KNYSW1530

12" LEATHER BOTTOM **UTILITY BUCKET**





- Made from heavy-duty canvas material with high strength top ring.
 Back-braided rope handle through
- leather reinforced metal grommet.

 Top grain leather bottom section for
- One inside pocket.


18" MULTI-COMPARTMENT **TOOL CARRIER**





- 52 Pockets inside and 6 pockets outside to organize tools and accessories.
- · Large center compartment to carry power tools and accessories and 2 separate outside compartments.
- Zippered side panels prevent spillage of tools when carrying or storing carrier. Vertical tool pockets keep them in sight
- for quick access.
- 18"L x 7"W x 14"H.







The Fastener Group

















INDUSTRIAL KNEELING MAT





Size (in.)
18" x 8"
14" x 21"
28" x 16"
36" x 18"

- · NBR material will not degrade with oil or petroleum contact.
- Unique handle location provides more useful kneeling area.

 • Excellent shock absorption and
- cushioning properties.
- Silicone free material.

FULL BIB APRON





- · Made of durable split leather.
- Adjustable neck and waist straps.
- Handy bib pocket.
- Overall size 21" x 22" (53.34 cm x 55.88 cm).
- Additional sizes available upon request.

Part #

KNYAP601

HEAVY DUTY LEATHER KNEEPADS



KUNKP313

Adjustable leather straps with steel

· Layered Gel, high density closed-cell

Elastic web straps with hook & loop closures provide for a perfect fit.

all-day comfort.

foam and neoprene padding for superior

· Double thickness felt lining for all-day comfort.

JOURNEYMAN CARPENTER APRON





- · Made of heavy split leather.
- Five reversed nail pockets for easy access (2 large & 3 small).
- Center pocket for tape or other tools.
- Steel hammer holder, leather pencil
- · Heavy leather belt with roller buckle.

Part

KNYAP625

AIRFLOW™ GEL KNEEPADS

Description

Leather and Felt



Part #

Part #


KNYR103

Description

KUNKP367 Leather and Felt

3PC NYLON RAIN SUIT, BLACK NYLON/PVC BACKING, 0.18MM





Storm front jacket with zippered closure.
Drawstring elastic waist pants.
Internal back mesh panel for

- breathability. Black with gold.
- · Full cut sizes to fit over clothing
- SIZES: M, L, XL, 2XL, 3XL, 4XL

LARGE ALLWEATHER JOURNEYMAN CARPENTER APRON





- Made of full grain water repellent leather. Five extra large reversed nail pockets for
- easy access (2 large, 3 small). Center pocket for tape or other tools, steel hammer holder, leather pencil holder, heavy leather belt with roller
- Suspender clips, utility knife and pinch bar holder.

Part

KNYAP650

27 POCKET - 4 PIECE TOP-OF-THE-LINE PRO-FRAMER'S COMBO SYSTEM



- Crafted from super tough, double layered 1680D ballistic nylon and top grain
- Easy carry handle design provides simple adjustments, easy carrying and storage of combo without spilling contents
- 8 Main reversed nail and tool pockets.
- · 17 Smaller pockets fit pliers, nail sets, pencils, knife, etc.
 5" wide padded comfort belt with double
- tongue steel roller buckle.



The Fastener Group



















The KNIPEX Compact BoltvCutter is a "clever muscle man". The newly designed lever action mechanism guarantees an extremely favourable lever ratio with low friction. The cutting performance is 20 times higher than the handforce applied.

Part #	Head	Unit Weight
KNI7131200	atramentized	315g

High Leverage Diagonal Cutters



The choice of material (Chrome Vanadium), lever ratio and cutting edge angle mean that KNIPEX High Leverage Diagonal Cutters are particularly designed for the cutting of hard wires. Fixed, forged-on axle for work under continuous stress.

Part #	Head	Unit Weight
KNI7401250	polished	390g

3-Piece Pliers Wrenches Set



KNIPEX



Excellent for gripping, holding, pressing and bending workpieces. For careful installation of finished-surface components.

Part #	Head	Unit Weight
KNII8603180	nickel	260a

3-Piece Pliers Wrenches Set





parallel jaws allow infinitely variable gripping of all widths to the specified maximum size.

Part #	Head	Unit Weight
KNI8603250	plated	540g

Alligator - Water Pump Pliers





- · box-joint design: high stability because of double guide
- · self-locking on pipes and nuts: no slipping on theworkpiece; low handforce required
- · guard prevents operators' fingers being pinched

Part #	Head	Unit Weight
KNI8801250	polished	185g

Cable Shears



Part #	Head	Unit Weight
KNI9532038		

Cobra - HiTech Water Pump Pliers





No more time-consuming test-adjusting of the correct opening size. Just position the upper jaw to the workpiece, push button and move close the lower jaw, ingeniously simple.

Part #	Head	Unit Weight
KNI8701180	polished	170a

Cobra - HiTech Water Pump Pliers





No more time-consuming test-adjusting of the correct opening size. Just position the upper jaw to the workpiece, push button and move close the lower jaw, ingeniously simple.

Part #	Head	Unit Weight
KNI8701250	polished	300g



















End-Cutting Pliers



KLID232-8



- · Wide throat clearance for clean, even cutting of wire or nails at close range.
- High-leverage design provides greater cutting power at the knives than other plier designs.

 • Extended handles for longer reach and increased leverage.

Cat.	Handle	Jaw	Jaw	Jaw	Knife	Overall	Weight
No.	Finish	Length	Thickness	Width	Length	Length	(lbs.)
KLID232-8	plastic dipped	3/8"(10)	9/32"(15)	1-3/16"(30)	1-3/16"(30)	8-1/2"(216)	.71

Ironworker's Work Pliers






- Twists and cuts soft annealed rebar tie wire.
- Hook bend handle.
 Spring-loaded action for self-opening.
 Heavy-duty knurled jaws.

Cat.	Handle	Jaw	Jaw	Jaw	Knife	Nose	Overall	Weight
No.	Finish	Length	Thickness	Width	Length	Type	Length	(lbs.)
KLID201-7CST	plastic dipped plastic dipped	1-9/32"(33)	1/2"(13)	1-5/32"(29)	5/8"(16)	Square	9-1/4"(235)	.63
KLID213-9ST		1-19/32"(41)	5/8"(16)	1-1/4"(32)	25/32"(20)	Square	9-3/8"(238)	1.10

High-Leverage Diagonal-Cutting Pliers





- Angled head design for easy work in confined spaces.
 High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting and gripping power than other plier designs.
 Short jaws and beveled cutting edges permit close cutting of wire.
 Induction-hardened cutting knives for long life.
 Hot-riveted joint ensures smooth action and no handle wobble.
 Rivet is closer to the cutting edge for 36-Percent greater cutting power than other pliers designs.
- power than other pliers designs
 Cuts ACSR, screws, nails and most hardened wire; Features combination polished and black-oxide finish
- Angled head design for easy work in confined spaces
 Heavy-duty cutting knives

Cat.	Handle	Jaw	Jaw	Jaw	Cutting	Overall	Weight (lbs.)
No.	Finish	Length	Thickness	Width	Knives	Length	
KLID2000-48	plastic dipped	13/16"(21)	7/16"(11)	1-3/16"(30)	standard	8-1/16"(205)	.60
KLID248-9ST		13/16"(21)	7/16"(11)	1-3/16"(30)	standard	9-3/16"(233)	.68

















Wire Strippers/Cutters





- Compact, lightweight wire-stripping and cutting tool.
 Narrow nose fits into tight places.
 Hardened steel with precision ground stripping holes.
 Spring-loaded action for self-opening.
 Precision-ground stripping holes for easy removal of insulation.
 Easy-to-read wire gauge markings on both sides for stripping in either direction.
- Black-oxide finish resists corrosion.
 Color-coded handles: red indicates stranded wire, yellow indicates solid wire.

Quickly and easily pulls 1/8" or 1/4" flat steel fish tape without damaging the tape.
 High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other plier designs.
 Streamlined design with sure-gripping, cross-hatched knurled jaws.
 Induction-hardened cutting knives for long life.

Wire looping and bending holes.

Cat.	Handle	Overall		Weight
No.	Colour	Length	Strips and Cuts	(lbs.)
KLI11045	yellow	6-1/4"(159)	10 - 18 AWG solid (4.075 mm²)	.27
KLI11046	red	6-1/4"(159)	16 - 26 AWG stranded (1.014 mm²)	.27
KLI11047	yellow	6-1/4"(159)	22 - 30 AWG solid (.3405 mm²)	.27
KLI11049	red	6-1/4"(159)	8 - 16 AWG stranded (6.0 -1.0 mm²)	.27

High-Leverage Side-Cutting Pliers



KLID213-9NE



KLIJ213-9NE

Cat. No.	Handle Finish	Jaw Length	Jaw Thickness	Jaw Width	Knife Length	Nose Type	Overall Length	Weight (lbs.)
KLID213-9NE	plastic dipped	1-19/32"(41)	5/8"(16)	1-1/4"(32)	25/32"(20)	New England	9-3/8"(238)	1.14
KLIJ213-9NE	Journeyman	1-19/32"(41)	5/8"(16)	1-1/4"(32)	25/32"(20)	New England	9-1/2"(241)	1.13

Six-In-One Tapping Tools





- · Quickly forms new threads, reforms burred threads, and cleans out plaster obstructions.

 • Each tap size rethreads to next larger size if threads are stripped.

 • Two high-carbon steel taps are secured in reversible holder.

Cat.	Overall		Weight
No.	Length	Tap Sizes	(lbs.)
KLI627-20	7-5/8"(194)	6-32, 8-32, 10-32, 10-24, 12-24, 1/4-20	.35



















Square - Recess Tip Screwdrivers - Round - Shanks





- · Color-coded handle end for quick and easy identification.
- Round shank with square recess tip for square-recess screws.
 Chrome plated shaft for corrosion resistance.

Cat. No.	Handle Colour	Overall Length	Point Size	Shank Length	Weight (lbs.)
KLI660	yellow	7-3/4"(197)	No. 0	4"(102)	.20
KLI661	green	7-3/4"(197)	No. 1	4"(102)	.20
KLI662	red	8-1/4"(210)	No. 2	4"(102)	.30
KLI663	black	8-1/4"(210)	No. 3	4"(102)	.30
KLI665	green	11-3/4"(298)	No. 1	8"(203)	.30
KLI666	red	12-1/4"(311)	No. 2	8"(203)	.40
KLI667	black	12-1/4"(311)	No. 3	8"(203)	.40

Erection Wrench, 5/8" Bolt





KLI3231

- Forged from select alloy steel to withstand high-leverage and heavy loads.
- Extra-heavy-duty head area gives maximum strength and durability.
 Continuous taper of handle makes lining-up bolt holes easy and works on a range of bolt and/or hole sizes without binding.
 Extra-large hub area works on larger diameter holes than other wrenches.

Cat.	Bolt	Head	Nominal	Nut	Overall	Taper	Weight
No.	Size	Width	Opening	Type	Length	Diameter	(lbs.)
KLI3231	5/8"	2-1/4"	15/16"	utility	14-3/4"	7/8" to 3/16"	1.31

Construction Wrench, Ratcheting, 1/2" Drive





- Versatile wrench fits all nuts and bolts to 1-1/2" (38 mm).
 Eliminates the need for carrying several fixed-size wrenches.
 Forged from select alloy steel with continuous-taper handle for aligning bolt and/or rivet holes.
- Industrial black finish for corrosion resistance.

Cat.	Overall	Weight
No.	Length	(lbs.)
KLI3238	15"	2.10

Construction Wrench, Adjustable-Head





- Forged from select alloy steel to withstand high-leverage and heavy loads.
 Extra-heavy-duty head area gives maximum strength and durability.
- Continuous taper of handle makes lining-up bolt holes easy and works on a range of bolt and/or hole sizes without binding.

 Extra-large hub area works on larger diameter holes than other wrenches.

	Cat.		Capacity	Overall	Weight
	No.	Description		Length	(lbs.)
9	KLI3231	An.	1-1/2"	16"	2.36

















Wide-Opening Straight-Wall Bucket





- Polypropylene-rope handle reinforced with leather for water resistance and strength.
- · Durable, straight-wall and tapered-wall
- Durable, straignt-wall and depersumant buckets are made of heavy-duty canvas.
 High-density polyethylene top ring for strength and chemical resistance.
 No. 6 canvas. The No. canvas refers to the canvas weight. No. 1 being the thickest and No. 8 being the thingest. No. 8 being the thinnest.

 Black molded polypropylene bottom.

 Rope handle.

Part #	Diameter	Height	Weight	Extra Features
KLI5109	12" (305)	15" (381)	2.06 lbs	
KLI5109P	12" (305)	15" (381)	2.12 lbs	8" x 8" inside pocket
KLI5109S	12" (305)	15" (381)	2.35 lbs	Swivel snap (#2012)
KLI5109PS	12" (305)	15" (381)	2.40 lbs	8" x 8" inside pocket &
				Swivel snap (#2012)

KLI5109

Bull-Pin And Bolt Bag - Canvas With Tunnel Loop





- . No. 4 canvas with double bottom.
- · Bolt bag with bull-pin loop on each side.
- · Made in the USA.

Part #	Belt Capacity	Depth	Length	Width
KLI5416T	up to 3" wide (76mm)	10" (254)	5" (127)	9" (229)

Wide-Opening Straight-Wall Bucket



- · Forged, heat-treated bull pin increases efficiency by providing a larger striking surface.
- Head design also reduces chance of pin slipping from the hand when aligning holes.
- Angled head and smooth blending of radii increase strength and reduce the danger of chipping.
 Below the head, squared-off shoulders have been forged to provide a surface for applying wrench to
- loosen wedged bull pins.
 Added resistance to "mushrooming" permitting much longer use than is possible with conventional

Part #	Length	Point Diameter	Top Diameter
KLI3255	13-3/4" (349)	5/16" (8)	1-1/4" (32)
KLI3256	10" (254)	1/4" (6)	1-1/16" (27)
KLI3257	12" (305)	3/8" (10)	1-1/16" (27)

Tie Wire Reel 6-1/4" Diameter



- Rugged, lightweight reel is smooth aluminum alloy with wear parts made of steel.
 Feeds pre-coiled wire smoothly, easily, and quickly to save time and reduce wasted wire.
 Designed for left- or right-hand use.

- Large, comfortable rewind knob.
 Easily-removed cover plate that permits quick, convenient reloading to handle all types of wire.
- Optional accessory rigging-leather belt and hip pad available separately.

Part #	Diameter	Weight
KLI27400	6-1/4"	2.35 lbs

Pocket Knife - Slitting



- $^{\bullet}$ Large, stainless-steel, curved-sheepfoot slitting blade 2-1/2" (64 mm) long $^{\bullet}$ Ideal for heavy-duty line work.
- · Plastic handle.
- · Blade locks open.

Part #	Blade Length	Closed Length	Weight
KLI1550-24	2-1/2"	4-3/8"	2-1/2 lbs



















Scratch Awls





Part # Description MALAWLS Set A10, A3, A2, A1

MAX Snips





Part # MALM2001 Max 2000 Snip Left Cut - Red MALM2002 Max 2000 Snip Right Cut - Green MALM2003 Max 2000 Snip Combo Cut - Yellow

Turbo Shears







Part # Description MALTS1 Turboshear Sheet Metal 20 Gauge MALTSHD Heavy Duty Turboshear 18 Gauge

Andy Classic Cutting Snip





Description

Aluminum Handle

Description

MALMC12ARB Andy Aluminum Replacement Blades

Removes siding

Part #

MALMC12A

Vinyl Siding Removasl Tool





MALSRT2

Part # Description MAL 2 in 1 Hand riveter

Scriber





Part #

Description MALA60 Adjustable Sheet Metal Scribe

Duct Stretcher



Part # Description MALDS2 Offset Duct Stretcher

Cement Saw Blade





Part # Description

MALFCCB7 Fiber cement cutting circular saw blades

Dividers





Part # Description MALDIV #18 and #24

Caulking Gun

Part # Description MALCG18 1/10 Gal

Andy Classic Snips





SB24



Part # Description

MALM12A Classic Aluminum Handled Snip MALMC12A Classic Aluminum Handled Snip

Shingle Removal Tools





Part #

Description

MALSB48 48" shingle removal tool MALSB24 24" shingle removal tool

















REDLINE 3 (in.) Hand Seamer





Part # Description

MALS2R 3" hand seamer with forged steel jaws

REDLINE 6 (in.) Hand Seamer





Part # Description

MALS6R 6" hand seamer with forged steel jaws

REDLINE Snap Lock Punch





Part # Description

MALSL1

REDLINE Downspout Crimper





Part # Description

MALC4R

MALPL1R

REDLINE Metal Stud Crimper



Part # Description

REDLINE 3 (in.) Offset Hand Seamer



Description

MALS3R 3" offset hand seamer with forged steel jaws

REDLINE 9 (in.) Hand Seamer



Part #



Part # Description

MALS9R 9" offset hand seamer with die-cast zinc jaws

REDLINE Adjustable Snap Lock Punch



Part # Description

MALSL2R

REDLINE 5-Blade Pipe Crimper



Description

MALC5R

REDLINE Hand Notcher



Description Part # MALN1R 13/16 in.

The Fastener Group







Model 111





Model 111: 1/10 gal. Hex Rod Parallel Frame Model 125: 1/4 gal. Hex Rod Parallel Frame

- 10:1 Thrust Ratio
- E-Z Thrust E-Z Load Front Cap
- · Ladder Hook

Catalog ID Size

Model 111

Model 125

Model 114D





Model 114D: 1/10 gal. Hex Rod Parallel Frame
• Adjustable Thrust Ratio (10:1 or 7:1)

- Dripless on Demand
- E-Z Load Front Cap
- Ladder Hook

Catalog ID Size Model 114D

Model 307





Model 307: 1/10 gal. Super Ratchet Rod Model 315: 1/4 gal. Super Ratchet Rod

- 6:1 Thrust Ratio
- Seal Puncture Tool
- Built-In Spout Cutter
- Ladder Hook
- No Pinch Finger Guard

Catalog ID Size

Model 307

Model 315

Model 375-XSP





Model 375-XSP: 1/10 gal. Super Smooth Rod Revolving Frame

- 26:1 Thrust Ratio
- · Extra Durable Heat-Treated Piston Rod
- · Hammer Finished Alloy Handle with Comfort Grip
- Precision Sintered Friction Plate
 Easy Release Star-Burst Reverse-Punched
- Gripping Plate

Catalog ID Size Model 375-XSP

I adder Hook

Model 188





Model 188: 1/10 gal. Super Ratchet Rod Model 215: 1/4 gal. Super Ratchet Rod

- 6:1 Thrust Ratio
- Seal Puncture ToolBuilt-In Spout Cutter
- Ladder Hook No Pinch Finger Guard
- Catalog ID Size

Model 188 Model 215

Model 910-GTR





Model 910-GTR: 1/10 gal. Super Ratchet Rod Model 915-GTR: 1/4 gal. Super Ratchet Rod

- 6:1 Thrust Ratio
- Patented Gator Trigger™ Comfort Grip
 Seal Puncture Tool
- · Built-In Spout Cutter
- Ladder Hook

Catalog ID Size

Model 910-GTR Model 915-GTR

Model 377





Model 377: 45" 1/4 gal. "Deluxe" Model, Hex Rod

- 10:1 Thrust Ratio
- Reversible 2-in-1 Joist Guide
 Piggyback Barrel Adapter Accepts 1/10 gal. Cartridges (available at additional cost)
- Seal Puncture Tool
- Built-In Spout Cutter
- T-Bar

Catalog ID Size

Model 377

Model 416



Size



Model 416: 16 oz. Bulk, 10 oz. Sausage Packs, 10 oz. Cartridge Model 424: 24 oz. Bulk, 10 oz. & 20 oz. Sausage

Packs, 10 oz. Cartridge

Catalog ID

Model 416

Model 424

The Fastener Group



















Multi-Purpose Metal Handle Utility Knife - 180





STANDARD DUTY

This multipurpose snap-off cutter is the modern version of the original snap-off cutter developed by OLFA Corporation in 1956. Ideal for light-duty cutting jobs. Features a positive slide lock with a handle that is designed for control and comfort, a pocket clip, and built-in blade snapper. Blades are made from high quality carbon tool steel are produced using OLFA precise multi-step production process for unparalleled sharpness and superior edge retention. Long lasting, durable snap-off blade - a new sharp edge with each snap. Easy, tool-free blade change for convenience. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLF180	3.5 x .5 x 8.75	0.05

Stainless Steel Auto-Lock Cutter - SVR-2







This stainless steel knife is perfect for use in moist environments where rust is a concern. Features an automatic blade lock for extra control and safety. Built-in pocket clip/blade snapper and a stainless steel blade channel that holds blade tight. High quality snap-off blades provide unparalleled sharpness and superior edge retention. For right- and left- handed use. Easy, tool-free blade change for convenience. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFSVR-2	3.62 x .47 x 8.74	0.07

Comfort Grip Rubber Reinforced Utility Knife - XA-1





This standard-duty multipurpose knife is part of a power-ful line of anti-slip grip cutting tools combining exceptional performance with innovation. Features an automatic blade lock, cushion grip for maximum comfort and control, and a heavy gauge stainless steel blade channel that holds blade tight. Acetone resistant handle for easy cleaning. Includes a pocket clip for convenience, and the premium, UltraSharp black snap-off blade, which is 25% sharper than OLFA silver AB blades. Easy, tool-free blade change for convenience. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFXA-1	3.75 x .68 x 8.7	0.05

Snap-off Blade, 10-pack - AB & ABB







- Replacement blades.
- UltraSharp black blades are 25% sharper than silver AB replacement blades

Part #	Description	Pkg. Qty.
OLFAB	Replacement blades	10
OLFABB	Replacement blades - BLACK	10

90° Cutting Base Utility Knife - CL



features often found in our cutters. Features an adjustable metal cutting guide, built-in staple remover, and a one-of-a-kind sturdy flat cutting base for stability and perfect 90° edge. Perfect for cutting drop ceiling tiles. Long lasting durable snap-off blade - a new sharp edge with each snap. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFCL	3.15 x .98 x 8.66	0.26

Ratchet-Lock Utility Knife - L-1







This popular heavy-duty cutter features contoured handle made of ABS plastic, a ratchet wheel blade lock and a heavy gauge stainless steel blade channel that holds blade tight. Long lasting, durable snap-off blade - a new sharp edge with each snap. For right- and left-handed use. Easy, toolfree blade change for convenience. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFL-1	3.62 x .98 x 8.74	0.19

Rubber Inset Utility Knife - L-2





The brother to OLFA L-1, this sure-grip heavy-duty utility knife features a ratchet wheel blade lock, an anti-slip rubber grip inset and a heavy gauge stainless steel blade channel that holds blade tight. Includes highest grade carbon tool steel snap-off blade - a new sharp edge with each snap. Easy, tool-free blade change for convenience. Satisfaction Guaranteed.

0.21

Part #	Size (in.)	Unit Weight
OLFL-2	3.62 x 1.02 x 8.74	0.21

Comfort Grip Rubber Reinforced Utility Knife - LA-X



3.62 x 1.02 x 8.74

The Fastener Group

OLFL-2



Rubber Grip Ratchet-Lock Utility Knife - NOL-1







Features an anti-slip, rubber grip to provide premium comfort, and maximum performance. An Acetone resistant, elastomer handle with a poly-acetate locking mechanism, makes it an official acetone resistant cutter. It features a ratchet wheel blade lock and a heavy gauge stainless steel blade channel that holds blade tight. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFNOL-1	3.62 x 1.18 x 8.74	0.22

Extended Depth Utility Knife - OL





This heavy-duty carpet knife with an extended stainless steel blade channel allows additional segments of blades to be extended while maintaining blade support. This feature is designed to allow for deeper cuts on thick material. For convenience, a built-in "carpet tucker" located in the rear of the handle is used to "tuck" carpet over tack strips and to secure carpeting. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFOL	3.62 x 1 x 8.75	0.20

Slide Lock Utility Knife - SL-1







Heavy-duty cutter with durable ABS plastic handle and onetouch blade-slide lock. Blades made from high quality carbon tool steel are produced using OLFA precise multi-step production process for unparalleled sharpness and superior edge retention. Long lasting, durable snap-off blade - a new sharp edge with each snap. Guaranteed Forever.

Part #	Size (in.)	Unit Weight
OLFSL-1	3.15 x .79 x 7.87	0.11

Rubber Inset Grip Utility Knife - H-1







Extra heavy-duty cutter features a ratchet wheel blade lock to prevent slipping, rubber inset grip for positive handle control and a rope loop. Perfect for cutting through difficult materials. Satisfaction Guaranteed.

Part # Size (Unit Weight
OLFH-1 3.62 x	(1.02 x 8.87	0.34

Comfort Grip Rubber Reinforced Utility Knife - XH-1







This extra heavy-duty knife is part of a powerful line of antislip grip cutting tools combining exceptional performance with Innovation. Features a ratchet lock, cushion grip for maximum comfort and control, heavy gauge stainless steel blade channel that holds blade tight and Acetone resistant handle for easy cleaning. Easy tool-free blade change for convenience. Long lasting, durable snap-off blades - a new sharp edge with each snap. Uses HB, HBB replacement blades. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFXH-1	3.76 x 1 x 8.75	0.35

Snap-off Blade, Multi-Pack - LB and LBB (black)





Long lasting durable carbon tool steel snap-off blade - a new sharp edge with each snap. This 18mm blade fits most Heavy-Duty LB Utility Knives. 8 cutting edges per blade. Also available, LBB UltraSharp black blades are 25% sharper than silver LB blades.

Part #	Pkg. Qty.	
OLFLB-10	10	
OLFLB-50	50	
OLFLBB-10	10 black	
OLFLBB-50	50 black	

Snap-off Hook Blade - LH





Unique carbon tool steel hook blade ideal for shrink-wrap, rope, twine and more. 4 cutting edges per blade.

Part #	Pkg. Qty.
OLFLH	5

Solid Blade - L-SOL







Made from high quality carbon tool steel. Ideal for cutting through thick material like insulation, foam board and more.

Part #	Pkg. Qty.
OLFL-SOL	10

Snap-off Blade - HB and HBB (black)







Made from high quality carbon tool steel. Ideal for most difficult jobs. Used with Extra Heavy-Duty Utility Knives. 7 cutting edges per blade. Also available, HBB UltraSharp black blade, 25% sharper than silver HB blade.

Part #	Pkg. Qty.
OLFHB-5	5
OLFHB-20	20
OLFHBB-20	20 black

















Self-Retracting Safety Knife - SK-4







Revolutionary spring-retractable safety cutter has a heavy-duty spring-activated blade that self retracts the instant the blade loses contact with the cutting surface, reducing injuries in the workplace. Features a slip-resistant ergonomic handle and stainless steel blade channel that holds the blade tight. For right- and left-handed use. Satisfaction Guaranteed.

Part #	Size (in.)	Depth (in.)	Unit Weight
OLFSK-4	3.62 x .98 x 8.74	0.75	0.18

Self-Retracting Safety Knife with Tape Slitter - SK-9







This versatile heavy-duty safety knife features a springactivated blade that self-retracts the instant the blade loses contact with the cutting surface, reducing potential injuries in the workplace. Also features a durable rounded metal tip that functions as a tape slitter, screwdriver, staple-remover and more.



Its comfortable handle and blade slide are gently curved for comfort, featuring a finger groove on the back to help secure grip when cutting. Perfect for use in shipping and receiving departments. For right- or left-handed use. Includes SKB-2 Blade. Satisfaction Guaranteed.



Part #	Size (in.)	Depth (in.)	Unit Weight
OLFSK-9	3.70 x .75 x 7.75	0.75	0.18

Heavy-Duty Automatic Self-Retracting Safety Knife - SK-8







This specially designed extra protection heavy-duty safety cutter features a spring-loaded blade that automatically retracts the instant it loses contact with the material being cut, even when the blade slide is engaged. This feature cannot be overridden providing increased safety in the workplace. Features an anti-slip, cushion grip handle with a large blade slider for easy use. For right- and left-handed use. Satisfaction Guaranteed.

Part #	Size (in.)	Depth (in.)	Unit Weight
OLFSK-8	3.62 x .91 x 8.74	0.59	0.19

SELF-RETRACTING SAFETY KNIVES



These versatile heavy-duty safety knives feature a spring-activated blade that self-retracts the instant the blade loses contact with the cutting surface when the blade slide is not engaged. Also featuring easy and safe tool-free blade replacement, these knives help to reduce potential injuries in the workplace.







Hook Blade







Helps reduce injuries while protecting your cutting surface. Cuts shrink-wrap, nylon straps, linoleum, roofing and more. Fits SK-4, SK-9

Part #	Pkg. Qty.
OLFHOB	5

Rounded Tip Safety Blade







Features rounded corners to helps further reduce injuries. Fits SK-4, SK-6, SK-9

Part #	Pkg. Qt
OLFRSKB-10	10
OLERSKB-50	50

Trapezoid Blade







Multi-purpose blade. Fits SK-4, SK-9

Part #	Pkg. Qty.
OLFSKB-2-5	5
OLFSKB-2-10	10
OLFSKB-2-50	50

Safety Blade





Fits SK-8



Part # Pkg. Qty.
OLFSKB-8 10

Blade Disposal Case



Part # OLFDC-4



Safely dispose of used blades with this convenient blade case. Screw safe system prevents blades from falling out accidentally. Press-release operating system to ensure the blade slot is only exposed when in use. Loop hole and peg hole for hanging. Easily fits in a back pocket, toolbox, or workstation. Reusable. Safely dispose of OLFA A1160B, AB, ABB, ABS, HB, HBB, HOB, LB, LBB, LH, RSKB and SKB blades.

The Fastener Group



















Plastic/Laminate Cutter - PC-L



An update to the P-800 plastic/laminate cutter, the PC-L features a ratchet-wheel for secure blade extension and retraction, and unlimited blade positioning. Sharp and durable, this tool continues to easily score sheet plastic and laminates to enable the precise breaking of plastic materials. For right and left-handed users. Includes a reversible tungsten steel PB-800 Blade inserted plus 2 replacement blades in the handle. Fits PB-800 Blades. Satisfaction Guaranteed.

Part #	Size (in.)	Unit Weight
OLFPC-L	-	-
OLFPB-800	Replacement blades	3 Pack

1-3/4" Multi-Edge Arc Scraper - T-45



Wider scraper uses a 1-3/4" (45mm), 4-sided, durable carbon tool steel blade. Features a strong, comfortable, contoured fiberglass handle. Handle is chemical and acetone resistant. Includes TB-45 Blade. Fits TB-45 Blades. Satisfaction

Part #	Size (in.)	Unit Weight
OLFT-45	-	-

2-1/3" Multi-Purpose Scraper - SCR-L



Wider 2-1/3" (60mm) blade ideal for additional coverage during use. Acetone resistant for easy cleaning. Includes blade cover for safety and hang-hole in the handle for convenience. Disposable scraper, blade not replaceable.

Part #	Size (in.)	Unit Weight
OLFSCR-L	-	-

7" Stainless Steel Scissors - SCS-2



8" Arm Extra Heavy-Duty Scraper - BSR-200



4" Dual-Edge Scraper Blade - BS

Functional 4" (100mm) blade designed with both a sharp and a rough edged side. Features carbon tool steel for durability. Fits Extra Heavy-Duty BSR Scrapers.

6 Pack

Part #	Size (in.)	Unit Weight
OLFBSR-200	-	-
OLFBS	4" Replacement blades	10 Pack



4" Replacement blades

The Fastener Group

OLFBSR-300

OLFBSF







RIDGID

- Endura-Clear™ is specially formulated to maximize wear resistance which increases die life up to 60% and significantly cuts operating costs up to 30% over Nu-Clear
- Dark Oil Traditional mineral oil with low odor and anti-mist formulation
- Nu-Clear® Oil Clear mineral oil with low odor and anti-mist formulation. Special low temperature properties maintain workable viscosity to -20°F.
- Extreme Peformance Oil High performance mineral oil formulated to produce superior quality threads on stainless steel and black pipe.

		Nu-	Endura-	Extreme
Feature	Dark	Clear	Clear	Performance
Low Odor	Χ	Χ	X	X
Anti-Mist Formulation	Χ	Χ	X	
Extended Die Life			X	X
FBC™ System Compatible**			X	
Designed for Stainless Steel				X
Working Viscosity	0°F	-20°	-20°	0°

Dark	Nu-Clear Plus	Endura- Clear	Extreme Performance	Size	Qty.
41590		-	-	1 Qt.*	12
70830	70835	32808	74012	1 Gal.	6
41600	41575	-	74047	5 Gal.	1
41610	41610	-	76767	55 Gal.	1
-	-	-	22088	16 Oz. Aerosol***	12

Model 300 Compact Threading Machine





- Heavy-duty proven performance. Lightweight, portable design.
- Fast transport and set-up.
- · Self-Contained Oil System with adjustable flow control.
- · Versatility for threading and grooving.
- · Quiet operation.
- · Approved by CSA to CSA and UL standards (115V
- 1/8" 2" (3mm-50mm).
- Bolt: 1/4" 2" (6mm-50mm).
- 38 RPM (52 RPM available)
- · Hammer-type with replaceable, rocker-action jaw in-
- Through-the-head, with integral oil reservoir. Selfpriming, constant-flow, gerotor pump.
- · Model 344, 1/8"-2", five flute cone, right hand only.

Part # Description Weight RDG67182 1/8"-2" NPT, 50/60 Hz, includes Model 250 Stand 160 lbs.

No. 418 Oiler





- 50% more oil per stroke than other hand-held oilers for longer die life.
- · An ergonomic 2-finger trigger design that reduces user fatique.
- Die cast, heavy-duty body with swivel nozzle with no exposed parts for longer life
- The 418 oiler features a patent pending fastenerless twist and lock drip pan that easily locks in place.
- · The reservoir will not crack or leak

Part #	Description	Weight
RDG10883	Hand operated, removeable chip tray, 54" hose	20.5 lbs.

Universal Wheel and Tray Stand

RIDGID



- · Adjustable to fit 1822, 535, and 1224 Threading Ma-
- · Heavy duty steel frame for maximum stability and riaidity
- · Large dent and corrosion resistant tool tray for added convenience
- Large diameter wheels for easy job-site transport

Weight Part # Description RDG92462 Heavy Duty Steel Frame 150A 103 lbs.

V Head 7 Roller Pipe Stands





Part #	Description	Capacities (in./lbs.)	Weight
RDG56657	V Head High Pipe	20-58 tall, 12 Pipe, Max. 2500	21 lbs.
RDG56662	V Head High Pipe	28-53 tall, 12 Pipe, Max. 2500	23 lbs.
RDG56672	Roller Head Pipe	32-55 tall, 12 Pipe, Max. 1000	27 lbs.
RDG22168	V-Head High Folding Pipe Stand	28-52 tall, 12 Pipe, Max 2500	24lbs.

Portable TRISTAND Vises






- · Models 460 and 40-A include integral legs and tray fold in for easy carrying and setup. Large vise base overhangs front legs for clear tool swing.
- · Models 460 and 40-A include slots for hanging tools, pipe rest, three-pipe benders, and ceiling brace screw.
- Model 460 features a larger work surface, 6" diameter, rear support and receding ceiling brace screw.
- Model 425 features "quick grab", self-locking latch and carrying handle for ease of transport.

rail#	Description	ripe Capacity	weigni
RDG36273	460-6 Portable TRISTAND Chain Vise	1/8-6 in.	47 lbs.
RDG16703	425 Tristand		

Pipe Reamers







· Nos. 2 and 3 Ratchet Reamers - Long taper design will not dig in. Suitable for use with power drives.

No. 254 Spiral Ratchet Reamer - Hollow center reduces weight. Large pressure plate. Hardened alloy steel cone removable for sharpening. Not suitable for power reaming

Part #	Description	Model#	Weight (lbs.)
RDG34955	Spiral Reamer, 1/4"- 2"	2-5	7.25
RDG34945	Straight Reamer, 1/8" - 2"	2	7
RDG34950	Staight Reamer, 3/8" - 3"	3	11.5
RDG34960	Spiral Reamer, 2 1/2" - 3"	254	14

The Fastener Group



















PC-1375 Plastic Pipe & Tubing Cutter

RIDGID



- The New Model PC-1375 Single Stroke Plastic Pipe and Tubing Cutter expands Ridge Tool's product offering of plastic pipe specific tools. The PC-1375 Plastic Pipe and Tubing Cutter uses a patent-pending X-CEL® blade to ensure optimum mechanical advantage throughout the cut stroke. The X-CEL blade allows fast, single stroke cutting of PVC, CPVC, PEX, PE, PB and rubber hose up to 1.375" outside diameter. The PC-1375 is designed for the professional user and is constructed of heavy duty aluminum for increased
- · Patent pending, X-CEL blade for fast single stroke cutting. No Ratcheting or Twisting Required!

 • Durable aluminum construction for heavy duty use.
- Extra large 1.375" O.D. capacity.

Part #	Model#	Description	Weight
RDG23493	PL-1375	Single Stroke Plastic Pipe Tubing	.75 lbs.
		Cutter, 1/8" - 1"	

ASTM F 1807 PEX Crimp Tools



RIDGID

- Constructed of lightweight, durable polycarbonate E3® handles, the ASTM F 1807 PEX Crimp Tools are ideal for making copper crimp ring connections in potable water and radiant heating applications.
- For use with ASTM F 1807 black copper crimp rings and insert fittings for PEX tubing.
- Reduced Weight- Over 20% Lighter than traditional PEX crimp tools.
- Durable, Glass-Filled Polycarbonate E3TM Handles (Expert Engineered Ergonomics) provide increased comfort.
- Up To 33% Less Force Required to produce a crimp, compared to traditional PEX crimp tools.
- Compact Tool Length for access to tight spaces. • Six tools available in (5) sizes: 3/8", 1/2", 5/8", 3/4", 1" and a Combo 1/2" & 3/4" Tool.
- · Easily adjustable lock screw for tool calibration.
- All tools come standard with a Go/No-Go gauge.

Part #	Description	Length (in.)	Weight
RDG23448	1/2" PEX Crimp Tool,	14 1/4	2.8 lbs.
RDG23458	3/4" PEX Crimp Tool,	14 3/4	2.8 lbs.
RDG23468	1/2" & 3/4" PEX Combo Tool	15 1/2	3.4 lbs.

Bench Chain Vises




- · Crank handle is anchored to base. · Rugged cast-iron base has handy pipe rest and bender. Capacities of 1/8" through 8".

RIDGID

• Two models available for plastic pipe. Toothless jaws are neoprene-coated to prevent scoring of

	Part #	Model#	Capacity	Weight
	RDG40195	BC-410	Top Screw Bench Chain Vise 1/8-4 (in.)	14.75 lbs.
	RDG40195	BC-610	Top Screw Bench Chain Vise 1/4-6 (in.)	24.5 lbs.
	RDG40195	BC-810	Ton Screw Bench Chain Vise 1/2-8 (in)	37 lbe

2-in-1 Close Quarters AUTOFEED™ Cutter



ratchet handle, a light and ergonomic accessory to help use the cutter in tight and restricted spaces. Weight Description

aluminum and brass.

Close Quarters Cutterr, 1/4" - 1 1/8"

PC-1250 Scissor-Style Cutter

RDG32573





.625 lbs.

 The New Model PC-1250 Plastic Pipe and Tubing Cutter expands RIDGID®'s product offering for plastic pipe specific tools. The Scissor-Style Cutter is an easy-to-use tool that can cut all types of plastic or rubber tube and pipe up to 15/8" (42mm)

Featuring the NEW 2-in-1 Close Quarters Cutter

where the cutter can be used alone or with the

Part #	Model#	Description	Capacity	Weight
23488	PC-1250	Scissor-Style Plastic Pipe & Tubing Cutter	1/8" – 1 5/8"	0.45 lbs.
26803	PCB-1250	PC-1250 Replacement Blade	_	0.10 lbs.

Soil Pipe Cutters



- Cuts 1 1/2"-6" No Hub® soil pipe.
- · Lighter weight and closer spacing of cutter wheels, together with simple ratcheting action, give smooth cut on lighter wall pipe.
- Ratchet-action handle parallel to pipe allows for application in trenches of minimum width.
- · Complete with hand guard to protect operator's knuckles when cutting Model #246
- Cuts 1 1/2"-6" clay, cast-iron or cement pipe and 4" class 22 water main.
- Ratchet-action handle parallel to pipe allows for application in minimum width trenches.
- · Complete with hand guard to protect operator's knuckles when cutting.
- · Heavy Chain

Part #	Model#	Description	Capacity (in.)	Weight
RDG68650	206	Soil Pipe Cutter No Hub	1-1/2 - 6	18 lbs.
RDG32900	246	Soil Pipe Cutter,	1-1/2" - 6"	25 lbs.



















Aluminum Straight Pipe Wrench



RIDGID



- Professional strength in lightweight aluminum.
- Offers the same durability and ease-of-use found in all RIDGID heavy-duty wrenches.

Part #	Size (in.)	Capacity (in.)	Weight (lbs.)
RDG31090	10	1 1/2	1
RDG47057	12	2	2.5
RDG31095	14	2	2.5
RDG31100	18	2 1/2	3.75
RDG31105	24	3	6
RDG31110	36	5	11
RDG31115	48	6	18.5

Steel Straight Pipe Wrench








- · Sturdy, cast-iron housing and I-beam handle with full floating forged hook jaw, featuring self-cleaning threads with replaceable hook and heel jaws.
- · Heavy-duty pipe wrenches comply with federal specifications GGG-W65IE, Type II, Class A.


Part #	Size (in.)	Capacity (in.)	Weight (lbs.)
RDG31000	6	3/4	.5
RDG31005	8	1	.75
RDG31010	10	1 1/2	1.75
RDG31015	12	2	2.75
RDG31020	14	2	3.5
RDG31025	18	2 1/2	5.75
RDG31030	24	3	9.75
RDG31035	36	5	19
RDG31040	48	6	34.25
RDG31045	60	8	51.25

Heavy-Duty Pipe Cutters










· Second handle on 3-S, 4-S and 6-S makes twoman leverage possible on large pipe sizes.

Part #	Description	Model#	Weight
RDG32840	Heavy Duty, 2-4 inch	4-S	18 lbs.
RDG32820	Heavy Duty, 1/8-2 inch	2-A	7 lbs.
RDG32895	Heavy Duty Wide Rolls, 1/8-2 inch	202	8 lbs.

Aluminum Offset Pipe Wrench



RIDGID



· Provides easy entry into tight spots.

Part #	Size (in.)	Capacity (in.)	Weight (lbs.)
RDG31120	14	2	2
RDG31125	18	2 1/2	3.5
RDG31130	24	3	7

Spud Wrench







- 12" Spud Wrench features narrow jaws to fit into tight places.
- Smooth, toothless jaws ideal for square or rectangular stock.

Part #	Capacity	Capacity	Weight
RDG31400	Top Screw Spud Wrench	3/8 - 2 5/8	14.75 lbs.

Strap Wrenches





- · Best for polished pipe.
- Strong, woven nylon strap gives tight grip.
 Two models available for plastic pipe.
- Polyurethane-coated strap.

Part #	Model#	Capacity	Weight
RDG31335	1	11 3/4" long, 17"x1/2" Strap, 3 1/2" Tube Cap.	1.25 lbs.
RDG31345	2	11 3/4" long, 30 x 1 1/8" Strap, 5 1/2" Tube Cap.	1.75 lbs.
RDG31350	2	11 3/4" long, 17" x 1 1/8" Strap, 5 1/2" Tube Cap.	1.75 lbs.
RDG31360	5	18" long, 29 1/4" x 1 3/4" Strap, 7" Tube Cap.	2 lbs.
RDG 31365	5	18" long, 48" Strap, 12" Tube Cap.	2 lbs.



















Constant Swing Cutters



RIDGID

- Telescoping feed screw design keeps the cutter at the same length regardless of tubing diameter - good for tight spaces.
- · Features an enclosed feed screw to eliminate clogging and jamming, grooved rollers for close-to-flare cuts, and a fold-away reamer.
- · Now includes X-CEL® knob and X-CEL Pin for quicker cutting and wheel replacement.
- Made from high-strength zinc alloy.
- Spare cutter wheel included in the knob.
- Cuts copper, brass, and aluminum tubing and thin-wall conduit.

Part #	Description	Model#	Size (in.)	Weight (lbs.)
RDG31622	Constant Swing Cutter	150	1/8- 1 1/8	1
RDG31627	Above w/H-DWheel(s)	150	1/8- 1 1/8	1
RDG66737	Constant Swing Cutter	150-L	1/4- 1 3/8	1
RDG66742	Above w/H-DWheel(s)	150-LS	1/4- 1 3/8	1.125

Close Quarters Tubing Cutters





- Specifically designed for use in restricted spaces on small diameter, hard and soft copper, aluminum, brass and plastic tubing; rollers include grooves for close-to-flare cuts.
- Strong, lightweight slide and wheel housing, large knurled feed screw knob gives easy control of cutting pressure for clean cuts.
- Models 117 and 118 include a self-feeding cutter wheel that automatically cuts after tightening the knob only once.
- The Model 117 features a special knob for easier tightening of the feedscrew.

Part #	Description	Model#	Weight (lbs.)
RDG32985	Close Quarters Cutter, 3/16"-15/16"	104	0.33
RDG97787	Close Quarters Quick-Feed Cutter,	117	0.33
	3/16"-15/16"		

400 Series Instrument Benders





- · Combine accuracy with easy operation.
- Offset cushion grip handles for comfort when forming 180° bends. A 90° start angle and unique oil-absorbing shoe minimize bending effort while forming accurate bends in copper, steel and stainless steel tubing.
- This product is dual-purpose, being both inch and metric

Part #	Model#	Description	Tube Size (in.)	Bend Radius	Weight
RDG36117	403	Lever Bender	3/16	5/8	1.5 lbs
RDG36122	404	Lever Bender	1/4	5/8	1.5 lbs
RDG36092*	405	Lever Bender	5/16	15/16	2.75 lbs
RDG36097	406	Lever Bender	3/8	15/16	2.75 lbs
RDG36132	408	Lever Bender	1/2	1 1/2	5.5 lbs
RDG36112	406M	Lever Bender	6 mm	16mm	1.5 lbs
RDG36092*	408M	Lever Bender	8mm	24mm	2.75 lbs
RDG36102	410M	Lever Bender	10mm	24mm	2.75 lbs
RDG36127	412M	LeverBender	12mm	38mm	5.5 lbs

Quick-Acting Tubing Cutters



RIDGID

- · Models 151-156 feature a quick-acting design, I-beam construction, hardened wear surfaces and thrust bearing slide assemblies for smooth operation.
- · All Models now include an X-CEL® Knob and X-CEL Pin for quicker cutting and wheel
- These cutters are available in models for plastic pipe or metallic tubing.
- Models 151 and 152 feature fold-away reamers.

Part #	Capacity	Model#	Weight
RDG31632	Quick Acting Cutter, 1/4-1 5/8"	151	1 1/4 lbs.
RDG31642	Quick Acting Cutter, 1/4-2 5/8"	152	2 lbs.
RDG31657	With Wheel for Plastic, 1 1/2-4"	152P	3.875 lbs.

K-50 Sectional Machine



- Compact, versatile, professional's machine.
 Capable of running three different size cables: 5/16", 3/8", and 5/8". The perfect, all-around sink, shower and floor drain machine. Weighs less than 40 lbs.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control:
- Pull handle down and cable spins at 400 RPM. Release handle, cable stops - instantly.
- Uses sections of 5/8" cable, cleans 11/4" to 4" lines up to 100 feet.
- C-8 best for 1 1/4 -3" drains.
- C-9 best for 2 4" drains.

Part #	Capacity	Weight
RDG58980	Model # K-50-6	77 lbs.
RDG59000	Model # K-50-8	77 lbs.

K-45 Sink Machines







- · Compact, versatile, professional's machine. Capable of running three different size cables: 5/16". 3/8", and 5/8". The perfect, all-around sink, shower and floor drain machine. Weighs less than 40 lbs. · Unique, easy-to-use, instant-acting cable clutch
- maximizes operator control: Pull handle down and cable spins at 400 RPM.
- Release handle, cable stops instantly.
- Uses sections of 5/8" cable, cleans 11/4" to 4" lines up to 100 feet.
- C-8 best for 1 1/4 -3" drains.
- C-9 best for 2 4" drains.

Part #	Capacity	Model#	Weight
RDGK-45AF-5	C-6, 3/8" x 35' Cable w/Inner Drum,	36003	34 lbs.
	Carrying Case		

Sink & Drum Machines - Accessories

RIDGID We carry a wide variety of RIDGID augers and couplings. Part # Description Size (ft.) Weight Cable with Male Coupling RDG62260 35' 8.25 lbs. RDG63030 Grease Cutter 1" RDG62875 Grease Cutter 1 3/4" RDG63005 "C" Grease Cutter RDG92525 **Double Cutter** RDG92505 Sawtooth Cutter

















RIDGIC

Model 300 Power Drive



- · RIDGID speed chuck.
- Reversible 1/2 HP universal motor.
- Capacity: 1/8"-2" (3mm-50mm) pipe, 2 1/4"-4" with 141, and 4"-6" with 161 Geared Threaders; 1/4"-2" (6mm-50mm) rod.
- · Recessed On/Off/Reverse switch.
- 115V, 38 RPM approved by CSA to CSA and UL
- Convert a 300 Power Drive to a portable threading machine.
- Ideal for use with RIDGID roll groovers.
- 1/2 HP, universal, reversible motor, single-phase, 50/60 Hz, 115V (230V available).

Part #	Capacities (in.)	RPM	VOLTS	Weight
RDG15682	Pipe 1/8-2, Rod 1/4-2	38	115V	212 lbs.

Die Head





Quick-Opening Manual release for user-specif ed thread lengths.

Model 811A shown

Part #	Description
RDG97065	811A Die Head
RDG84537	816
RDG84532	817

Exposed Ratchet Threader Sets







Comes with Carrying Case.

Part #	Capacity (in.)	Description	Weight
RDG36475	1/2-2	12R 1/2-2" Kit	34.75 lbs.

Model 535M Threading Machine





- · Automatic chuck.
- 3-speed (16/46/58 RPM) transmission.
- Large 1.75 gallon oil reservoir.
- 100% greater chip tray capacity.
- · Generous top cover area for keeping tools and fi ttings handy.
- High clearance carriage.
- · Can be used with geared threader Model 141.
- · Uses Model 816/817 semi-automatic, Model 815A self opening or Model 811A quick-opening die heads
- Length gauge for quick, accurate cut-off.
- Approved by CSA to CSA and UL Standards

Part #	Description	Weight
RDG93287	1/2"-2" NPT, 115V	360 lbs.

Model 700 Power Drive





- · Heavy-duty hand-held power drive.
- Features reversible 115V or 230V universal motor.
- Capacity 1/8"-2" (3mm-50mm) pipe, 1/4"-1" bolt with OO-RB die heads. Designed for RIDGID No. 12-R die heads. Other RIDGID die heads (OO-R, OO-RB, 11-R) using adapters, threading 2 1/2" through 6" (62mm-150mm) with 141/161 geared threaders. Also used with 258/258XL pipe cutters. Die heads not included, see
- Approved by CSA to CSA and UL standards (115V only). Universal, 1/2 HP, 115V or 230V 50/60 Hz.
- · All-spur gear reduction. Spring-loaded adapter pawl. Hardened steel spindle gear.

Part #	Capacities (in.)	VOLTS	Weight
RDG41935	Pipe 1/8-2, Rod 1/4-1, Max. Geared 6	115V	25 lbs.

Pipe Dies for Machine Die Heads

Pipe Dies for use in Universal Die Heads



Part #	Description	Pipe Size (in.)	Threads Per Inch
RDG47745	Alloy RH	1/2 - 3/4	11 1/2
RDG47750	Alloy RH	1 - 2	11 1/2
RDG47770	High-Speed RH	1 - 2	11 1/2
RDG47765	High-Speed RH	1/2 - 3/4	14

Pipe Dies 2 1/2"- 4"

NPSM threads are made with NPT dies by adjusting the die head.

Part #	Description	Capacity (in.)	Weight
RDG26192	1224 H.S. Dies NPT	2 1/2-4	2.25 lbs.

Manual Threader Pipe & Bolt Dies

OO-R, 11-R, 12-R, O-R, 11-R Ratchet Threaders or 30A, 31A 3-Way Pipe Threaders

Nominal Pipe	Size Threads Per	Inch Alloy RI	High-Speed R	Н
1/8	27	37810	37855	
1/4	18	37815	37860	
3/8	18	37820	37865	
1/2	14	37825	37870	
3/4	14	37830	37875	
1	11 1/2	37835	37880	
11/4	11 1/2	37840	37885	
11/2	11 1/2	37845	37890	
2	11 1/2	37850	37895	
Part #	Size (in.)	Part #	Size (in.)	
RDG37830	3/4, 14	RDG37840	11/4, 11 1/2	
RDG37850	2, 11 1/2			

Hand Threader Die Heads

NORTH AMERICAN STANDARD

Nominal Pipe Size	Model No. OO-R Alloy RH	Model No. 12-R Alloy RH	Model No. 11-R Alloy RH
1/8"	36875	37375	37025
1/4"	36880	37380	37030
3/8"	36885	37385	37035
1/2"	36890	37390	37040
3/4"	36895	37395	37045
1"	36900	37400	37050
1 1/4"	-	37405	37055
1 1/2"		37410	20923
2"	-	37415	20943



Retractable metal razor scraper





Richard

Richard

Richard

Part #	Description	Qty.
RCHRS	300 retractable	
RCHRS	1 non-retractable	

Replacement razor scraper blades





Utility knife



Part #	Description	Qty.
RCHU-3-C	retractable blade	
RCHU-1-C	fixed blade	

Replacement carpet blades



Part #	Description	Qty.
RCH3115	0.025" Straight	100pack
RCHU-1-H	Hooked blade	5 pack
RCHU-1-HB	Hooked blade	100 nac

Flooring / Laminate knife



Part #	Description	Qty.
RCHC-1	long point	
RCHC-2	junior	
RCHC-3	short point	
RCHC-4	long point	
RCHC-4-B	replacement blade	
RCHC-6	carbide tipped for lamina	nate
RCHC-6-B	replacement blade	

Adjustable heavy-duty floor scraper





Removes carpet, linoleum, paint and other material from walls, floors or wood 8" Blade, extends from 3'-6'

Part #	Description	Qty.
RCH13380		
RCH13320	Replacement blades	3 pack

4" Wallpaper / floor scraper



Part #	Description	Qty.
RCH13320	9" Handle	
RCH13321	Replacement blade	3 pack















Ergo-Grip paint scraper





Part #	Description	Qty.
RCH04512	9" handle, 2 sided blade of	of 2 1/2" wide
RCH04514	14" handle, 2 sided blade	of 2 1/2"
RCH04524	14" handle with knob, 2 s	ided blade of 2 1/2" wide
RCHW-1	3/4 -standard wood handl	e 2-sided 1 3/4" wide
RCHW-2	1/2 -standard wood handl	e 2-sided 2 1/2 " wide
RCHW-1	3/4B -replacement blade	1 ¾" 20 pack
RCHW-2	1/2B -replacement blade	2 ½" 20 pack

6" Ergo-grip drywall jab saw





Cuts drywall, PVC and wood

Part #	Description	Qty.
RCH18838		

Flexible Ergo-Grip® Screw Bit Taping Knives & Scrapers





Part #	Description	Qty.
RCH01423	3"	
RCH01424	4"	
RCH01425	5"	
RCH01426	6"	

Wall Scrapers



Part #	Description	Qty.	
RCHS	3"-Bent		
RCHS	3"-Flexible		
RCHS	3"-Stiff		
RCHS	3 1/2"-Flexible		
RCHS	3 ½"-Stiff		
RCHS	4"-Flexible		
RCHS	4"-Stiff		
RCHS	5"-Flexible		
RCHS	5"-Stiff		
RCHS	6"-Flexible		
RCHS	6"-Stiff		

Putty knife



Flexible high-carbon carbon steel blades, handle made from polypropylene

Part #	Description	Qty.
RCHP	1 1/4"-Bent	
RCHP	1 1/4"-Chisel	
RCHP	1 1/4"-Flexible	
RCHP	1 1/4"-Stiff	
RCHP	1 ½"-Flexible	
RCHP	1 ½"-Stiff	
RCHP	2"-Flexible	
RCHP	2"-Stiff	

Lever Bar Scraper



Part # Description Qty. RCHUS10



Combination tool



Part #	Description	Qty.
RCHRUB-129	9 in 1 Ergo grip	
RCHRUB-119	6 in 1 Polypropylene Hand	dle

Adhesive spreader



Applies adhesive (follow adhesive manufacturer's recommendation for tool notch size and style

Richard

Richard

Part #	Description	Qty.
RCHCS	9"- 1/16" v-notch	
RCHCS	9"- 1/32" v-notch	
RCHCS	9"- 3/16" v-notch	
RCHCS	9" #8 -(1/16 x 3/32") ''saw	v" notch
RCHCS	9" #10-(1/32 x 1/32 x 1/32	2") "V" notch
RCHCS	9 #15-(3/32 x 3/32 x 3/32	") "V" notch
RCHCS	9 #16-(1/32 x 5/64 x 1/32	") "V" notch

Professional sponge sander



Universal joint design prevents the sponge from flipping, 4 claws hold the sponge without any damage use wet or dry.

Part #	Description Qty.
RCH18270	Holder with 2 Sided Medium Grit Sponge
RCH07025	4 Sided, Fine Grit, 8 7/8" x 4" x 3/4"
RCH07026	4 Sided, Medium Grit, 8 7/8" x 4" x 3/4"
RCH07029	2 Sided, Fine Grit, 8 7/8" x 4" x 3/4"
RCH07030	2 Sided, Medium Grit, 8 7/8" x 4" x 3/4"
RCH07028	8 7/8" x 4" Triangular Sanding Sponge

Polypropylene pole sander





Polypropylene structural foam plastic body, rubber pad

Part #	Description	Qty.	
RCH18300	9 x 3 1/4"-pole sande	er	
RCH18310	9 3/8 x 3 3/8"-alumin	um pole sander	

Ergo-Grip drywall hand sander





Perfect for sanding drywall

Part #	Description	Qty.
RCH18350	9 x 3 1/4"- hand sand	ler

Drywall sandscreens





Open design to resist clogging and extend screen life
•Cut fast and smooth on drywall joint and patching
compounds and plaster to deliver a fine finish

Description

Qty.

Part #	Description	Qty.
RCH18302-2	4 3/16" (Fine) Grit-150	(Pack 2)
RCH18305-2	4 3/16" (Med) Grit-100	(Pack 2)
RCH18306-2	4 3/16" (Coarse) Grit-80	(Pack 2)
RCH18309-2	4 3/16" (Med), Grit-120	(Pack 2)

Foam Backed Perforated Sandpaper





Lasts 6 times longer than any other regular sandpaper •No clogging •Makes a perfect sanding finish without leaving any marks

Part #	Description	Qty.
RCH18241-2	Grit 120 11 3/4" x 3 3/8"	(Pack 2)
RCH18242-2	Grit 150 11 3/4" x 3 3/8"	(Pack 2)
RCH18243-2	Grit 180 11 3/4" x 3 3/8"	(Pack 2)



















2 SIGNET

SIGNET

SIGNET

SIGNET

Punch & Chisel Sets





Part #	Description
SIG60391	6 Piece Roll Pin Punch Set
SIG60390	13 Piece Punch & Chisel Set

Industrial Fibreglass Ball Pein Hammers



Part #	Weight Fibreglass
SIG80141	8oz
SIG80143	12oz
SIG80146	16oz
SIG80150	24oz
SIG80155	32oz
SIG80160	40oz

Hickory Handled Ball Pein Hammers



Part #	Weight Wood
SIG80108	8oz
SIG80112	12oz
SIG80116	16oz
SIG80124	24oz
SIG80132	32oz

Deadblow Hammers



Part #	Weight Fibreglass		
SIG80451	16 oz		
SIG80452	24 oz		
SIG80453	32 oz		
SIG80454	40 oz	-196	
SIG80455	48 oz		

Raised Panel Combination Wrench Sets



248	10310000
Part #	Description
SIG0830378	16 Piece Raised Panel Combination Wrench Set 1/4" to 1-1/4"
SIG0830360	10 Piece Raised Panel Combination Wrench Set 1-5/16" to 2"

16 Piece Raised Panel Combination Wrench Set 8 TO 32MM

Raised Panel Combination Wrenches



2 SIGNET



SIG0830377

Part #	Size (in.)	Part #	Size (in.)
SIG0830300	1/4	SIG0830313	1
SIG0830302	5/16	SIG0830314	1-1/16
SIG0830303	3/8	SIG0830315	1-1/8
SIG0830304	7/16	SIG0830316	1-1/4
SIG0830305	1/2	SIG0830317	1-5/16
SIG0830306	9/16	SIG0830318	1-3/8
SIG0830307	5/8	SIG0830319	1-7/16
SIG0830308	11/16	SIG0830320	1-1/2
SIG0830309	3/4	SIG0830321	1-5/8
SIG0830310	13/16	SIG0830322	1-11/16
SIG0830311	7/8	SIG0830323	1-3/4
SIG0830312	15/16	SIG0830324	1-13/16
SIG0830313	1	SIG0830325	1-7/8
		SIG0830326	2

Aluminum Pipe Wrenches





Part #	Size (in.)
SIG70013	14
SIG70014	18
SIG70015	24
SIG70016	36

Adjustable Wrenches

SIGNET



Part #	Size (in.)
SIG70106	6
SIG70108	8
SIG70110	10
SIG70112	12
SIG70115	15



















Regular Ratcheting Wrench

2SIGNET GEARWRENCH







Part #	Description
SIG34165	15 Piece SAE Ratcheting Wre

ench Set 5/16" TO 1-14" SIG34273 15 Piece Metric Ratcheting Wrench Set 8 to 32mm





Part #	Description

SIG34164 12 Piece SAE Ratcheting Wrench Set – 5/16" to 3/4" +Adapters SIG34265 12 Piece SAE Ratcheting Wrench Set – 8mm to 19mm

Flex-Head Ratcheting Wrench









Part #	Description
--------	-------------

SIG34787 8 Piece SAE Flex-Head Ratcheting Wrench Set – 5/16" to 3/4" SIG34747 12 Piece SAE Flex-Head Ratcheting Wrench Set – 8mm to 19mm

Reversing Ratcheting Wrench



GEARWRENCH





Description

SIG34688 8 Piece SAE Reversing Ratcheting Wrench Set – 5/16" to 3/4" SIG34649 12 Piece Metric Reversing Ratcheting Wrench Set – 8 to 19mm

Regular Ratcheting Wrench

DSIGNET **GEARWRENCH**



Part #	Size (in.)	Part #	Size (in.)	Part #	Size (in.)
SIG34101	1/4"	SIG34205	5.5mm	SIG34217	17mm
SIG34102	5/16"	SIG34206	6mm	SIG34218	16mm
SIG34098	11/32"	SIG34207	7mm	SIG34219	19mm
SIG34103	3/8"	SIG34208	8mm	SIG34220	20mm
SIG34104	7/16"	SIG34209	9mm	SIG34221	21mm
SIG34105	1/2"	SIG34210	10mm	SIG34222	22mm
SIG34106	9/16"	SIG34211	11mm	SIG34224	24mm
SIG34107	5/8"	SIG34212	12mm	SIG34225	25mm
SIG34108	11/16"	SIG34213	13mm	SIG34227	27mm
SIG34109	3/4"	SIG34214	14mm	SIG34228	30mm
SIG34110	13/16"	SIG34215	15mm	SIG34229	32mm
SIG34111	7/8"	SIG34216	16mm	SIG34230	34mm
SIG34112	15/16"				
SIG34113	1"				
SIG34114	1-1/16"				
SIG34115	1-1/8"				
SIG34116	1-1/4"				

Flex-Head Ratcheting Wrench

DSIGNET **GEARWRENCH**



Part #	Size (in.)	Part #	Size (in.)
SIG34760	5/16"	SIG34708	8mm
SIG34762	3/8"	SIG34709	9mm
SIG34763	7/16"	SIG34710	10mm
SIG34764	1/2"	SIG34711	11mm
SIG34765	9/16"	SIG34712	12mm
SIG34766	5/8"	SIG34713	13mm
SIG34767	11/16"	SIG34714	14mm
SIG34768	3/4"	SIG34715	15mm
SIG34769	13/16"	SIG34716	16mm
SIG34770	7/8"	SIG34717	17mm
SIG34771	15/16"	SIG34718	18mm
SIG34772	1"	SIG34719	19mm

Reversing Ratcheting Wrench

GEARWRENCH



The state of the s					
Part #	Size (in.)	Part #	Size (in.)	Part #	Size (in.)
SIG34661	5/16"	SIG34608	8mm	SIG34615	15mm
SIG34660	11/32"	SIG34609	9mm	SIG34616	16mm
SIG34662	3/8"	SIG34610	10mm	SIG34617	17mm
SIG34663	7/16"	SIG34611	11mm	SIG34618	18mm
SIG34664	1/2"	SIG34612	12mm	SIG34619	19mm
SIG34665	9/16"	SIG34613	13mm	SIG34622	22mm
SIG34666	5/8"	SIG34614	14mm	SIG34624	24mm
SIG34667	11/16"				
SIG34668	3/4"				

SIG34669

SIG34670

13/16"



20 Piece 3/8" Drive SAE Socket Set

SIGNET



INCLUDES

9 - Regular Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"

8 - Deep Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16,

1 - 3/8" Dr. Prof Locking Ratchet 1 - 3" Extension Bar

1 - 6" Extension Bar

Part # Description

SIG12620 20 piece 3/8" drive SAE socket set

90 Piece 1/4" & 3/8" Drive SAE/Metric Socket Set





INCLUDES 1/4" Drive

SAE Sockets 5/32 to 1/2" Metric Sockets 4 to 13mm 3/8" Drive SAE Sockets 1/4 to 7/8' Deep SAE Sockets 3/8 to 5/8" Metric Sockets 8 to 22mm Deep Metric Sockets 10 to 15mm 1/4" and 3/8" Dr. Ratchets Hex and Torque Bit Sockets Extensions and more!

Part # Description

SIG12890 90 piece 1/4" & 3/8" Drive SAE/Metric Socket Set

44 Piece 3/8" Drive SAE / Metric Socket Set





INCLUDES

7 - Reg SAE Sockets 3/8-3/4" 8 - Deep SAE Sockets 3/8-13/16" 12 - Reg Metric Sockets 8-19mm 12 - Deep Metric Sockets 8-19mm

Professional Locking Ratchet

INCLUDES 1/8" x 2-1/2" Slotted 1/4" x 1-1/2" Slotted 1/4" x 4" Slotted

5/16" x 6" Slotted 3/8" x 8" Slotted

#3 x 6" Phillips #1 x 4" Robertson

#2 x 1-1/2" Robertson #2 x 4" Robertson #3 x 5" Robertson

3/16" x 8" Slotted 3/16" x 4" Electrician Slotted 3/16" x 6" Electrician Slotted #1 x 3" Phillips #2 x 1-1/2" Phillips #2 x 4" Phillips

2 - 3" and 6" Extensions

Universal Joint

1 - Flex Handle

Part # Description

SIG12844 44 piece 3/8" Drive SAE/Metric Socket Set

15 Piece Industrial Screwdriver Set

DSIGNET



Part # Description

SIG52994 15 piece Industrial Screwdriver Set

149 Piece All Drive SAE / Metric **Tool Set**

2 SIGNET



INCLUDES

1/4" Sockets - 5/32" to 1/2", 4 to 13mm 1/4" Deep Sockets - 3/16" to 11/32" 3/8" Sockets - 3/8" to 7/8", 9 to 19mm 3/8" Deep Sockets - 3/8" to 11/16" 3/8" E-Torque Sockets - E8 to E20 1/2" Sockets - 15/16" to 1-1/4", 20 to 32mm 1/2" Deep Sockets - 3/8" to 3/4" 1/2" Impact Sockets - 11/16" to 7/8" 1/4", 3/8" and 1/2" Pro Ratchets, 1/4", 3/8 and 1/2 PTO Ratcriers, Torque Bit Sockets - T10 to T60, Hex Bit Sockets - 5/32" to 3/8" Bit Sockets - Slotted, Phillips, Robertson Combination Wrenches -1/4" to 7/8" Ratchet Wrench - 7/16" to 3/4"

Part #

Part #

Description

SIG13849

149 piece All Drive SAE/Metric Tool Set

28 Piece 1/2" Drive SAE Socket Set

DSIGNET



INCLUDES

1/2" Dr. Prof Locking Ratchet

5" Extension Bar - 10" Extension Bar

- Universal Joint

Socket Adapter

14 - Regular Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16,

1-1/8, 1-1/4" 9 - Deep Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"

Description SIG13628 28 piece 1/2" Drive Socket Set

21 Piece 3/4" Drive SAE Socket Set



INCLUDES

Pro Locking Ratchet, 18" Sliding T-Handle, 4". 8". 16" Extension Bar. 16 - Sockets 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2"

Part #

Description

SIG14621 21 piece 3/4" Drive Socket Set

Industrial Screwdrivers

DSIGNET



е	rs	2 SIGNET
	Part #	Description
	SIG52911	1/8" x 2-1/2" Slotted
	SIG52901	1/4" x 1-1/2" Slotted
	SIG52902	1/4" x 4" Slotted
	SIG52904	5/16" x 6" Slotted
	SIG52905	3/8" x 8" Slotted
	SIG52906	3/8" x 10" Slotted
	SIG52907	3/8" x 12" Slotted
	SIG52914	3/16" x 4" Electrician Slotted
	SIG52915	3/16" x 6" Electrician Slotted
	SIG52941	#1 x 3" Phillips
	SIG52940	#2 x 1-1/2" Phillips
	SIG52942	#2 x 4" Phillips
	SIG52943	#3 x 6" Phillips
	SIG52981	#1 x 4" Robertson
	SIG52980	#2 x 1-1/2" Robertson
	SIG52982	#2 x 4" Robertson
	SIG52983	#3 x 5" Robertson



Key Caddy



Starrett

- Heavy-duty die-cast case with a 21" stainless steel chain and large key ring
 Returns keys and other articles automatically
- Ideal for custodians, watchmen, service station attendants and many others
- · Also great for welders to carry torch igniters

Available with regular belt clip that clips over belt

Part #

SRR63135

with belt clip

MPH Series Master Pro® Hardwood Economy Levels

Starrett



- · Select hardwood construction, reinforced with an aluminum I-beam frame and working edges
- Tough, oversized, yellow Pyrex® vials with large bubbles and ceramic fired lines for fast dependable readings
- · Clear glass windows protect vials from dirt and
- damage Shock-absorbing end caps preserve accuracy, protect working edges

Part # Length (in.) SRR68192 24-78/60 (198cm)

FS-24 Professional Framing Square

Starrett



- One-piece tempered steel, 24" x 2" body and 16" x 1-1/2" tongue
 Face and back permanently stamped with 1/8"
- graduations Clear coating for rust resistance
- Convenient hang hole

Part # Length (in.) SRR36130 24 - steel stamped scale

RS Series Rafter Squares



Starrett

- Solid, one-piece construction with the body 24" long and 2" wide and the tongue 16" long and
- 1-1/2" wide and square with the body
 Graduations of 1/8" and 1/16" are on the face side and 1/10", 1/12", and 1/16" on the back side Rafter information and an octagonal measuring
- scale on the front side Wood screw, pilot drill, and board foot information
- Brace measure information also on the back side
 Hanging hole on each square

Part # Length (in.) SRR36131 24 - aluminum stamped scale

ProSite®, Professional Series Box Beam Levels

Starrett

- Designed with ribs to maximize strength and
- stability and allow for easy add-on accessories Magnified horizontal vial with large bubble makes it easier to read accurately
- Levels feature glare-resistant setting with luminous base for easy reading in dimly lit areas

 Solid block acrylic vials are readable upside
- down with the same accuracy as right-side up
- Shock-proof, leak-proof, fog-proof
 Heavy duty aluminum I-beam frame and virtu-
- ally unbreakable under normal working conditions Adjustable vials make it easy to set grades accurately and re-calibrate to level or plumb New over-molded end caps
- Rails are made of high strength, high profile heat-
- treated aluminum
 Accuracy .025°, 1/64" over 3' (.4mm over 1m)
 Replaceable vials allow for quick and easy repair
- All vials clear of top and bottom level rail

Part # Length (in.) SRR36334

AM-9 Aluminum Torpedo Level with magnetic base and grooved top surface Starrett



- Level has a cast aluminum frame with working surfaces that are lapped for accuracy
 Features rare earth magnets that hold the level
- securely to iron and steel surfaces
 The V-grooved top working surface is ideal for plumbing and tubular work

Part # Description SRR36070 Magnetic/Side and Top reading

DS Series Giant Aluminum Squares



- · These large squares are primarily used for drywall cutting, layout work and layout on plywood and sheet metal
- The offset head is 22" x 1-1/2". (Blade is the same width as a standard electrical outlet box.)

 The standard square is 1/8" thick and the heavy
- duty square is 3/16" thick · Large, easy-to-read numbers and graduations inches, 8ths and 16ths
- Length (in.)

SRR36119 SRR36121

T Series Aluminum T-Squares



Starrett

- · 2" wide x .081" thick anodized aluminum blade lies flat and resists bending
- Large, easy-to-read numbers
 Graduations are 1/8" on one edge and 1/16" on
- For drafting and general layout work

Part # Length (in.) SRR36134 24 SRR36136 48

The Fastener Group



















435 Series Combination Sets with Square, Center and Reversible Protractor Head and Blade



Starrett

- With reversible lock bolts, scriber, spirit level in both square head and protractor head Direct reading double 180° protractor scale Hardened steel, machine-divided blade

- Cast iron heads with black wrinkle finish
- Also available with satin chrome blade and protractor head

Part #	Lengths (in.)	Measurements
SRR51542	12"	8th/16th/32nd/64th

Reel Fast® Chalk Lines

Starrett



100' (30m)

- · Reel Fast® Chalk Lines rewind 3 1/2 times faster than regular chalk lines
- · Available in chrome-plated or high-visibility or-
- ange or yellow cases

 All cases are of high-impact plastic for durability
- Features include a fast, easy push-button line release, a large chalk capacity and an easy popilis line and the second seco
- Locking handle also allows the tool to be used as
- a plumb bob Supplied without chalk except for Nos. SACL-100B and SACLY-100B combination packs

Length

SRR64407 100' (30m)

Chalk Refills

Part #



Starrett

- · Highest quality, specially formulated, powdered chalk
- Colored to mark distinctly
 Lays down a hard, clean line that won't blow
- away Available in red, white, blue, fluorescent orange, green and black

 Packaged in easy-to-use plastic bottles with no-
- spill cap

Part #	Colour	Weight (oz.)
SRR63146	Blue	8

Precision Steel Rules



- · Made from fine quality steel and produced to the highest precision standards
- The most accurate and readable precision

SRRC636EM-6

Starrett

steel rules available

- · Machine-divided rules provide uniformity of line width and depth
- · All rules are available in Starrett no-glare satin chrome finish for easier reading and rust resistance

ProSite® Super Chalk Box



Starrett

140' (42m)

- High capacity Super Chalk Box
 High-visability yellow case
 Made from high impact plastic
 Holds a full 1 lb. 12 oz of powdered chalk and 140' of line

Part # Length SRR11923 140' (42m)

Chalk/Plumb Lines

Starrett



50, 100' (15, 30m)

- Available in two styles die-cast reel with durable enamel finish or molded high-impact ABS black plastic reel
- Exclusive slide-action lock and hook ring provides true plumb bob action
- Lock releases automatically on rewind
 Handle closes flush with the case
- Leak resistant tip opens for quick filling with chalk (Supplied without chalk)
- Top-quality replacement lines on "pop-in" spool for use in Starrett chalk line reels

Lengths Part # SRR63661 50' (15m) or 100' (30m)

Tough Tapes™



Starrett

- · High visibility, impact resistant, rugged cases
- Ergonomic over-molded soft grip
 Smooth blade lock holds the blade firmly in place
- New wide blade on the MY109-25 provides extra blade stand-out
- Tough Tapes offer a high quality, value priced tape measure

Lengths (ft.) SRR68934

Tru-Lok® Tapes



Starrett

- Industrial quality tape measures with heavy-duty blades as standard
- Named Tru-Lok® because the blade positively locks in position until the cam-activated lock button is released
- Ideal for demanding conditions
- Tru-Lok® tapes are available in three case colors smooth, shiny chrome cases, charcoal black and high visibility yellow
- Tough Tip® Blade Protector standard on all blades
 Rugged, impact resistant case

Part # Lengths (ft.) SRR2176 25



















505A-7 Aluminum Miter Saw Protractor

Starrett



- The ProSite® Protractor takes error-prone calculations out of the process of miter cuts
- Set your saw to the angle that you read
- Upside down or backwards, the reading is always correct
- This easy-to-use tool has two scales: Miter cut scale transfers readings directly to the miter saw for miter joints and single cut scale transfers readings directly to the miter saw for butt joints
- The ProSite® Protractor saves time and reduces
- The tool is ideal for carpenters, plumbers and all building trades that require the measuring and transferring of angles
- It is also invaluable for home use
- Made from durable 1/4" aluminum with Teflon® "O" ring for smooth and precise operation
- 7" model laser engraved for accuracy

Part #	Lengths (in.)
SRR11677	7 - Miter Protractor

No. 29 Scratch Gage

Starrett



- Useful for scribing lines parallel to a given surface Beam is graduated a full 6" by 64ths of an inch · Fine adjustments may be made by a slight rotat-
- Made of steel and the head is hardened Gage is securely locked by a knurled clamp ing movement of the head
- screw and split bushing in the head
- Marker is a square piece of thin tempered-steel firmly held against the edge of the beam by a

Part # Lengths (in.) **Tooth Pitch**

SRR29B

11 Series Stair Gage Fixture Attachments








Starrett

- Furnished in pairs one right hand and one left
- Nickel plated cast iron is tough and rust resistant
 Ends are machined square for true work alignment with square blade graduations
- Brass clamp screws

Part # Lengths (in.) **Tooth Pitch** 1-7/8" Tall, 3/16" Wide

33 Series Combination Squares with Square Head



- · With reversible lock bolt, scriber, spirit level (except 4")
- Hardened steel, machine-divided blade with regular or satin chrome finish
- Head is forged hardened steel with smooth, black enamel finish

Part # Lengths (in.) Tooth Pitch SRR33JH

505P-7 Plastic Miter Saw Protractor

Starrett



- · The ProSite® Protractor takes error-prone calcu-
- lations out of the process of miter cuts Set your saw to the angle that you read
- Upside down or backwards, the reading is always correct
- · This easy-to-use tool has two scales: Miter cut scale transfers readings directly to the miter saw for miter joints and single cut scale transfers readings directly to the miter saw for butt joints
- The ProSite® Protractor saves time and reduces waste
- The tool is ideal for carpenters, plumbers and all building trades that require the measuring and transferring of angles
- · It is also invaluable for home use
- Made from durable engineered plastic
 7" model laser engraved for accuracy

Part #	Lengths (in.)	Tooth Pitch
SPR505P		

No. C183 Steel Protractor



Starrett

- Highly useful and accurate tool for setting bev- . The blade can be locked firmly at any angle by els, transferring angles, small squaring tasks, checking cutter clearances within certain limits, •
- and many other applications

 Double graduations from 0-180° in opposite directions permitting the direct reading of angles
- and supplementary angles

 Back of the tool is flat for ease of use

Part #	Lengths (in.)	Range
SPR50672	6	0_1809

No. 85 Series Carpenters' and Sheet Metal Workers' Improved Extension Dividers with caliper legs

the lock nut

tance to rust

working edges



12

Starrett

· Exceptionally rigid although light in weight and easy to handle

Satin chrome finish for ease of reading and resis-

Rectangular head, thus providing four convenient

- Head is made of forged steel
 Hardened points are well shaped and bent slightly so they can be rotated and brought closer together if desired
- Sturdy construction of the joint, combined with the quadrant that projects through the legs
- Frictionally locked by a knurled clamp nut, eliminates side deflection of the legs
 A quadrant adjusting nut permits fine-adjust-
- ments for close measurements
- A check nut located between the legs firmly locks the legs after proper adjustment has been made
- A common pencil fits either arm
 No. 88 Ball Points may also be used with this divider

w/divider legs, inside and outside

Part #	Lengths (in.)	Tooth Pitch
SRR50400	7	w/divider legs, inside and outside
SRR50401	9	w/divider legs_inside and outside

The Fastener Group

SRR50403



59"/24" - Type 196 Level





- Accuracy Certified, Top & Bottom readings.
- Rubber pads on endcaps grip walls.
 Removable endcaps for flush measuring.
- Accuracy guaranteed for life.

Part # Length (
STB37524	59 & 24

48" - Type 196 Level





- Accuracy Certified, Top & Bottom readings.
- Rubber pads on endcaps grip walls. Removable endcaps for flush measuring.
- Accuracy guaranteed for life.

Part #	Length (in.)
STB37448	48

24" - Type 196 Level




- Accuracy Certified, Top & Bottom readings.
 Rubber pads on endcaps grip walls.
 Removable endcaps for flush measuring.
- Accuracy guaranteed for life.



Part # Length (in.) STB37424 24

96" - Type 196 Level





Part # Length (in.) STB37496

24" Magnetic - Type 96M Level

STABILA -



Part # Length (in.) STB38624

78"/32" - Type 196 Level





- Accuracy certified, Top & Bottom readings.
- 78" Level fills door jambs within 2".
 32" level for 2/8 & 3/0 headers & sills, stair part, windows & cabinets.
- Red pads on endcaps prevent slipping.
 Accuracy guaranteed for life.

Part # Length (in.) STB37532 78 & 32

78"/32"- Magnetic - Type 96M Level





- WORK HANDS FREE
- Accuracy certified, Top & Bottom readings.
 78" length fills the 80" frames within 2".
- · "Stick" the level to any part of the metal jamb or to the steel hinge leaves on prehung jambs, shim the jamb & nail it off-ALL HANDS FREE.
- · 32" for 2/8 & 3/0 headers & sills, stair parts, windows and cabinets.

 • Accuracy guaranteed for life.

Length (in.) Part # STB38532 78 & 32

48" – Magnetic - Type 96M Level



- · Strongest magnets-WORK HANDS FREE. Accuracy Certified, Top & Bottom readings.
 Vial accuracy: 1/32" over 72".
- Rubber pads on endcaps grip walls.
 Accuracy guaranteed for life.

Length (in.)

The Fastener Group

Part #

STB38648



3 Vial Magnetic torpedo w/360° Vial





- Magnetic "V"-groove.
- Strongest magnets WORK HANDS FREE
- Heavy-duty, die-cast frame.
 Level accuracy guaranteed for life; vials will never fog, leak or require adjustment.

Part # Description STB25360 Magnetic "V" Groove 360 degrees

3 Vial Magnetic torpedo w/45° Vial





- Magnetic "V"-groove. Strongest magnets WORK HANDS FREE Heavy-duty, die-cast frame.
- Level accuracy guaranteed for life; vials will never fog, leak or require adjustment.

Part # Description STB25245 Magnetic "V" Groove 45 degrees

Magnetic Super Torpedo





- Strongest Magnets-WORK HANDS FREE Machined measuring surface.
- Heavy-duty, die-cast frame.
- Vial accuracy: 1/32" over 72".
 Level accuracy guaranteed for life; vials will never fog, leak or require adjustment.

Part # Description STB25100 Strongest Magnets-WORK HANDS FREE

Pocket Pro Magnetic Level w/holster (8pk)





- Stabila's PRO quality in a small format.
- A Must Tool for anyone.
 Large, easy read Vial.
 Handy Light Precise.

- Magnetic bar for horizontal and vertical hold.

Part # Description STB11995 Magnetic bar for horizontal and vertical hold

24" Type 70A-2





Part # Length (in.) STB22924 Entry level 24"

48" Type 70A-2





Part # Length (in.) STB22948 Entry level 48'

48"/24"/10" ProSet- Type 80A-2





- · Stabila's general construction level. Perfect for tile installer and all jobsite applications.
- Rugged, takes rough handling. Certified accuracy in normal reading positions: 1/32" over 72".
- Level accuracy guaranteed for life; vials will never fog, leak or require adjustment.

Length (in.) Part # STB29824 48, 24 & 10

Magnetic ProSet - Type 80A-2M





- · Stabila's general construction level. Perfect for tile installer and all jobsite applications.
- Rugged, takes rough handling. Certified accuracy in normal reading positions: 1/32" over 72".
- · Level accuracy guaranteed for life; vials will never fog, leak or require adjustment.

Part # Length (in.) STB29924 48, 24 & 10

















LAX200 Indoor laser kit





- FAST Leveling Lines.
- Pendulum lock.
- Lens Cover
- Rubber Housing.
- Integrated Magnetic Mount.

 1/4" 20 and 5/8" 11 tripod mounts.
- 4 Modes: Horizontal, Vertical, Cross-line, and fixed cross-line for Angles.
- Comes in soft, protective pouch no receiver in-

Part #

Description

STB03269

Indoor Use

LAX200 Outdoor laser kit





- FAST Leveling Lines. Pendulum lock.
- Lens Cover.
- · Rubber Housing.
- Integrated Magnetic Mount.

 1/4" 20 and 5/8" 11 tripod mounts.
- 4 Modes: Horizontal, Vertical, Cross-line, and fixed cross-line for Angles
- Pulse Technology use with receiver. Range with

Part #

Description

STB03275

Outdoor Use

LD300





- · Range: Up to 100ft.
- Length, Volume, Square footage, continuous mea-sure, Pythagorean.
- 1/16" accuracy throughout range.
- Bright back-lit screen.

Part #

Description

STB06300

Measures length, volume etc.

LAR250 Complete Kit





- Range: 1,150ft/350m.

- Fully automatic.

 Accuracy: ± 1/8° over 100′/±0.1mm/m.

 Self Leveling Working Range: ±5°

 Temp. Resistant: 14°F 122°F (-10°C +60°C)

 Dust/Water-Proof (IP65).
- Battery life: 120 hours.
- · Out-of-level shut-off.
- · incl. tripod, measuring rod

STB05600

Magnetic "V" Groove 45 degrees

24" - Type 196-2/IP65 Electronic level





- · Vial + digital Calibration system
- · Simple water & brush clean-up.
- Two displays light up. · Correct read even upside down

Part # Length (in.)

STB36524

48" - Type 196-2/IP65 Electronic level





48

- · Vial + digital Calibration system
- · Simple water & brush clean-up.
- Two displays light up.Correct read even upside down

Part # Length (in.)

STB36548

24" - Magnetic - Type 96M-2/IP65 Electronic level



- Vial + digital Calibration system
- · Simple water & brush clean-up. Two displays light up. · Correct read even upside down

Part # Length (in.) STB36520 24 Magnetic

48" Magnetic - Type 96M-2/IP65 Electronic level





- · Vial + digital Calibration system
- Simple water & brush clean-up.
- Two displays light up.Correct read even upside down

Part # Length (in.) 48 Magnetic STB36540

















Interlock Retractable Knife





Need info here.

Part # Size (in.) Unit Weight 10-079

Retractable Knife





Need info here.

Part # Size (in.) Unit Weight
10-099

Standard Snap Off Knife (18mm)





Part #	Size (in.)	Unit Weight

Various Blades for Knifes

10-280







Part #	Description	Qty.
11-301L	18 mm Bkwy. Blades,	50/disp.
11-301T	18 mm Bkwy. Blades,	10/card
11-325T	25 mm Bkwy. Blades,	10/pck
11-618	18mm Hook Snap Off Blade	5/pck.
11-625	25mm Hook Snap Off Blade	5/pck.
11-700A	Fat Max Utility Knife Blade	100/pck
11-718L	Fat Max "L" Series Blade	50/pck.
11-725L	Fat Max "H" Series Blade	20/pck.
11-921	H.D. Utility Knife Blades	
11-939	ASB Hook Blades,	3/pck.
11-939A	ASB Hook Blades,	70/disp.

Fat Max Xtreme Aviation Snips





Need info here.

Part #	Description
14-206	Fat Max Xtreme Str. Cut Aviation
14-207	Fat Max Xtreme Left Cut Aviation
14-208	Fat Max Xtreme Right Cut Aviation

Fat Max Aviation Snips





Need info here.

Part #	Description
14-562	Fat Max Aviation Snips, Left Cut
14-563	Fat Max Aviation Snips, Str. Cut
14-564	Fat Max Aviation Snips, Rt. Cut

Max Steel Aviation Snip





Need info here.

Part #	Description
14-566	Max Steel Aviation Snips, Long Cut

Various Saw Blades







Need info here.

Part #	Description
15-726	8 Pt. 26" Thrifty Crosscut Saw
20-002	16 Pt. 15" Universal Saw
20-556	Fat Max Wallboard Saw



















Cold Chisels





Part #	Description
16-286	3/8" Cold Chisel
16-288	5/8" Cold Chisel
16-289	3/4" Cold Chisel
16-290	7/8" Cold Chisel

Fat Max Cold Chiselw/Pt.





Part #	Description
16-329	Fat Max 3/4"x 12" Cold Chiselw/Pt.

Fat Max Brick Set





Part #	Description
16-328	Fat Max 4"x 8 1/2" Brick Set
16-331	Fat Max 3" x 11" Floor Chisel
16-332	Fat Max 1' x 12" Cold Chisel

Tapes "Stanley" Powerlock





Part #	Description
30-455	1" x 25' "Stanley" Powerlock
30-456	1" x 26'/8m "Stanley" Powerlock
51-217	1/2" x 12' "Stanley" Powerlock

Fat Max Tapes





Part #	Description
33-695	3/4" x 16'/5m Max
33-725	1¼" x 25' Fat Max
33-726	11/4" x 26'/ 8m Fat Max
33-735	1 1/4" x 35' Fat Max
33-890Y	1 1/4" x 25' Fat Max Xtreme

Open Reel Tapes





Part #	Description	
34-791	1/2"x100'/30M F.G. Open Reel	
34-794	1/2" x 200'/60M F.G. Open Reel	

High Impact ABS Level





Part #	Description
42-470	48" High Impact ABS Level
43-024	24" Pro Level
43-511	Magnetic Torpedo Level

Fat Max Xtreme Levels





	XTREME	
Part #	Description	
43-609	9" Fat Max Xtreme Torpedo	
43-624	24" Fat Max Xtreme Level	
43-648	48" Fat Max Xtreme Level	
43-672	72" Fat Max Xtreme Level	
43-679	78" FM Xtreme MagneticLevel	


















Steel Carpenter Square/Rafter Square





Part #	Description
45-500	Steel Carpenter Square
45-910	Steel Rafter Square
45-912	Steel Rafter Square(9" x 12")
46-053	C.G. 6" Adj. Quick Square
46-323	C.G. 7" Comb. Square
46-825	Thrifty 8" Bevel

Chalk Reel/Spike







Need info here.

Part #	Description
47-099	C.G. 100' Alum. Chalk Reel
47-496	Fat Max Xtreme Chalk Spike
47-821	Xtreme 8 oz red chalk
47-822	Xtreme 8 oz black chalk
47-828	Xtreme 5Lb. Black Chalk
77-110	Intellisensor Stud Sensor

Staplers/Electric Stapler





Part #	Description
TR150	Sharpshooter H.D. Stapler
PHT150C	Sharpshooter H.D. Hammer Tacker
PHT250C	Fat Max Heavy Duty Hammer Tacker
TRE550	Sharpshooter Electric Stapler/Brad

Demolition Bars and Nail Pullers

STANLEY



Part #	Description
55-045	Wonder Bar II
55-104	36" Fat Max Demolition Bar
55-114	10" Right Angle Offset Nail Puller
55-115	12" Right Angle Offset Nail Puller
55-117	10" Molding Pry Bar
55-503	FMXtreme 24" Wrecking Bar
55-504	FMXtreme 36" Wrecking Bar
55-515	Wonder Bar
55-526	Wonder Bar X21

Various Hammers





Part #	Description
51-163	16 Oz. AVXtreme Rip Hammer
51-212	20 Oz. AVXtreme Rip Hammer
51-214	22 Oz. AVXtreme Milled Face
51-215	24 Oz. AVXtreme Milled Face
51-217	28 Oz. AVXtreme Milled Face
51-219	22 Oz. AVXtreme II Sweet Spot
54-015	14 Oz. Anti-Vibe Drywall Hammer
54-024	24 Oz. Ball Pein
54-028	33 Oz. Anti-Vibe Shingle Hammer
57-522	18 Oz. Rubber Mallet
51-124	MIG 15 Hammer (NEW)
51-414	FatMax 17oz Axe Handle Hammer (New)



















Sumner ROUST-A-BOUT





- The Lift That Turns One Man Into A Crew!
 Standard Features
 Lifts 1,500 pounds (680 kg)
 151, 181 and 25 heights (4.6, 5.5 and 7.6 m)
 Moves vertically and horizontally
 2 Winches: operate load and mast elevation se 2 windries: operate load and mast elevation separately
 2-speed load winches
 Infinite load height adjustment
 Ideal for job site or shop
 Mast and base separate quickly for EASY transport

Part No.	Part No. Description		ight	1	4	E	3	C	/D	Ва	ise	Max F	leight
		LB	KG	inch	cm	inch	cm	inch	cm	inch	cm	feet	meters
780300	R-100 Roust-A-Bout 15' Top Height	311	140	79	200	20	50	12	30	32x40	80x100	15	4.6

Sumner Series 2100 Contractor Lifts





- Series 2100 Contractor Lifts
 Great all around Contractor Lift!
 Standard Features
 12', 18' & 24' heights (4.0 m, 5.6 m, & 7.3 m)
 650 lb capacity (300 kg)
 Fits through standard doorways & tail gates
 Loading Bar great for overhead cranes
 Pulley Guards prevent cable from coming off
 Reversible forks
 Plunger pins for quick readjustment and compact
 storage storage
 • No tools needed - no loose parts

- Variety of attachments

 Large 7/32" (5.5mm) load cable

 Load cable feeds inside mast (no more exposed cable just inches away from operator's face.)

Part No. Description		Max Height		Lifting Capacity		Lift Weight		Shipping Weight	
		LB	KG	inch	cm	inch	cm	inch	cm
783650	2112 Contractor Lift	13'1"	4.0	650	300.0	252	114.5	287	130.5
783651	2118 Contractor Lift	18'6"	5.6	650	300.0	321	145.9	356	161.8
783652	2124 Contractor Lift	23'11"	7.3	650	300.0	366	166.0	399	181.4



Sumner SERIES 2412





- A Super compact 12' (3.6 m) lift
 400 lb (180 kg) lifting capacity
 One piece construction no loose pieces
 Extremely portable for one man operation
 Fits in most vans and SUVs
 13 th built who force progred.

- 13 ft. height when forks reversed

Series 2412 Contractor Lift Dimensions	24	12
Height max. (forks up)	13.0'	3.9 m
Height max. (forks down)	12.0'	3.6 m
Lift capacity	400.0 lb	180.0 kg
Height stowed	62.8"	159.4 cm
Length stowed	23.0"	58.4 cm
Length operating	48.0"	121.9 cm
Width stowed	26.4"	67.1 cm
Width operating	26.4"	67.1 cm
Winch cranks per foot	8	24/m
Basic weight	195 lb	88.5 kg

Sumner Grasshopper



Size



- Enables one man to lift 2,000 lb (900 Kg) unassisted!
- Special sliding chain block design accommodates long and short loads
- Carries up to 20" diameter pipe, tool boxes, fittings and valves
 • Fits through 35" openings, is a versatile 12 feet long
- and weighs only 155 lbs. Rugged high pressure tires and wheels allow for construction site mobility
- · Chains can be used to lock wheels for security

Catalog ID SUM780351

Sumner Cricket



Size

Catalog ID SUM782699



- More than a Pipe Buggy!
 Transport 20 ft (6.1 m) pipe lengths up to 1,000 Lb. (450 Kg)
 • Comes with ratchet hold-down strap and 16" tubed
- tires
- Weighs only 70 Lb (31.8 Kg) ... can be shipped U.P.S.
- · Quick handle disconnect for compact storage.
- Carries up to 12" diameter pipe.
 Ideal job-site material carrier.

Sumner Stacking Macs





- Mobile Job Site Storage Carts
 Patented stacking feature: stack similar carts together or with other Stacking Mac Rack products
- Shipped assembled with 6" heavy duty casters
- Durable powder coat finish
- Job site tough Priced for all budgets
- Fully assembled, including casters
- Fold down arms, no tools required
- Heavy wall, one-piece storage arms

Catalog ID Size SUM783299 SUM783317

Sumner Reel Mac: The Real Jack





Reel Mac Reel Jack No. 70

• No. 70 screw-type telescoping reel jack for 46 to 96" diameter reels.

Reel Jack Cat. No. Part No. Height. Capacity 780942 21-54" 2,500 lb / 1,135 kg

Sumner Pro Roll



Expanded Features and Adjustable Height! Special Features • 1/2 - 36" (1.2 - 91 cm) or 2,000 Lb (900 kg)

- capacity
- Adjustable height of 29" (74 cm) to 43" (109 cm)
- Leveling on either side of stand
 Uses Quick Change Housings
- · Wheels "trued" for even pipe rotation
- Bronze bearings to eliminate arcing
 Brake to lock loads for lay-out or fit-up
- · Handles large enough to grip with a gloved hand · Quick Change design increases roller stand utility

The Fastener Group

SUM780441

















Sumner FAB SAF Jack





Great for serious fabrication

- Great for serious fabrication
 Standard Features
 3,500 lb (1,580 kg) capacity vee head
 2,500 lb (1,135 kg) capacity roller head
 30" (76 cm) Wide Heavy Duty Base
 Height range 32-52" (81-132 cm)
 Large 12-1/2" (32 cm) ribbed vee head to accommodate 24" (600 mm) pipe
- Quick-action lock washer

Catalog ID SUM780400

Description Roller Head

Sumner Fat Jack





Standard Features

- Folding Base 27" (68 cm) Wide Base 12-1/2" (32 cm) Wide Vee Head
- Ribbed Vee
- Ideal for Large Pipe
 Adjustable Height Range 32-52" (81-132 cm)

Catalog ID SUM781470

Sumner Fold-A-Jack





- Standard Features
 2,500 lb (1,135 kg) capacity
- Folds up for storage ease
- 1" (2.5 cm) square tube base construction Quick-action lock washer for quick height
- Patiented Fall Guard[™] feature allows 1" (25 mm) safety zone around lockwasher

 1.1/2" (38 mm) Acme fine adjustment thread the largest in the industry
- Large, convenient adjustment handleSet screw for double margin of safety
- · Set screw can lock jack head to stand for transportation – no loose pieces
 - Jack independently load tested for quality

- CE rated
 Backed by over forty years of jack stand manufacturing experience

 The standard sta
- · Carrying handle for ease of transporting

Sumner Heavy Duty



Newly Improved! The Heavy Duty Jack is the first commercially produced Jack stand constructed of rugged 1" (2.5 cm) steel tubing, tested by independent labs for excessive loads

Standard Features

- 2,500 lb (1,135 Kg) capacity
 Strut tension plate for superior lateral support

- 1" (2.5 cm) square tube base construction
 Built for heavy use & abuse
 Quick-action lock washer for fast height positioning
 Patented Fall Guard™ feature allows 1" (25 mm)
 safety zone around lock washer
 1-1/2" (38 mm) Acme fine adjustment thread the
- largest in the industry
 Large, convenient adjustment handle
 Set screw for double margin of safety

- Set screw can lock jack head to stand for transportation no loose pieces
 Jack independently load tested for quality
- assurance
- CE rated
- · Backed by over forty years of jack stand manufacturing experience

Sumner Pro Jack

Description

Roller Head

Vee Head

Catalog ID

SUM780376

SUM780375



Description

Vee Head

Roller Head

Catalog ID

SUM780471

SUM780472



Most Economical Sumner Jack Stand Standard Features
Formed steel legs
2,000 lb (900 kg) capacity

- 2.000 lb (900 kg) capacity
 Priced for all budgets
 Strut tension plate for superior lateral support
 Quick-action lock washer for fast height positioning
 Patented Fall Guard™ feature allows 1" (2.5 cm)
 safety zone around lock washer
 1-1/2" (38 mm) Acme fine adjustment thread the
 large convenient adjustment handle

- Large, convenient adjustment handle
 Set screw for double margin of safety
 Set screw can lock jack head to stand for transportation – no loose pieces
 - Jack independently load tested for quality

- CE rated
 Backed by over forty years of jack stand manufacturing experience

Catalog ID

Description

SUM781300 Vee Head SUM781301 Roller Head

















Sumner Ultra Clamp



A fast, accurate fit-up clamp for pipe to pipe, pipe to fitting ... and more!
Ultra Clamp Features
• Rugged frame, built for job site use

- Smooth roller clamping action for positive gripping
 Stainless steel contacts & alignment screws
 Operating handle repositions for close work

- Fine adjustment screws for quick fit-up
- Light weight for overhead work

Catalog ID	Size
SUM781150	2"-6"
SUM781170	5"-12"

Sumner Qwik Pins and Flange Pins





For accurate alignment of carbon or stainless steel

pipe flanges.
• Hardened tapered Qwik Pins automatically center on 5/8-1-5/8" holes

Catalog ID

SUM781235

SUM783430

Catalog ID

SUM781403

Sumner Max Jax



In the shop or on the job, moving long lengths of pipe is a snap with Max Jax!
Standard Features
• Support 2,500 lb (1,135 kg) each!
• Large, convenient adjustment handle

Sumner Manufacturing Co., Inc

- Optional casters enable pipe to be easily wheeled around in the shop or on the job
 Several optional large vee head styles
- · Jack independently load tested for quality assurance
- · Backed by over forty years of jack stand manufacturing experience

Sumner Internal Fit-Up Clamp (Alignment Tool)





The Ideal Flange Fit-Up Tool!

- Standard Features
 Can be used on all standard weld neck flanges and great with slip-on flanges

 Contact points stainless steel – a standard feature
- One piece construction no loose pieces
 Quick action operation

Catalog ID

SUM784100

Sumner Tainer Mac



A Mobile, Heavy Duty Stacking Container For The Contractor

- Contractor
 Standard Features:
 Transports 1,500 lb / 680 kg of material
 Four 6" heavy duty casters
 Posts for stacking & steering
 Stacks with other Mac carts

- Large storage capacityFits through 36" (91 cm) doorway

Sumner Caddy Mac Wire Carts





Caddy Mac #1

 Sumner's Caddy Mac #1 transports spools on spindles and works as a dolly! Wire is dispensed while laying flat.

Catalog ID SUM783463

SUM784990

Sumner Caddy Mac Wire Carts



SUM783465

Catalog ID



Caddy Mac #2
• Caddy Mac #2 holds 16 spools of #10 awg or 24 spools of #12 awg. Hinge design allows easy access to all spools for wire dispensing and folds for compact storage.





CHALK-RITE® II Chalk Boxes



CHALK-RITE® II Chalk Boxes feature dependable 5-gear fast wind systems, line locks that auto disengage, gasket-sealed die cast aluminum cases, end hook stays, & premium-grade braided nylon/polyester line with matching felt applicators for exceptionally clean & consistent marking lines.

Part #	Description
TAJCR201R-PR	Chalk-Rite® Extra Bold
TAJCR202B-P	Chalk-Rite® Ultra Bold

CHALK-RITE® Accessories





CHALK-RITE® Accessories are designed for use with all CHALK-RITE® chalk boxes to ensure dependable and consistent performance is achieved throughout the life of the tool.

Part #	Description
TAJPL-ITOL	Chalk-Rite® line, 1.0mm
TAJPL-ITOS	Chalk-Rite® line, 0.5mm
TAJPLC3BK300	Snap Line Dye, black, 10.5 oz
TAJPLC3DR300	Snap Line Dye, red, 10.5 oz
TAJPLC3BK900	Snap Line Dye, black, 32 oz
TAJPLC3DR300	Snap Line Dye, red, 32 oz
TAJPLC2B300	Micro Chalk, blue, 10.5 oz
TAJPLC2R300	Micro Chalk, red, 10.5 oz
TAJPLC2B900	Micro Chalk, blue, 32 oz
TAJPLC2R900	Micro Chalk, red. 32 oz

SLANT™ AL200 Pitch / Angle Meter



TaJIMa





SLANT™ AL200 provides a fast and easy way to measure, set or replicate a pitch or angle, and it's magnetic base makes it ideal for a variety of trades including Roofing, Steel Fabrication, Plumbing, Steel Stud Framing, and more.

Part #	Description
TAJSLTAL200M	Magnetic Pitch/Angle Meter

CONVOY® Caulk Guns



TAJIMA Caulk Guns feature smooth twin-thrust dispensing, Auto Flow Stop™ drip control, hasslefree tube change design and extra-long seal puncture pins for the new longer nozzle tubes

7	Part #	Description
	TAJCNV-100SP	CONVOY® Super, 10 oz.
	TAJCNV-J900SP	CONVOY® Super, 1 qt.
	TAJCNV-X	CONVOY® X, 10 oz.

GRI® Comfort Grip Knives





GRI Comfort Grip knives feature ergonomic handles with thick elastomer non-slip grips, heavy gauge blade sleeves and ultra-sharp Endura 8-pt blades.

Part #	Description
TAJLC-560	GRI® Comfort Grip Knife, 18mm, Auto Lock
TAJLC-561	GRI® Comfort Grip Knife, 18mm, Dial Lock
TAJLCB-50	Endura 18mm 10-blade dispenser
TAJLCB-50-50	Endura 18mm 50-blade hard pack
TAJLCB-50RB	RAZAR Black 18mm 10-blade dispenser

G-Saw™ ICF/PVC Saw





G-Saw™ ICF/PVC saw features a rectangular 17PTI fine tooth blade that tracks straight and makes exceptionally clean cuts through Insulated Concrete Forms (ICF) and rigid foam as well as PVC and

Part #	Description	
TAJGK-G210P	G-Saw™ ICF/PVC folding handle saw	
TAJGKB-G210P	G-Saw™ ICF/PVC saw replacement blade	

Scrape-Rite™ Scrapers







Scrape-Rite $^{\text{TM}}$ scrapers feature reversible blades, reinforced shafts and thick steel end caps to tackle heavy chisel-like material removal as well as precision scraping tasks.

Part #	Description
TAJSCR-L200	Scrape-Rite™ 8", with 3 Endura blades
TAJSCR-L300	Scrape-Rite™ 12", with 3 Endura blades
TAJSCR-L600	Scrape-Rite™ 24", with 3 Endura blades
TAJSCR-H1200	Scrape-Rite™ 48", with 3 Rock Hard® blades

VR-Series Knives





Series knives feature rugged, one-piece hinged handles that large thumb screws, and magnetic blade retainers with spare blade clips that prevent acciden- tal blade drop when opened.

Part #	Description
TAJVR-101R	VR fixed-blade, with 3 V-REX™ blades
TAJVR-102B	VR retractable, with 3 V-REX™ blades
TAJVRB-5B	V-REX™ blades, 5-blade pack
TAJVRB-50B	V-REX™ blades, 50-blade dispenser
TAJHKB-5B	DEEP HOOK™ blades, 5-blade pack
TAJHKB-50B	DEEP HOOK™ blades, 50-blade dispenser

















Series 300 Kraftform Handle Set & Rack



Content: 2 PH w / Lasertip - 2 Slot w / Lasertip - 2 Square + plastic rack

002 Mini Ratchet with 1/4 Socket Adaptor





Mini Ratchet 1/4 drive for bits and 1/4 sockets. Easy to use in confined spaces. Small return angle of only 6 degree for accurate work.

- For bits and socket 1/4 drive
- Torque exceeding 65nm

Part

WERA073230

Part # WERA347778

Series 100 Kraftform Handle Set & Rack 1000 volts Insulated





Content: 2 PH w/Lasertip - 2 slot w/Lasertip - 2 Square + plastic rack.

002 Zyklop Ratchet 3/8 the 6 in 1 one Ratchet





6 in 1 Ratchet: fine tooth ratchet, flex-head ratchet, angle ratchet, quick release ratchet, power ratchet and a screwdriver. Spin sleeve on the handle to accelerate the screw-driving process. 72 tooth gear with a 5 degree return angle.

· High working speed

Part

WERA347778

Kaftform Kompakt 26 & Pouch. 6 in 1





6 in 1 screwdriver with telecopic rapidaptor .

Content: 2 PH w / Lasertip - 2 Slot w / Lasertip - 2 Square + plastic rack

Part

WERA051025

002 Wera Bit-Check





9 pieces set with Ringmagnet adaptor for long screws.

Content: 3 PH / 3 Slot / 3 Square with Ringmagnet adaptor for holding long screws. In a plastic case / pocket size.

WERA346291

002 Kraftform Kompakt 27 Ratchet Screwdriver with Bits





Ratcheting Screwdriver with 3 positions. Equipped with 6 # 25 mm bits: 2 PH / 2 slot / 2 squares. Bits integrated into the handle. Stainless Steel bitholder for 1/4 inches bits.

Part # WERA073261

WERA073661



















Letter Sets Machine Made Hand Stamps





Item #	Character Size	Square Size	Length	Weight
YNG01271	1/16 in	1/4 in	2-3/8 in	1-1/2 lb
YNG02271	3/32 in	1/4 in	2-3/8 in	1-1/2 lb
YNG03271	1/8 in	1/4 in	2-3/8 in	1-1/2 lb
YNG05271	3/16 in	5/16 in	2-7/16 in	2 lb
YNG06271	1/4 in	3/8 in	2-5/8 in	3 lb
YNG07271	5/16 in	7/16 in	2-7/8 in	4-1/2 lb
YNG08271	3/8 in	1/2 in	2-7/8 in	6 lb
YNG09271	1/2 in	5/8 in	3-3/8 in	10-3/4 lb

Letter Sets Hand Cut Stamps





Item #	Character Size	Square Size	Length	Weight
YNG07272	5/16 in	7/16 in	2-7/8 in	4-1/2 lb

Figure Sets Round Face Full Characters Stamps





Item #	Character Size	Square Size	Length	Weight
YNG06275	1/4 in	7/16 in	3 in	4-1/2 lb

Letter Sets Round Face Dot Design Characters Stamps





Item #	Character Size	Square Size	Length	Weight
YNG03276	1/8 in	5/16 in	2-1/2 in	2-3/4 lb
YNG05276	3/16 in	3/8 in	2-3/4 in	3 lb
YNG06276	1/4 in	7/16 in	3 in	4-1/2 lb

Figure Sets Machine Made Stamps





Item #	Character Size	Square Size	Length	Weight
YNG03091	1/8 in	1/4 in	2-3/8 in	1/2 lb
YNG05091	3/16 in	5/16 in	2-7/16 in	3/4 lb
YNG06091	1/4 in	3/8 in	2-5/8 in	1 lb
YNG08091	3/8 in	1/2 in	2-7/8 in	2 lb
YNG09091	1/2 in	5/8 in	3-3/8 in	4-3/4 lb

Figure Sets Round Face Full Characters Stamps





Item #	Character Size	Square Size	Length	Weight
YNG06095	1/4 in	7/16 in	3 in	1-1/2 lb

Figure Sets Round Face Dot Design Characters Stamps





Item #	Character Size	Square Size	Length	Weight
YNG03096	1/8 in	5/16 in	2-1/2 in	2-1/2 lb
YNG05096	3/16 in	3/8 in	2-3/4 in	1 lb
YNG06096	1/4 in	7/16 in	3 in	1-1/2 lb

Single Pieces Letter & Number Stamps (Reversed)





Item #	Character Size	Square Size	Length
YNG3/8SINGLE	3/8 in	9/16 in	3-31/8 in

















VPP-OT-LC



- Vertical Tiered Tool Pockets: 36
- · Flat Zippered Pockets: 4
- D-Rings: 2 large and 4 small Stainless Steel Tape Clip: Yes
- Waterproof Base: 3mm Injection Molded
- Polypropylene Waterproof Body Fabric: 1800 PVC Impregnated Denier Nylon

OTHER FEATURES:

Shoulder Strap: Heavy Duty, Non-Slip Padded Shoulder Strap with Clip-On connection Warranty: 5 Years (see Veto warranty terms

and conditions)

Weight (lbs.) Part # Description VPP-OT-LC 9" x 13.5" x 12" 7.25 empty

VPP-OT-XL





Open Top version of our award winning XL. It's the perfect king-sized, all-purpose bag for those fill it up and go situations.

- Vertical Tiered Tool Pockets: 40
- Flat Zippered Pockets: 4
- D-Rings: 2 large and 4 small Stainless Steel Tape Clip: Yes
- Waterproof Base: 3mm Injection Molded
- Polypropylene Waterproof Body Fabric: 1800 PVC Impregnated
- Denier Nylon
 Waterproof Tool Pocket Fabric: 1800 PVC
 Impregnated Denier Nylon

OTHER FEATURES



Shoulder Strap with Clip-On connection
Warranty: 5 Years (see Veto warranty terms and conditions)

Part # Description Weight (lbs.) VPP-OT-XL 9" x 16.5" x 13" 7.25 empty

VPP-OT-XXL





Unlike the jack-of-all-trades utility of the closed top version, the OT-XXL allows for more rapid deployments while still delivering extra capacity, and the horizontal configuration that can accommodate longer implements like saws, pry bars and levels. And you still get room to spare for supplies and what not.

- Weatherproof Body Fabric (PVC impregnated 1800 denier)
- Durable Waterproof Base (3mm thick polypropylene)
- Heavy Duty Fastenings and Zippers
- Vertical Tool Pockets: 58
- · Waterproof Base: 3mm Injection Molded Polypropylene

OTHER FEATURES:

- Shoulder Strap: Heavy Duty, Non-Slip Padded Shoulder Strap with Clip-On connection
 Warranty: 5 Years (see Veto warranty terms
- and conditions)

Part # Description Weight (lbs.) VPP-OT-XXL 17" x 25.5" x 9.5"

VPP-LC





Where the XL is more of a generalist bag, the LC caters to the more job-specific crowd. Don't misunderstand, it still offers transport-plane-like storage with 57 pockets capable of handling 75 hand tools. If you're any kind of technician, you're going to love the bag's layout. It's perfect for all sorts of meters and butt-sets

- · Vertical Tool Pockets (inside): 48 inside & 3 outside
- · Flat Zippered Pockets (outside): 4 inside & 2 outside
- Neoprene Pockets: none
 D-Rings: 4 large and 5 small
- Exterior Electrical Tape Loop: 8" Fabric with Clip Closure
- · Stainless Steel Tape Clip: Yes

- OTHER FEATURES:
 Shoulder Strap: Heavy Duty, Non-Slip Padded Shoulder Strap with Clip-On connection
- Warranty: 5 Years (see Veto warranty terms and conditions)

Description Weight (lbs.)

VPP-LC 9.5" x 13.5" x 12"

VPP-XL

Part #



7.25 empty



Can you handle 100 hand tools? The award winning XL BAG can, with ease. It has 67 beefy pockets that put all your must-have tools within reach and easy

- · Vertical Tool Pockets (inside): 48 inside & 3 outside
- Flat Zippered Pockets (outside): 4 inside & 2 outside

- Neoprene Pockets: none
 D-Rings: 4 large and 5 small
 Exterior Electrical Tape Loop: 8" Fabric with Clip
- Stainless Steel Tape Clip: Yes
 Waterproof Base: 3mm Injection Molded Polypropylene

OTHER FEATURES:

- Shoulder Strap: Heavy Duty, Non-Slip Padded Shoulder Strap with Clip-On connection Warranty: 5 Years (see Veto warranty terms
- and conditions)

Part # Description

Weight (lbs.)

VPP-XL 9.5" x 13.5" x 12"" 7.25 empty

VPP-XXL-F





This bag handles all your larger tools. Now you can pack that serrated sidekick, or a level, or a pry bar, or anything else that requires a little more horizontal territory. The XXL-F handles longer tools while still providing vertical storage in the form of 54 total pockets that can accommodate about 80 tools of varying sizes.

- Vertical Tool Pockets (inside): 48 inside & 3 outside
- Flat Zippered Pockets (outside): 4 inside & 2 outside
- Neoprene Pockets: none
- D-Rings: 4 large and 5 small
- Exterior Electrical Tape Loop: 8" Fabric with Clip Closure
- Stainless Steel Tape Clip: Yes

OTHER FEATURES:

- Shoulder Strap: Heavy Duty, Non-Slip Padded
- Shoulder Strap with Clip-On connection

 Warranty: 5 Years (see Veto warranty terms and conditions)

Description Weight (lbs.) Part # 9.5" x 13.5" x 12"" VPP-XXL-F 13 empty



VPP-TECH-LC






The TECH-LC is a service technician version of the original Model LC. A number of changes have been made to tailor the bag to accommodate larger tools. The TECH-LC sports 53 pockets with ample pocket room for hand tools, a parts box, meter(s), a cordless impact drill and for other bulkier items. 8 new small neoprene pockets have been added for drill bits and bit extensions.

- Vertical Tool Pockets: 50 inside & 3 outside Flat Zippered Pockets: 4 inside & 2 outside
- Neoprene Pockets: 2
- D-Rings: 4 large and 5 small
 Exterior Electrical Tape Loop: 8" Fabric with Clip Closure
- Stainless Steel Tape Clip: Yes

OTHER FEATURES:



and conditions)

Part #	Description	Weight (lbs.)
VPP-TECH-LC	9 5" wide by 13 5" long	9 empty

VPP-MB





The MB is a clip-on meter bag designed to hold a small selection of tools and one or two meters. When not in use it can clip onto any model Veto bag's tape clip or D-Rings. It features 10 pockets of various sizes that will accommodate a number of meters and a few of the most commonly used tools to diagnose and repair problems on service calls.


- · Vertical Tool Pockets: 8 inside & 2 outside
- · Meter Pockets: 2
- · D-Rings: 4 small

OTHER FEATURES:

Warranty: 5 Years (see Veto warranty terms and conditions)

Part #	Description	Weight (lbs.)
VPP-MB	3" x 8" x 9"	2 empty

VPP-TP3





The TP3 is a clip-on diagnostics bag designed to hold a meter and a variety of tools. When not in use it can clip onto any model Veto tool bag's tape clip or D-Rings. It features 19 pockets of various sizes that will accommodate the most commonly used tools to diagnose and repair problems on service calls.

- Vertical Tool Pockets: 5 inside & 14 outside
- · 3 Long Shanked Tool Pockets
- 1 Meter Pocket
- · D-Rings: 2 small
- 8" Electrical Tape Strap

OTHER FEATURES:

- Detachable Rubber Handle
- Nylon Plastic Connection Clip
 Warranty: 5 Years (see Veto warranty terms and conditions)

Part # Description Weight (lbs.) VPP-TP3 5" x 7" x 9"

VPP-LT





The LT is a rugged laptop mobile business tech bag designed to organize and store a laptop and other business accessories on the jobsite. Its rugged construction will protect sensitive computing and testing equipment on the jobsite and will keep other business essentials and small tools organized and within easy reach. Dimensions: 20.25"H X 16.5"L X 7"W Pocket Count: 34

- Vertical Tool Pockets (inside): 29 inside & 3 outside
 Flat Zippered Pockets (outside): 4 inside & 2 outside
- Neoprene Pockets: 2
- D-Rings: 4 large and 5 small
 Exterior Electrical Tape Loop: 8" Fabric with Clip
- Stainless Steel Tape Clip: Yes

OTHER FEATURES:

- Shoulder Strap: Heavy Duty, Non-Slip Padded Shoulder Strap with Clip-On connection
 Warranty: 5 Years (see Veto warranty terms
- and conditions)

Part #	Description	Weight (lbs.)
VPP-LT	7" x 16.5" x 14.5"	11 empty

VPP-XLT





The XLT is a rugged laptop/tool and tech bag designed to organize and store a laptop, business accessories and hand tools in the field. Its rugged construction will protect sensitive computing and testing equipment on the jobsite and will keep other business essentials and hand tools organized and within easy reach. This is the one bag that does it all! It's the ultimate tool organization, tool storage solution. Dimensions: 20.25"H X 16.5"L X 9.5"W. Pocket Count: 47

- Vertical Tool Pockets: 33 inside & 3 outside
- Flat Zippered Pockets: 1 inside & 3 outside
- Neoprene Pockets: 6 Large, 2 Medium, 4 Small
 Horizontal Magnetic Flapped Pockets: 2
- D-Rings: 4 large and 4 small
- Exterior Electrical Tape Loop: 8" Fabric with Clip Closure
- · Stainless Steel Tape Clip: Yes

OTHER FEATURES:

- Laptop Storage
 PDA/Phone Storage
 Shoulder Strap: Heavy Duty, Non-Slip Pad, Clip-on
- Connection

 Warranty: 5 Years (see Veto warranty terms and conditions)

Part #	Description	Weight (lbs.)
VPP-XLT	9.5" x 16.5" x 20.25"	13 empty

VPP-STRAP





Veto Pro Pac replacement padded shoulder strap for closed and open top bags only. This strap does not fit laptop or tech series bags.

Part #	Description	Weight (lbs.)
VPP-STRAP	-	-

The Fastener Group